Chip tantalum capacitors


TCO Series A Case


Features (A)

ROHM

- 1) Conductive polymer used for the cathode material.
- 2) Ultra-low ESR.
- (1/10 compared with the conventional type)
- 3) Screening by thermal shock.

•Dimensions (Unit : mm)





•Rated Table. Marking

TCO Series A Case

| | | Rated voltage (V.DC) | | | | | | |
|---|-----|----------------------|---------|-----------|----------|--|--|--|
| | μF | 2.5 0E | 4 0G | 6.3 0J | 10 1A | | | |
| А | 1.0 | | | | | | | |
| Е | 1.5 | | | | | | | |
| J | 2.2 | | | | | | | |
| Ν | 3.3 | | | | А | | | |
| S | 4.7 | | | А | Α | | | |
| W | 6.8 | | А | А | Α | | | |
| а | 10 | A | А | А | А | | | |
| е | 15 | A | А | А | | | | |
| j | 22 | A | А | А | | | | |
| n | 33 | A | А | | | | | |
| s | 47 | A | А | | | | | |
| W | 68 | * A | | | | | | |

* Under development

Marking

The indications listed below should be given on the surface of a capacitor.


 (1) Polarity
 : The polarity should be shown by □ bar. (on the anode side)

 (2) Rated DC voltage : Due to the small size of A case, a voltage code is used as shown below.

 (3) Visual typical example
 (1) voltage code
 (2) capacitance code

| Voltage Code | Rated DC Voltage (V) |
|-----------------|-------------------------|
| е | 2.5 |
| g | 4 |
| j | 6.3 |
| А | 10 |

| Capacitance | Nominal | | | | |
|-------------|------------------|--|--|--|--|
| Code | Capacitance (µF) | | | | |
| A | 1.0 | | | | |
| E | 1.5 | | | | |
| J | 2.2 | | | | |
| Ν | 3.3 | | | | |
| S | 4.7 | | | | |
| W | 6.8 10 15 | | | | |
| а | | | | | |
| е | | | | | |
| j | 22 | | | | |
| n | 33 | | | | |
| S | 47 | | | | |



Characteristics

| Item | | | | | | Performance | Test conditions (based on JIS C 5101–1 and JIS C 5101–3) | | |
|--|------------|---|----------|------|-------|--|--|--|--|
| Operating Temperature | | -55 | 5℃ | to + | 105 |)C | Voltage reduction when temperature exceeds+85 0 | | |
| Maximum operating temperature with no voltage derating | | +85℃ | | | | | | | |
| Rated voltage (VDC) | | | 4 6.3 10 | | | | at 85°C | | |
| Category voltage (VDC) | | | 3.2 | 5 | 8 | | at 105℃ | | |
| Surge voltage (VDC) | | 3.2 5.2 8 13 | | | | | at 85℃ | | |
| DC Leakage current | | | | | | whichever is greater ndard list " | Rated voltage for 5min | | |
| Capacitance tolerance | | | 0% | Sha | ll be | satisfied allowance range. | Measuring frequency : 120±12Hz Measuring voltage : 0.5Vrms +1.5 to 2V.DC Measuring circuit : DC Equivalent series circuit | | |
| Tangent of loss angle (Df, tan δ) | | Shall be satisfied the voltage on " Standard list " | | | | | Measuring frequency : 120±12Hz Measuring voltage : 0.5Vrms +1.5 to 2V.DC Measuring circuit : DC Equivalent series circu | | |
| ESR | | Shall be satisfied the voltage on " Standard list " | | | | ed the voltage on " Standard list " | Measuring frequency : 100±10kHz Measuring voltage : 0.5Vrms or less | | |
| Resistance to Soldering heat | Appearance | | | | | pe nonsignificant abnormality. s should be clear. | Dip in the solder bath Solder temp : 240±5°C Duration : 10±0.5s | | |
| | L.C. | Less than 300% of initial limit | | | | | Duration : 10±0.5s Repetition : 1 | | |
| | ΔC / C | Wit | thin | ±20 | % o | f initial value | After the specimens, leave it at room temperature for | | |
| | tan δ | Les | ss th | nan | 300 | % of initial limit | over 24h and then measure the sample. | | |

| Item | | Performance | Test conditions (based on JIS C 5101–1 and JIS C 5101–3) | | | | | |
|------------------------|---------------|--|--|--|--|--|--|--|
| Temperature cycle | Appearance | There should be no significant abnormality. | Repetition : 5 cycles (1 cycle : steps 1 to 4) without discontinuation. | | | | | |
| | L.C | Less than 1000% of initial limit | Temp. Time | | | | | |
| | ΔC / C | Within±20% of intial value | 1 −55±3°C 30±3min | | | | | |
| | | | 2 Room temp. 3min.or less | | | | | |
| | | | 3 105±2°C 30±3min | | | | | |
| | Df (tan δ) | Less than 300% of initial limit | 4 Room temp. 3min.or less | | | | | |
| | (tan o) | | After the specimens, leave it at room temperature for over 24h and then measure the sample. | | | | | |
| Moisture resistance | Appearance | There should be no significant abnormality. The indications should be | After leaving the sample under such atmospheric condition that the temperature and humidity are | | | | | |
| | L.C | Less than 300% of initial limit | 40±2°C and 90 to 95% RH,respectively,for 500±24h leave it at room | | | | | |
| | ΔC / C | +30% / -20% | temperature for over 24h and then measure the sample. | | | | | |
| | Df (tan δ) | Less than 300% of initial limit | | | | | | |
| Temperature | Temp. | –55℃ | | | | | | |
| Stebility | ΔC / C | Within 0/-20% of initial value | | | | | | |
| | Df (tan δ) | Shall be satisfied the voltage on " Standard list " | | | | | | |
| | L.C | _ | | | | | | |
| | Temp. | +105°C | | | | | | |
| | ΔC / C | Within +50/0% of initial value | | | | | | |
| | Df (tan δ) | Shall be satisfied the voltage on " Standard list " | | | | | | |
| | L.C | Less than 1CV | | | | | | |
| Surge voltage | Appearance | There should be no significant abnormality. | Apply the specified serge voltage every 5 ± 0.5 min. for 30 ± 5 s. each time in the atmospheric condition | | | | | |
| | L.C | Less than 200% of initial limit | of 85±2℃. Repeat this rocedure 1,000 times. After the specimens, leave it at room temperature | | | | | |
| | ΔC / C | Within±20% of initial value | | | | | | |
| _ | Df (tan δ) | Less than 200% of initial limit | for over 24h and then measure the sample. | | | | | |

| Item | | Performance | Test conditions (based on JIS C 5101–1 and JIS C 5101–3) | | | | | |
|-----------------------|---------------|--|---|--|--|--|--|--|
| Loading at Appearance | | There should be nonsignificant abnormality. | After applying the rated voltage for 1000 ⁺⁷² h without discontinuation via the serial resistance | | | | | |
| | L.C | Less than 400% of initial limit | of 3 Ω or less at a temperature of 85 ±2 °C, leave | | | | | |
| ΔC / C | | Within±20% of initial value | the sample at room temperature / humidity for | | | | | |
| | Df (tan δ) | 300% of initial limit less than | over 24h and measure the value. | | | | | |
| Terminal strength | Capacitance | The measured value should be stable. | A force is applied to the terminal until it bends | | | | | |
| | Appearance | There should nonsignificant abnormality. | to 1mm and by a prescribed tool maintain the condition for5s.(See the figure below) | | | | | |
| | | | thickness=1.6mm | | | | | |
| Adhesiveness | | The terminal should not come off. | Apply force of 5N in the two directions shown in the figure below for 10±1s after mounting the terminal on a circuit board. | | | | | |
| Dimensions | | Refer to "External dimensions" | Measure using a caliper of JISB 7507 Class 2 or higher grade. | | | | | |
| Resistance to solv | vents | The indication should be clear | Dip in the isopropyl alcohol for 30±5s, at room temperature. | | | | | |
| Solderability | | 3/4 or more surface area of the solder coated terminal dipped in the soldering bath should be covered with the new solder. | Dip speed= 25 ± 2.5 mm / s Pre-treatment(accelerated aging): Leave the sample on the boiling distilled water for 1 h. Solder temp.: $245\pm 5^{\circ}$ C Duration : 3 ± 0.5 s Solder : M705 Flux : Rosin25% IPA75% | | | | | |
| Vibration | Capacitance | Measure value should not fluctuate during the measurement. | Frequency : 10 to 55 to 10Hz/min. Amplitude : 1.5mm Time : 2h each in X and Y directions | | | | | |
| | Appearance | There should no significant abnormality. | Mounting : The terminal is soldered on a print circuit board. | | | | | |


Standard list, TCO series

< A case : 3216 size >

| Part No. | Rated Voltage 85°C | Category Voltage 105°C | Surge Voltage 85°C | Voltage 120Hz | Tolerance | Leakage Current 25°C | Df 120Hz (%) | | | ESR 100kHz |
|----------------|--------------------------|------------------------------|--------------------------|---------------|-----------|----------------------------|--------------------|--------------|-------|---------------|
| | (V) | (V) | (V) | (μF) | (%) | 1WV 5min (μA) | –55°C | 25°C 85°C | 105°C | (mΩ) |
| TCO A 0E 106 🗆 | | | | 10 | | 3.0 | | | | |
| TCO A 0E 156 🗆 | | | | 15 | | 3.8 | 6 | 6 | 9 | |
| TCO A 0E 226 🗆 | 2.5 | 2.0 | 3.2 | 22 | ±20 | 5.5 | | | | 200 |
| TCO A 0E 336 🗆 | | | | 33 | | 8.3 | 10 | 10 | 15 | |
| TCO A 0E 476 🗆 | | | | 47 | | 11.7 | 10 | 10 | 15 | |
| TCO A 0G 685 🗆 | | | | 6.8 | | 3.0 | | | | 300 |
| TCO A 0G 106 🗆 | | | | 10 | | 4.0 | 6 | 6 | 9 | |
| TCO A 0G 156 🗆 | 4 | 3.2 | 5.2 | 15 | ±20 | 6.0 | | | | |
| TCO A 0G 226 🗆 | 4 | 5.2 | 5.2 | 22 | | 8.8 | | | | 200 |
| TCO A 0G 336 🗆 | | | | 33 |] | 13.2 | 10 | 10 | 15 | |
| TCO A 0G 476 | | | | 47 | | 18.8 | 10 | 10 | 15 | |
| TCO A 0J 475 🗆 | | | | 4.7 | | 3.0 | | | | 300 |
| TCO A 0J 685 🗆 | | | | 6.8 | | 4.3 | | | | 300 |
| TCO A 0J 106 🗆 | 6.3 | 5 | 8 | 10 | ±20 | 6.3 | 6 | 6 | 9 | |
| TCO A 0J 156 🗆 | | | | 15 | | 9.5 | | | | 200 |
| TCO A 0J 226 🗆 | | | | 22 | | 13.9 | | | | |
| TCO A 1A 335 🗆 | | | | 3.3 | | 3.3 | | | | |
| TCO A 1A 475 🗆 | 10 | 8 | 13 | 4.7 | ±20 | 4.7 | 6 | 6 | 9 | 300 |
| TCO A 1A 685 🗆 | 10 | 0 | 13 | 6.8 | -20 | 6.8 | 0 | 0 | 9 | |
| TCO A 1A 106 🗆 | | | | 10 | | 10.0 | | | | 200 |

□=Tolerance(M : ±20%)

Packaging specifications




Packaging style

| Case code | package | Packag | ging style | Symbol | Basic ordering units |
|-----------|---------|----------------|------------|--------|----------------------|
| А | Taping | plastic taping | ¢180mmReel | R | 2,000pcs |

Damp proof package

- 1 One reel is packed in aluminum bag. The size of aluminum bag is 240(a) x 250(b)mm.
- The size up to 230(c)mm is to zipper. ② A desiccant is packed with a reel.
- 3 The aluminum bag is heat-sealed.
- $\overset{\scriptstyle{\frown}}{(4)}$ The label of the same as the label on the reel is placed on the aluminum bag.





Thank you for your accessing to ROHM product informations. More detail product informations and catalogs are available, please contact your nearest sales office.

ROHM Customer Support System

THE AMERICAS / EUROPE / ASIA / JAPAN

Contact us : webmaster@rohm.co.jp

www.rohm.com

Copyright © 2009 ROHM Co.,Ltd.

ROHM Co., Ltd. 21 Saiin Mizosaki-cho, Ukyo-ku, Kyoto 615-8585, Japan

TEL:+81-75-311-2121 FAX:+81-75-315-0172



Appendix-Rev4.0