



User's Guide

NHD-2.4-240320YF-CTXI# **TFT**

(Liquid Crystal Display Graphic Module)

2.4" Diagonal16-bit digital interface240x320 Resolution (portrait mode)White LED Backlight

Please review the controller spec ILI9320.

Tel: (847) 844-8795 Fax: (847) 844-8796

Newhaven Display International 2511 Technology Drive, #101 Elgin, IL 60124

December 11, 2008

Newhaven Display International

NHD-2.4-240320YF-CTXI#

RECORDS OF REVISION

DATE	REVISED NO.	REVISED DESCRIPTIONS	PREPARED	CHECKED	APPROVED
Aug-10-2007	1.00	FIRST ISSUE			

CONTENTS

1.	FEATURES	1
2.	BLOCK DIAGRAM &APPLICATION CIRCUIT	1
3.	OUTLINE DIMENSIONS	2
4.	INTERFACE PIN CONNECTIONS	4
5.	ELECTRICAL CHARACTERISTICS	4
6.	Electro-Optical Characteristics	5
7.	QUALITY GUARANTEE & INSPECTION CRITERIA	8
8.	RELIABILITY	11


1. FEATURES

ITEM	STANDARD VALUE	UNIT
LCD Type	2.4" QGVA TFT-LCD (Thin Film Transistor Liquid Crystal Display)	
Viewing Direction	6:00	O'clock
Backlight Type	4-parallel-White LED	
Module Outsize	42.72*60.26*3 thickness=3.8 (with TP)	mm
TP Viewing area	38.72*54.36	mm
TP Active area	37.72*53.36	mm
LCD Active area	36.72*48.96	mm
Dot Number	240(RGB) × 320	
Dot size	0.153*0.153	mm
Operation temperature	-10 ~70	${\mathbb C}$
Storage temperature	-30 ~80	${\mathfrak C}$
Driver IC	ILI9320	
Interface mode	8080 System, 16 bit Interface	


Remark:

1. Display supports 65K colors. Also available in 262K colors. Please see ILI9320 specification for details.

2. BLOCK DIAGRAM




3. OUTLINE DIMENSIONS



4. INTERFACE PIN CONNECTIONS

PIN	SYMBOL	FUNCTION
1	DB0	
2	DB1	
3	DB2	Data bus
4	DB3	
5	GND	Ground
6	VCC	Power supply
7	/CS	Chip select input pin ("Low" enable).
8	RS	Display data / Command selection pin
9	/WR	Write pin
10	/RD	Read pin
11	NC	No Connect
12	XL	Left electrode
13	YT	Top electrode
14	XR	Right electrode
15	YB	Bottom electrode
16	LED-A	Backlight power supply
17	LED-K1	
18	LED-K2	
19	LED-K3	Backlight ground
20	LED-K4	
21	NC	NO connect
22	DB4	
23	DB8	
24	DB9	
25	DB10	
26	DB11	Data bus
27	DB12	
28	DB13	
29	DB14	
30	DB15	
31	/RESET	Reset pin
32	VCC	Power supply
33	VCC	
34	GND	Ground
35	DB5	
36	DB6	Data bus
37	DB7	



6. Electro-Optical Characteristics

6.1 Backlight Unit

Item	Symbol	Min	Тур.	Max	Unit	Remark	
Input voltage	V_{BL}		3.2		V	-	
Current	I_{BL}		18		mA/chip	-	
ICE	X	0.26	-	0.30	-	X>Y	
ICE	Y	0.27	-	0.31	-	Λ>1	
Brightness	-		3200		cd/m²		
Luminous Intensity Ratio	-			20	%	-	

6.2 LCD panel

Item		Sumbol	Conditions	Spe	ecificati	ons	Unit	Note	
		Symbol	Conditions	Min.	Тур.	Max.	Onit		
Transmittance	Transmittance				4.7		%		
Contrast Ratio		CR		150	250	-	-		
Bosponeo Tin	T _R	NA	10	20	ms	All left side data			
Response Tin	ile	T _F		NA	20	30	ms	are based on CMO's following condition – Type 767 NTSC: 60%	
	Dod	X_R		0.603	0.633	0.663			
	Red	Y_R	Viewing normal angle	0.299	0.329	0.359			
	Green	X_{G}		0.264	0.294	0.324			
Chromoticity		Y_{G}		0.546	0.576	0.606			
Chromaticity	Blue White	X _B		0.103	0.133	0.163		LC:5066 Light: C light	
		Y _B		0.092	0.122	0.152		(Machine:BM5A)	
		X_W		0.278	0.308	0.338		Normal Polarizer	
		Yw		0.316	0.346	0.376		Without DBEF	
Viewing Angle	Hor. θ _{X+}	θ_{X^+}			45	-			
		θ _X .	Center		45	-	dog		
	Ver.	θ_{Y^+}	CR≥10		35	-	deg.		
		θ _{Υ-}			15	-			

^{*}Note (1) Definition of Contrast Ratio (CR):

The contrast ratio can be calculated by the following expression.

Contrast Ratio (CR) = L63 / L0


L63: Luminance of gray level 63

L0: Luminance of gray level 0


CR = CR (10)

CR (X) is corresponding to the Contrast Ratio of the point X at Figure in Note (6).

*Note (2) Definition of Response Time (TR, TF):




*Note(3) Definition of Viewing Angle




*Note (4) Measurement Set-Up:

The LCD module should be stabilized at a given temperature for 20 minutes to avoid abrupt temperature change during measuring. In order to stabilize the luminance, the measurement should be executed after lighting Backlight for 20 minutes in a windless room.








7. QUALITY GUARANTEE & INSPECTION CRITERIA


7.1 Appearance inspection

Appearance inspection should be done under the following condition.

- (1) In the dark room.
- (2) The distance from eyes to LCD must be 30 cm.
- (3) Viewing direction must be within 30 degrees to vertical line of LCD center.



7.2 Definition of A zone, B zone and C zone



7.3 Electrical Testing


- 1. Missing vertical, horizontal segment, segment contrast defect.
- 2. Missing character, dot or icon.
- 3. Display malfunction.
- 4. No function or no display.
- 5. Current consumption exceeds product specifications.
- 6. LCD viewing angle defect.
- 7. Mixed product types.
- 8. Contrast defect

7.4 Black or white spots on LCD (display only)

- 1. White and black spots on display ≤ 0.20 mm, no more than three white or black spots present.
- 2. Densely spaced: No more than two spots or lines within 5mm


7.5 LCD black spots, white spots, contamination (non-display)

1. Round type: As following drawing



SIZE	Acceptable QTY
ψ≤0.10	Accept no dense
0.10 ⟨ψ≤0.15	2
0.15 ⟨ψ≤0.20	1
total	2

2. Line Type: (As following drawing)



Т

Length	Width	Acceptable QTY
	W ≤ 0.02	Accept no dense
L≦3.0	$0.02 < W \le 0.03$	
L≦2.5	$0.03 < W \le 0.05$	2
	0.05< W	As round type

7.6 Polarizer bubbles

If bubbles are visible, judge using black spot specifications, not easy to find, must check in specify direction.


Size Ψ	Acceptable QTY
Ψ ≤ 0.20	Accept no dense
0.20< Ψ ≤ 0.50	2

7.7 Chipped glass


Symbols:

- a: Chip length b: Chip width c: Chip thickness
- t: Glass thickness


1 ITO electrode



2 General, corner portion



*Effective width of seal area shall be more than 0.3mm.



7.8 Backlight elements

- 1. Illumination source flickers when lit.
- 2. Spots or scratches that appear when lit must be judged using LCD spot, lines and contamination standards.
- 3. Backlight doesn't light or color is wrong

7.9 Soldering

- 1. No unmelted solder paste may be present on the PCB.
- 2. No cold solder joints, missing solder connections, oxidation or icicle.
- 3. No residue or solder balls on PCB.
- 4. No short circuits in components on PCB.

7.10 General appearance

- 1. No oxidation, contamination, curves or, bends on interface pin (OLB) of TCP.
- 2. No cracks on interface pin (OLB) of TCP
- 3. NO contamination, solder residue or solder balls on product.
- 4. The IC on the TCP may not be damaged, circuits.
- 5. The uppermost edge of the protective strip on the interface pin must be present or look as if it cause the interface pin to sever.
- 6. The residual rosin or tin oil of soldering (component or chip component) is not burned into brown or black color.
- 7. Sealant on top of the ITO circuit has not hardened
- 8. Pin type must match type in specification sheet.
- 9. LCD pin loose or missing pins.
- 10. Product packaging must the same as specified on packaging specification sheet.
- 11. Product dimension and structure must conform to product specification sheet.
- 12. The appearance of Heat Seal should not admit any dirt and break.

8. RELIABILITY

Test Item	Sample Type	Test Condition	Test result determinant gist
High	Normal temperature	70±3℃;240H	the inspection of Appearance and
temperature storage	Broad temperature	80±3℃;240H	function character.
Low	Normal temperature	-20±3°C;240H	
temperature storage	Broad temperature	-30±3°C;240H	
High temperature	Normal temperature	50℃±3℃,90%±3%RH;240H	

/humidity	Broad	60°C ±3°C,90% ±3%RH;240H		
storage	temperature	00 € ± 5 €,90% ± 5%RH,240H		
High	Normal	60±3°C;96H		
temperature	temperature	00_5 0,7011		
operation	Broad	70±3℃;96H		
	temperature	,	No objection of the	
Low	Normal	0±3℃;96H	function character;	
temperature	temperature	•	no fatal objection of	
operation	Broad	-20±3°C;96H	the appearance.	
High	temperature Normal			
temperature	temperature	40°C ±3°C,90%±3%RH;96H		
/humidity	Broad			
operation	temperature	50°C ±3°C,90%±3%RH;96H		
орегилоп	temperature		inspect the	
			objections	
	Normal	$-20\pm3^{\circ}\text{C},30\text{min}\rightarrow70\pm3^{\circ}\text{C},30\text{min};10\text{cycle}$	appearance, function	
	temperature	20 25 0,5011111 70 25 0,5011111,100,010	& the whole	
Temperature			structure	
Shock			The inspection of	
	Broad	-30 ± 3 °C, 30 min	appearance, function	
	temperature	rature 80±3,30min;10cycle	& the whole	
			structure	
			.no software error &	
		Discharge modality:	objection in \pm	
		Air discharge.	$2KV\sim\pm12KV$,no	
		Discharge voltage: $\pm 2KV/\pm 4KV/\pm 6K\pm 8KV/\pm$	hardware errors &	
		12KV/15KV	objection in \pm	
ESD test	ALL		15KV.	
		Discharge modality:	no software errors &	
		Contact discharge	objection in \pm	
		Discharge voltage:	$2KV\sim\pm 12KV$,no	
		$\pm 2KV/\pm 4KV/\pm 6KV/\pm 8KV$	hardware errors &	
			objection in ± 8 KV.	
		Bend velocity:	Stimulate the folder'	
Bend test	ALL	60time/min;	s repeat folding, no	
		Bendtimes:50000tims	objection of display	
			function	
			the inspection of	
Vibration test	t ALL	n test ALL frequencyrange:10HZ~55HZ;swing:0.75mm;Z-axist		appearance, function & the whole
		direction: 60min.		
			structure	

9. PRECAUTIONS FOR USING LCD MODULES

Handing Precautions

- (1) The display panel is made of glass. Do not subject it to a mechanical shock by dropping it or impact.
- (2) If the display panel is damaged and the liquid crystal substance leaks out, be sure not to get any in your mouth. If the substance contacts your skin or clothes, wash it off using soap and water.
- (3) Do not apply excessive force to the display surface or the adjoining areas since this may cause the color tone to vary.
- (4) The polarizer covering the display surface of the LCD module is soft and easily scratched. Handle this polarizer carefully.
- (5) If the display surface becomes contaminated, breathe on the surface and gently wipe it with a soft dry cloth. If it is heavily contaminated, moisten cloth with one of the following solvents:
 - Isopropyl alcohol
 - Ethyl alcohol
- (6) Solvents other than those above-mentioned may damage the polarizer. Especially, do not use the following.
 - Water
 - Ketone
 - Aromatic solvents
- (7) Exercise care to minimize corrosion of the electrode. Corrosion of the electrodes is accelerated by water droplets, moisture condensation or a current flow in a high-humidity environment.
- (8) Install the LCD Module by using the mounting holes. When mounting the LCD module make sure it is free of twisting, warping and distortion. In particular, do not forcibly pull or bend the IO cable or the backlight cable.
 - (9) Do not attempt to disassemble or process the LCD module.
 - (10) NC terminal should be open. Do not connect anything.
 - (11) If the logic circuit power is off, do not apply the input signals.
- (12) To prevent destruction of the elements by static electricity, be careful to maintain an optimum work environment.
 - Be sure to ground the body when handling the LCD modules.
 - Tools required for assembling, such as soldering irons, must be properly grounded.
- To reduce the amount of static electricity generated, do not conduct assembling and other work under dry conditions.
- The LCD module is coated with a film to protect the display surface. Exercise care when peeling off this protective film since static electricity may be generated.

Storage Precautions

When storing the LCD modules, avoid exposure to direct sunlight or to the light of fluorescent lamps. Keep the modules in bags (avoid high temperature high humidity and low temperatures below 0 C). Whenever possible, the LCD modules should be stored in the same conditions in which they were shipped from our company.

Others

Liquid crystals solidify under low temperature (below the storage temperature range) leading to defective orientation or the generation of air bubbles (black or white). Air bubbles may also be generated if the module is subject to a low temperature.

If the LCD modules have been operating for a long time showing the same display patterns, the display patterns may remain on the screen as ghost images and a slight contrast irregularity may also appear. A normal operating status can be regained by suspending use for some time. It should be noted that this phenomenon does not adversely affect performance reliability.

To minimize the performance degradation of the LCD modules resulting from destruction caused by static electricity etc., exercise care to avoid holding the following sections when handling the modules.

- Exposed area of the printed circuit board.
- Terminal electrode sections.