SPEC No. DG963016
ISSUE Apr-2006

COMPOUND SEMICONDUCTOR SYSTEMS DIVISION

ELECTRONIC COMPONENTS GROUP

SHARP CORPORATION

**SPECIFICATION** 

DEVICE SPECIFICATION FOR

LIGHT EMITTING DIODE

MODEL No. GM5WA06256A


Specified	for					
, 1		•		2		

CUSTOMERS' APPROVAL

PRESENTED

Date Apr 
By S

S.Yokota
Center Chief
LED Business Development Center
Compound Semiconductor Systems Division
Electronic Components (Elecom) Group
SHARP CORPORATION



PRODUCT NAME Light Emitting Diode

MODEL No. GM5WA06256A

	These specification sheets include materials protected under the copyright of Sharp Corporation ("Sharp" Please do not reproduce or cause anyone to reproduce them without Sharp's consent.	
·2.	When using this product, please observe the absolute maximum ratings and the instructions for use outling in these specification sheets, as well as the precautions mentioned below. Sharp assumes no responsibility for any damage resulting from use of the product which does not comply with the absolute maximum rational the instructions included in these specification sheets, and the precautions mentioned below.	ty
	(Precautions)  (1) This products is designed for use in the following application areas;  * OA equipment * Audio visual equipment * Home appliance  * Telecommunication equipment (Terminal) * Measuring equipment  * Tooling machines * Computers  If the use of the product in the above application areas is for equipment listed in paragraphs  (2) or (3), please be sure to observe the precautions given in those respective paragraphs.	
	(2) Appropriate measures, such as fail-safe design and redundant design considering the safety design of the overall system and equipment, should be taken to ensure reliability and safety when this product is used for equipment which demands high reliability and safety in function and precision, such as;  * Transportation control and safety equipment (aircraft, train, automobile etc.)  * Traffic signals * Gas leakage sensor breakers * Rescue and security equipment  * Other safety equipment	
	(3) Please do not use this product for equipment which require extremely high reliability	

3. Please contact and consult with a Sharp sales representative for any questions about this product.

(4) Please contact and consult with a Sharp sales representative if there are any questions

\* Nuclear power control equipment \* Medical equipment

regarding interpretation of the above three paragraphs.

MODEL No. Page GM5WA06256A 2/15


## SHARP

GM5WA06256A specification

1. Application

This specification applies to the outlines and characteristics of the light emitting diode device Model No. GM5WA06256A.[AlGalnP/GaP red chip LED, InGaN green and blue chip LED device]

- 3. Ratings and characteristics Refer to the attached sheet Page 4  $\sim$  8.
  - 3-1. Absolute maximum ratings
  - 3-2. Electro-optical characteristics
  - 3-3. Derating Curve
  - 3-4. Characteristics Diagram
- - 4-1. Test items and test conditions
    - 4-2. Measurement items and failure judgment criteria
- 5. Quality level ————— Refer to the attached sheet Page 10.
  - 5-1. Applied standard
  - 5-2. Sampling method
  - 5-3. Test items, Defect judgment criteria and classification of defect
- 6. Supplement————Refer to the attached sheet Page 11  $\sim$  13
  - 6-1. Taping
  - 6-2. Packing Specification
  - 6-3. Label
  - 6-4. Chromaticity rank
  - 6-5. About the environment
- 7. Precautions for use —————————————————————Refer to the attached sheet Page 14  $\sim$  15
  - 7-1. General description for use
  - 7-2. Soldering conditions
  - 7-3. For cleaning



CARNOR

GM5WA06256A

4/15

## SHARP

3. Ratings and characteristics

3-1. Absolute maximum ratings

(Tc=25 °C)

0 1 1		Rating	Rating		
Symbol	Red	Green	Blue	Unit	
P		400		mW	
$I_{\rm F}$	50	50	50	mA	
$I_{FM}$	80	80	80	mA_	
DC	1.43	1.43	1.43	mA/°C	
Pulse	2.28	2.28	2.28	mA/℃	
$V_{R}$	5	5	5	V	
Tc(*3)	-30	-30 to +85(*5)			
		-40to +85			
Tsol		295			
	$I_{F}$ $I_{FM}$ $DC$ $Pulse$ $V_{R}$ $Tc(*3)$ $Tstg$	P I <sub>F</sub> 50 I <sub>FM</sub> 80 DC 1.43 Pulse 2.28 V <sub>R</sub> 5 Tc(*3) -36 Tstg	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	

- (\*1) Rating of each color. Using mixed color, within power dissipation.
- (\*2) Duty ratio  $\leq 1/10$ , Pulse width  $\leq 0.1$  ms
- (\*3) Case temperature(See page 3/15 2.outline dimensions and terminal connections)
- (\*4) Each terminal is to go to the tip of soldering iron temprtaure less than 295℃ for 3 seconds within once in less than the soldering iron capacity 30W.
- (\*5) The operation current value follows the derating curve. (See page 5/15 3-3 Derating curve)

3_2 Flectro	3-2. Electro-optical characteristics									
Param		Symbol	Condition	MIN.	TYP.	MAX.		Unit		
	Red			1.8	2.3	2.9				
Forward	Green	$V_{F}$	I <sub>F</sub> =35 mA	3.2	3.7	4.3		V		
Voltage	Blue	· · · · ·		3.2	3.7	4.3				
Luminous intensity (mixed color) (*6)		I <sub>V</sub>	Red:I <sub>F</sub> =22mA	1100	1500	1850	:	mcd		
(22212000	The area	region	C T -35 A	х	у					
chromaticit	color		Green:I <sub>F</sub> =35mA	0.275	0.318					
y (mixed		point 2	T 12 A	0.325	0.331					
color) (*7)		- 2	Blue:I <sub>F</sub> =13mA	0.275	0.268	]				
(1)	coordinates	point 4		0.325	0.281	<u> </u>				
	Red				_	100				
Reverse	Green	$I_{ m R}$	$V_R=4V$	-	<b>-</b>	100	}	μΑ		
Current	Disco	``			_	100				

- (\*6) Measured by EG&G MODEL550(Radiometer/Photometersystem) after 20ms drive (Tolerance :  $\pm 15\%$ )
- (\*7) Measured by Ohtsuka electronics MODEL MCPD-2000 after 9.6ms drive

  This rank is the setting value of when that classifies it the rank and be not a guarantee value.


  (Tolerance: x,y:±0.02)

See page 13/15 6-4-1 chromaticity rank table.


# 3-3. Derating Curve

PENC \*The graphs of 'forward current derating curve', 'Peak forward current derating curve' and 'Peak forward current vs. duty ratio(Tc=25°C)' are applied for 1 chip-operation.


\*Power dissipation derating curve is applied for 3 chips-operation. However, 'forward current derating curve' for 1chip-operation is the prior limitation.




Forward Current Derating Curve



Peak Forward Current Derating Curve Duty ratio = 1/10, Pulse width = 0.1 ms




Peak Forward Current vs. Duty Ratio (Tc=25  $^{\circ}\text{C}$ ) Pulse width 0.1ms




Case Temperature Tc(°C)

Power dissipation Derating Curve


3-4. Characteristics Diagram (TYP.) 3-4-1. Characteristics of RED



Relative Luminous Intensity vs. Forward Current (Tc=25 °C)




Forward Current vs. Forward Voltage (Tc=25 °C)




Relative Luminous Intensity vs. Case Temperature

(Note) Data shown here represent typical values and are reference purpose only. (not guaranteed value)


3-4. Characteristics Diagram (TYP.) 3-4-2. Characteristics of GREEN



Relative Luminous Intensity vs. Forward Current (Tc=25 °C)




Forward Current vs. Forward Voltage (Tc=25 °C)




Relative Luminous Intensity vs. Case Temperature.

(Note) Data shown here represent typical values and are reference purpose only. (not guaranteed value)


3-4. Characteristics Diagram (TYP.) 3-4-3. Characteristics of BLUE



Relative Luminous Intensity vs. Forward Current (Tc=25 °C)



Forward Current vs. Forward Voltage (Tc=25 °C)



Relative Luminous Intensity vs. Case Temperature

(Note) Data shown here represent typical values and are reference purpose only. (not guaranteed value)

4. Reliability

The reliability of products shall be satisfied with items listed below.

4-1 Test items and test conditions

Confidence level: 90%

4-1	4-1 Test items and test conditions						
No.	Test items	Test conditions	Samples	Defective	LTPD		
140.	Toda Homs		n	С	(%)		
1	Temperature	-40 °C(30 min)∼+85 °C(30 min),30 cycles			10		
	cycle		22	0	10		
2	High temp and high	Tstg=+60 °C, RH=90 %, t=1 000 h	22	0	10		
<u> </u>	humidity storage		<u> </u>		10		
3	High temperature	Tstg=+85℃, t=1 000 h		_	10		
}	storage		22	0	10		
4	Low temperature	Tstg=-40°C, t=1 000 h		ļ			
ļ.	storage		22	0	10		
5	Operating test	Tc=+50 °C, $I_F$ =35mA(each color), t=1 000 h	1				
		[mixed color]	22	0	10		
6	Mechanical shock	15 000 m/s <sup>2</sup> , 0.5 ms					
		±X⋅±Y⋅±Z direction, 3 times (Tc=25°C)	11	0	20		
7	Variable frequency	200 m/s <sup>2</sup> , 100~2 000~100 Hz / sweep for 4 min.	1				
1	vibration	X·Y·Z direction, 4 times (Tc=25°C)	11	-0	20		
8	Soldering temperature	Refer to the attached sheet, Page 14/15, 2 times	1	1			
Ì	,		11	0	20		

4-2. Measurement items and failure judgment criteria (\*1)

No.	Measurement	Symbol	Failure judgment criteria (*2)
1	Forward voltage	$V_{\mathbb{F}}$	$V_F > U.S.L \times 1.2$
2	Reverse current	$I_R$	$I_R > U.S.L \times 2.0$
3	Luminous intensity(*3)	I <sub>V</sub>	Iv <initial 0.5,="" iv="" value="" ×="">Initial value × 2.0</initial>

- \*1 : Measuring condition is in accordance with specification.
- \*2 : U.S.L. : Upper Specification Limit.
- \*3: Mixed color

5.Quality level

5-1. Applied standard ISO2859-1


5-2. Sampling method

A single sampling plan, normal inspection level S-4.

5-3. Test items, Defect judgment criteria and classification of defect


No.	Test items	Defect judgment	Defect	AQL
1	No emission	Not emitting light		
2	Radiation color	Different color against prescribed in the page 4/15.	Major	0.1 %
3	Taping	Product inserted in reverse direction	defect	
4	Electro-optical characteristics	Not satisfied with specification value (page 4/15) for VF, IR, Iv.		
5	Outline dimensions	Not satisfied with specification value (page 3/15) for outline dimension.[A to D]	Minor defect	0.4%
6	Appearance	Foreign matter or scratch is not good in appearance. Resin burr with sticking exceed the dimension 0.2mm. Crack in resin or terminal over than 0.3mm		

- 6. Supplement
  - 6-1. Taping




	C2			
D		Symbol	Dimension [mm]	Remarks '
Parameter		Symbol	(Ref.)	
Concave square	Vertical	A	6.1	Dimension exclude a corner R at inside bottom
hole for part	Horizontal	В	6.4	Difficultion Constitution
insertion	Pitch	$\Gamma_1$	8.0	
Round	Diameter	Do	1.55	
sprocket	Pitch	Ρo	4.0	Accumulated error ±0.5mm/10 pitch
hole	Position	E	1.75	Distance between tape edge and hole center
Center to center	Vertical	P <sub>2</sub>	2.0	Center line of the concave square hole and
distance	Horizonta		5,65	round sprocket hole
	Width	W <sub>1</sub>	9.2	
Cover tape	Thickness	ta	0.1	
	Width	Wo	12.0	
Carrier tape	Thickness	t 1	0.3	
Thickness of ent	ire unit	t 2	3.1	With cover tape and carrier tape combined

6-1-2. Shape and dimension of reel (Reference value.)



Para	meter		Symbol	Dimension [mm] (Ref.)	<u>Remarks</u>	
1 410		Diameter		φ 180		
Frange	Thickness		t	1.5		
Tungo	Inner spac	e direction	W	13.5	Dimension of shaft core	
	External d		В	φ 60		
Hub	Spindle hole diameter		C	φ 13		
1140	Key slit	Width		2.0		
,	Depth		U	4.5		
Notation for	part name		Labeling on the	side of the frange. (part	name, quantity, lot No.)	




6-1-3. Taping specification

(1) Lead tape:



(2) Cover tape strength against peeling:F=0.1~0.8N( $\theta$  =10° or less)



(3) Tape strength against bending:

The radius of bending circle should be 30mm or more.

If it is less than 30mm, the cover may peel.

(4) Jointing of tape: There should not be joint of cover tape or carrier tape.

(5) Quantity per ree Average 800pcs, per reel

(6)Packing mass: 200g(One packing/Reference)

0.17g(0ne product/Reference) (7)Product mass:

(8) Others:

1) There must be no such wrong enclosing in the stuffed area as an upside-down product or an externals defect product enclosing.

2 A sequenced omission of the product in the stuffed area is not permitted unless the omission is only 1 piece of LED.


(3) Products should be easily taken out.

4 Products should not be attached to the cover tape at peeling.

6-2. Packing specification

6-2-1. Damp proof package

In other to avoid the absorption of humidity in transport and storage, the devices are packed in aluminum sleeve.



6-2-2. Storage conditions

Temperature: 5 to 30°C Humidity: less than 60%RH

6-2-3. Handling method after opening

(1) Please keep the devices under the following condition after opening the packages, and make a soldering within 3 days.

Temperature: 5 to 30°C Humidity: less than 60%RH

- (2) In case the devices are not used for a long time after opening, the storage in dry box is recommendable. Or it is better to repack the devices with a desiccative by the sealer and put them in the some storage conditions as 6-2-2.
- (3) Please make a soldering after a following baking treatment if unused term should be over the conditions

\*Recommendable conditions:


① in taping

Temprature:60°C to 65°C, Time:36 to 48 hours


② in individual (on PWB or metallic tray)

Temprature:100°Cto120°C ,Time:12 hours to 15 hours

Please note that distortion of the reel etc. might be caused by the baking when the baking is done under the stress or with the products piled up. Please confirm that the product is cooled to the room temperature after the baking.



#### 6-3. Label



Lot Number

- (1) Production plant code(to be alphabet)
- <u>K A 0 6 A 0 1</u> ① ② ③ ④ ⑤
- ② Auxiliary code③ Year of production(the last two figures of the year)
- (4) Month of production (indicated with alphabet, January corresponding to A)
- (5) Date of production(01~31)

Rank O

O:Chromaticity

6-4. Chromaticity rank (\*1)


6-4-1 chromaticity rank table(\*1)

(Tc=25 °C)

0-4 1 Bhromatorij 1442 - 7									
chromaticity	chromaticity (x,y)								
	poin	t 1	point 2		point 3		point 4		condition
rank	x	v	x	у	х	У	x	у	
2	0.275	0.318	0.300	0.325	0.275	0.293	0.300	0.300	
h	0.300	0.325	0.325	0.331	0.300	0.300	0.325	0.306	R: I <sub>F</sub> =22mA G: I <sub>F</sub> =35mA
	0.275	0.293	0.300	0.300	0.275	0.268	0.300		B:I <sub>F</sub> =13mA
- d	0.300	0.300	0.325	0.306	0.300	0.275	0.325	0.281	

6-4-2 chromaticity rank graph

(Tolerance:  $x,y:\pm 0.02$ )



- [note] 1) Shipment to be conducted without regard to rank ratio.
  - 2) To use mixed color, within power dissipation then adjust current of each color.
- 6-5. About the environment
- 6-5-1. The existence of the Ozonosphere destructive chemicals.
- (1) The device doesn't contain following substance.
- (2) The device doesn't have a production line whose process requires following substance.
  - Restricted part : CFCs,halones,CCl4,Trichloroethane(Methylchloroform)
- 6-5-2. The existence of the Bromic non-burning materials

The device doesn't contain bromic non-burning materials(PBBOs,PBBs)

#### 7. Precautions for use

7-1. General description for use

- (1) When designing a circuit, please make sure that no reverse voltage is biased to the LED There is a case that LED is damaged with external stresses since the devices are very small. Please make sure that no shock is given to the LED after assembling.
- (2) Please don't look straight for a long time at the LED under High power operation ,which may damage your eyes.
- (3) This device uses the material with high conduction of heat to make heat generated by LED radiate outside of the device easily.

Therefore, it might be damaged when the heat source is close.

\*Please design the temperature of the case to become 85℃ or less including self-generation of heat.

#### 7-2. Soldering

7-2-1. Reflow soldering

- (1) It is not recommended to exceed the soldering temperature and time shown below. Caused by substrate bend or the other mechanical stress during reflow soldering may happen gold wire disconnection etc. Therefore please check and study your solder reflow machine's best condition.
- (2) In case of 2 times reflow process, 2nd reflow process should be done within 3 days after 1st reflow process.(Strage condition; at 30°C, RH less than 60%RH)
- (3) This device is not designed for the dip soldering.
- (4) Reflow soldering temperature profile Use the conditions shown to the under figure.

(After reflow soldering, rapid cooling should be avoided.)




Fig. Reflow soldering temperature profile

- (5) N<sub>2</sub> reflow can be used.
- (6) Precaution for 2nd reflow


Please set the number of reflow once, basically. When the 2nd reflow is required and unavoidable, the 2nd should be soon after the 1st.

Especially in case that there is a water-washing process or a solvent-washing process after the 1st-reflow, please dry each product by baking under the condition of page 12 6-2-3(3), before the 2nd reflow.

(7) Reflow soldering temperature profile
In case that the PWB backside is designed to be dipped, the heat or the warp of the PWB is likely to cause machanical stress. To relieve the stress, the reflow for the product should be after dipping.

#### 7-2-2. Recommendable pattern

(1) Metal mask that is 0.2mm to 0.3mm thick is recommended for screen printing.
Caused by solder reflow condition, solder paste, substrate and the other material etc., mask may change solderbility. Please check and study actual solderbility before usage.



#### 7-3. For cleaning

Carry it out about washing with contents of the following.

- (1) Solvent cleaning: Solvent temperature 30°C less. Immersion for 4 min or less.
- (2)Ultrasonic cleaning: The effect to device by ultrasonic cleaning differs by cleaning bath size, ultrasonic power output, cleaning time, PWB size or device mounting condition etc. Please test it in actual using condition and confirm that doesn't occur any defect before starting the ultrasonic.
- (3) Applicable solvent: Water, Ethyl alcohol, Isopropyl alcohol

  In case when the other solvent is used, there are cases that the packaging resin is eroded.

  Please use the other solvent after thorough confirmation is performed in actual using condition.

Downloaded from Elcodis.com electronic components distributor