
Monolithic Ceramic Capacitors

MONOLITHIC CERAMIC CAPACITORS





Cat.No.C49E-14



Murata
Manufacturing Co., Ltd.

CONTENTS

art Numbering ————————————————————————————————————
Ionolithic Ceramic Capacitors Lead Type
Marking
Temperature Compensating Type 50V
Temperature Compensating Type 100V
Temperature Compensating Type 200V
High Dielectric Constant Type 25V Y5V Characteristics
High Dielectric Constant Type 25V Z5U Characteristics
High Dielectric Constant Type 50V X7R Characteristics
High Dielectric Constant Type 50V Y5V Characteristics
High Dielectric Constant Type 50V Z5U Characteristics
High Dielectric Constant Type 100V X7R Characteristics
High Dielectric Constant Type 100V Y5V Characteristics
High Dielectric Constant Type 100V Z5U Characteristics
High Dielectric Constant Type 200V X7R Characteristics
High Dielectric Constant Type 200V Z5U Characteristics
Specifications and Test Methods
Packaging
Notice

Part Numbering (The structure of the "Global Part Numbers" that have been adopted since June 2001 and the meaning of each code are described herein.)
If you have any questions about details, inquire at your usual Murata sales office or distributor.

Monolithic Ceramic Capacitors (lead type)

(Global Part Number) RP E R1 1H 104 K 2 M1 A01 A

- Product ID
- 2Series/Terminal

Product ID	Series/Terminal	
RP	E	Monolithic Ceramic Capacitors Lead Type

3Temperature Characteristics

Code	Temperature Characteristics	Temperature Range	Capacitance Change or Temperature Coefficient	Operating Temperature Range
5C	COG	-55 to 125°C	0±30ppm/°C	-55 to 125°C
6R	R2H	-55 to 85°C	-220±60ppm/°C	-55 to 125°C
7U	U2J	-55 to 85°C	-750±120ppm/°C	-55 to 125°C
E4	Z5U	10 to 85°C	+22, -56%	10 to 85°C
F5	Y5V	-30 to 85°C	+22, -82%	-30 to 85°C
R7	X7R	-55 to 125°C	±15%	-55 to 125°C

ARated Voltage

Code	Rated Voltage
1E	DC25V
1H	DC50V
2A	DC100V
2D	DC200V

6 Capacitance

Expressed by three figures. The unit is pico-farad(pF). The first and second figures are significant digits, and the third figure expresses the number of zeros which follow the two numbers. If there is a decimal point, it is expressed by the capital letter "R". In this case, all figures are significant digits.

6Capacitance Tolerance

Code	Capacitance Tolerance	Temperature Characteristics	Capacitance Step
С	±0.25pF	000 0011	≦5pF : 1pF Step
D	±0.5pF	COG,R2H, U2.J 6 to 9pF : 1pF Ste	
J	±5%	023	≥10 : E12 Series
K	±10%	X7R	E6 Series
М	±20%	Z5U	E3 Series
Z	Z +80%, -20% Y5V		E3 Series

7Size

Code	Size
1	3.5×3.0 mm
2	5.0×3.5 mm
3	5.0×4.5 mm
4	7.5×5.0 mm
5	7.5×7.5 mm
6	10.0×10.0 mm
7	12.5×12.5 mm

8 Lead Type

Lead Type	Lead Space
Straight Long Bulk	F=2.5mm
Straight Long Bulk	F=5.0mm
Straight Long Bulk	other than above
Straight Taping F=5.0mm	
Incrimp Bulk F=5.0mm	
Incrimp Taping	F=5.0mm
Outcrimp Bulk	F=2.5mm
Outcrimp Taping	F=2.5mm
	Straight Long Bulk Straight Long Bulk Straight Long Bulk Straight Taping Incrimp Bulk Incrimp Taping Outcrimp Bulk

Lead style depends on individual standards. $\mbox{\ensuremath{\star}}$ indicates a figure.

Continued on the following page.



Ontinued from the preceding page.

9Individual Specification Code

Individual Specification Code	Series (size)	Temperature Characteristics Type	Individual Specification	Inner Electrode	
A01	RPE_2 (5.0x3.5mm)	HiK	Standard Type (small internal chip size of 2.0x1.25mm)	Base Metal	
B01	RPE_2 (5.0x3.5mm)	HiK	Standard Type (small internal chip size of 2.0x1.25mm)	Precious Metal	
C02	RPE_1 (3.5x3.0mm)	HiK	Standard Type (Steel lead wire)	Base Metal	
C03	RPE_2 (5.0x3.5mm)	HiK	Ctandard Tuna	Dago Metal	
CUS	RPE_3 (5.0x4.5mm)	HIK	Standard Type	Base Metal	
D02	RPE_1 (3.5x3.0mm)	HiK	Standard Type (Steel lead wire)	Precious Metal	
	RPE_1 (3.5x3.0mm)				
D03	RPE_2 (5.0x3.5mm)	TC/HiK	Standard Type	Precious Metal	
	RPE_3 (5.0x4.5mm)				
E12	RPE_4 (7.5x5.0mm)	HiK	Special Dimension Type (Special size of internal chip)	Base Metal	
	RPE_4 (7.5x5.0mm)				
F03	RPE_5 (7.5x7.5mm)	TC/HiK	Standard Type (Special size of internal chip)	Drocious Motal	
FU3	RPE_6 (10.0x10.0mm)	1C/HIK	Standard Type (Special Size of Internal Chip)	Precious Metal	
	RPE_7 (12.5x12.5mm)				
F12	RPE_6 (10.0x10.0mm)	TC	Special Dimension Type (LxW size of 10x8.5 is available.)	Precious Metal	
F14	RPE_6 (10.0x10.0mm)	HiK	Special Dimension Type (LxW size of 10x8.5 is available.)	Precious Metal	
	RPE_4 (7.5x5.0mm)				
X03	RPE_5 (7.5x7.5mm)	TC	Standard Type (New Ceramic Material),	Precious Metal	
AUS	RPE_6 (10.0x10.0mm)	10	(Special size of internal chip)	Precious ivietai	
	RPE_7 (12.5x12.5mm)				
V40 DD	RPE 6 (10.0x10.0mm)	TC	Special Dimension Type (New Ceramic Material),	Procious Matal	
X13		10	(LxW size of 10x8.5 is available.)	Precious Metal	
	RPE_1 (3.5x3.0mm)				
Y03	RPE_2 (5.0x3.5mm)	TC/HiK	Standard Type (New Ceramic Material)	Precious Metal	
	RPE_3 (5.0x4.5mm)				

Packaging

Code	Packaging
Α	Ammo Pack
В	Bulk



Monolithic Ceramic Capacitors




Monolithic Ceramic Capacitors Lead Type

■ Features


- 1. The RPE series capacitors have small dimensions, large capacitance, and a capacity volume ratio of 10 micro F/cm cube, close to that of electrolytic capacitors. These do not have polarity.
- 2. These have excellent frequency characteristics and due to these small internal inductance are suitable for high frequencies.
- 3. These are not coated with wax so there is no change in their exterior appearance due to the outflow of wax during soldering or solvent during cleansing.
- 4. These are highly inflammable, having characteristics equivalent to the UL-94V-0 standard.






in mm







Coating extension does not exceed the end of the lead bend.
 (in mm)



















RPE_6 Series RPE_7 Series



Continued on the following page.



Continued from the preceding page.

■ Dimensions

Series	Dimensions (mm)					
Series	L	W	W1	Т	F	d
RPE_1	3.5	3.0	-	2.5	2.5	0.4
RPE_2P/S	5.0	3.5	5.0		2.5	0.5
RPE_2K/M	5.0	3.5	5.0	See	5.0	0.5
RPE_3P/S	5.0	4.5	6.3	rating table	2.5	0.5
RPE_3K/M	5.0	4.5	6.3		5.0	0.5
RPE_4	7.5	5.0	7.0		5.0	0.5
RPE_5	7.5	7.5	-	4.0	5.0	0.5
RPE_6	10.0	10.0	-	4.0	5.0	0.5
RPE_7	12.5	12.5	-	5.0	10.0	0.5
RPE_T	10.0	8.5	-	4.0	5.0	0.5

■ Marking

- Marking		
Manufacture's Identification *1	Symbol Code (except RPE_1 series)	
Nominal Capacitance	Less then 100pF : Actual numbers	
Nominal Capacitance	100pF and over : 3 digit numbers	
Capacitance Tolerance *1	Symbol marking	
	Symbol marking (except RPE R7/E4/F5_1 type)	
*1	Ex. 50V:5	
DC Rated Voltage *1	100V:1	
	200V : 6	
	Symbol marking (except RPE R7/E4/F6_1 type)	
Temperature Characteristics *1	Ex. 5C : A, R7 : C	
	6R:R, E4:E	
	7U:U, F6:F	

• Marking Example

Char.	5C	5C 6R/7U R7 E4		F6	
RPE_1 series	* 102J 5A	* 102J 5U	68	2М	682Z
RPE_2 series	M 102 J5A		M _{K5C} 123	M _{5E} 333	M 104 Z5F
RPE_3 series RPE_4 series	M 103 J5A		M 224 K5C	M 334 M5E	M 105 Z5F
RPE_5 series RPE_6 series RPE_7 series	M 333 J5A		105 M5C	M 225 Z5E	M 335 Z5F



^{*}Marked on both sides.

*1 Marking for RPE_2 type;
Manufacture's identification, capacitance tolerance, rated voltage and temperature characteristics may be omitted by part No. Please contact Murata for details.

Temperature Compensating Type 50V

Part Number		RPE_1		RPE_2	RPE_4	RPE_5	RPE_6	RPE_7
L x W(mm)		3.5x3.0		5.0x3.5	7.5x5.0	7.5x7.5	10.0x10.0	12.5x12.5
TC Code	C0G (5C)	R2H (6R)	U2J (7U)	C0G (5C)				
Rated Volt.(Vdc)	50 (1H)							
Capacitance and T	(mm)							
0.5pF	2.5							
1.0pF	2.5			2.5				
2.0pF	2.5			2.5				
3.0pF	2.5	2.5	2.5	2.5				
4.0pF	2.5	2.5	2.5	2.5				
5.0pF	2.5	2.5	2.5	2.5				
6.0pF	2.5	2.5	2.5	2.5				
7.0pF	2.5	2.5	2.5	2.5				
8.0pF	2.5	2.5	2.5	2.5				
9.0pF	2.5	2.5	2.5	2.5				
10.0pF	2.5	2.5	2.5	2.5				
12pF	2.5	2.5	2.5	2.5				
15pF	2.5	2.5	2.5	2.5				
18pF	2.5	2.5	2.5	2.5				
22pF	2.5	2.5	2.5	2.5				
27pF	2.5	2.5	2.5	2.5				
33pF	2.5	2.5	2.5	2.5				
39pF	2.5	2.5	2.5	2.5				
47pF	2.5	2.5	2.5	2.5				
56pF	2.5	2.5	2.5	2.5				
68pF	2.5	2.5	2.5	2.5				
82pF	2.5	2.5	2.5	2.5				
100pF	2.5	2.5	2.5	2.5				
120pF	2.5	2.5	2.5	2.5				
150pF	2.5	2.5	2.5	2.5				
180pF	2.5	2.5	2.5	2.5				
220pF	2.5	2.5	2.5	2.5				
270pF	2.5	2.5	2.5	2.5				
330pF	2.5	2.5	2.5	2.5				
390pF	2.5	2.5	2.5	2.5				
470pF	2.5	2.5	2.5	2.5				
560pF	2.5	2.5	2.5	2.5				
680pF	2.5		2.5	2.5				
820pF	2.5		2.5	2.5				
1000pF	2.5		2.5	2.5				
1200pF	2.5		2.5	3.2				
1500pF	2.5		2.5	3.2				
1800pF	2.5		2.5	3.2				
2200pF	2.5			3.2				
2700pF				3.2				
3300pF				3.2				
3900pF				3.2				
4700pF				3.2				
5600pF				3.2	2.0			
6800pF					3.2			
8200pF					3.2			
10000pF					3.2			
12000pF 15000pF					3.2			

 $\begin{tabular}{|c|c|c|c|}\hline \end{tabular}$ Continued from the preceding page.

Part Number		RPE_1		RPE_2	RPE_4	RPE_5	RPE_6	RPE_7
L x W(mm)		3.5x3.0		5.0x3.5	7.5x5.0	7.5x7.5	10.0x10.0	12.5x12.5
TC Code	C0G (5C)	R2H (6R)	U2J (7U)	C0G (5C)				
Rated Volt.(Vdc)	50 (1H)							
Capacitance and	T(mm)	1				·		'
18000pF						4.0		
22000pF							4.0	
27000pF							4.0	
33000pF							4.0	
39000pF							4.0	
47000pF								5.0
56000pF								5.0
68000pF								5.0

Temperature Compensating Type 100V

Part Number		RPE_1		RPE_2	RPE_3	RPE_4	RPE_5	RPE_6	RPE_7
L x W(mm)		3.5x3.0		5.0x3.5	5.0x4.5	7.5x5.0	7.5x7.5	10.0x10.0	12.5x12.5
TC Code	C0G (5C)	R2H (6R)	U2J (7U)	C0G (5C)					
Rated Volt.(Vdc)	100 (2A)								
Capacitance and	T(mm)								
1.0pF	2.5			2.5					
2.0pF	2.5			2.5					
3.0pF	2.5	2.5	2.5	2.5					
4.0pF	2.5	2.5	2.5	2.5					
5.0pF	2.5	2.5	2.5	2.5					
6.0pF	2.5	2.5	2.5	2.5					
7.0pF	2.5	2.5	2.5	2.5					
8.0pF	2.5	2.5	2.5	2.5					
9.0pF	2.5	2.5	2.5	2.5					
10.0pF	2.5	2.5	2.5	2.5					
12pF	2.5	2.5	2.5	2.5					
15pF	2.5	2.5	2.5	2.5					
18pF	2.5	2.5	2.5	2.5					
22pF	2.5	2.5	2.5	2.5					
27pF	2.5	2.5	2.5	2.5					
33pF	2.5	2.5	2.5	2.5					
39pF	2.5	2.5	2.5	2.5					
47pF	2.5	2.5	2.5	2.5					
56pF	2.5	2.5	2.5	2.5					
68pF	2.5	2.5	2.5	2.5					
82pF	2.5	2.5	2.5	2.5					
100pF	2.5	2.5	2.5	2.5					
120pF	2.5	2.5	2.5	2.5					
150pF	2.5	2.5	2.5	2.5					
180pF	2.5	2.5	2.5	2.5					
220pF	2.5	2.5	2.5	2.5					
270pF	2.5	2.5	2.5	2.5					
330pF	2.5	2.5	2.5	2.5					
390pF	2.5	2.5	2.5	2.5					
470pF	2.5	2.5	2.5	2.5					
560pF	2.5	2.5	2.5	2.5					
680pF	2.5		2.5	2.5					
820pF	2.5		2.5	3.2					

muRata

Continued from the preceding page.

Part Number		RPE_1		RPE_2	RPE_3	RPE_4	RPE_5	RPE_6	RPE_7
L x W(mm)		3.5x3.0		5.0x3.5	5.0x4.5	7.5x5.0	7.5x7.5	10.0x10.0	12.5x12.5
TC Code	C0G (5C)	R2H (6R)	U2J (7U)	C0G (5C)					
Rated Volt.(Vdc)	100 (2A)								
Capacitance and	T(mm)	'			•	•		<u>'</u>	·
1000pF	2.5			3.2					
1200pF				3.2					
1500pF				3.2					
1800pF				3.2					
2200pF				3.2					
2700pF					3.2				
3300pF					3.2				
3900pF					3.2				
4700pF						2.5			
5600pF						3.2			
6800pF						3.2			
8200pF							4.0		
10000pF							4.0		
12000pF							4.0		
15000pF								4.0	
18000pF								4.0	
22000pF								4.0	
27000pF								4.0	
33000pF								4.0	
39000pF									5.0
47000pF									5.0
56000pF									5.0

Temperature Compensating Type 200V

Part Number	RP	E_1	RPE_2	RPE_3	RPE_4	RPE_5	RPE_6	RPE_7
L x W(mm)	3.5	x3.0	5.0x3.5	5.0x4.5	7.5x5.0	7.5x7.5	10.0x10.0	12.5x12.5
TC Code	C0G (5C)	R2H (6R)	C0G (5C)					
Rated Volt.(Vdc)	200 (2D)							
Capacitance and	T(mm)							,
1.0pF	2.5		2.5					
2.0pF	2.5		2.5					
3.0pF	2.5	2.5	2.5					
4.0pF	2.5	2.5	2.5					
5.0pF	2.5	2.5	2.5					
6.0pF	2.5	2.5	2.5					
7.0pF	2.5	2.5	2.5					
8.0pF	2.5	2.5	2.5					
9.0pF	2.5	2.5	2.5					
10.0pF	2.5	2.5	2.5					
12pF	2.5	2.5	2.5					
15pF	2.5	2.5	2.5					
18pF	2.5	2.5	2.5					
22pF	2.5	2.5	2.5					
27pF	2.5	2.5	2.5					
33pF	2.5	2.5	2.5					
39pF	2.5	2.5	2.5					
47pF	2.5	2.5	2.5					
56pF	2.5	2.5	2.5					

muRata

Continued from the preceding page.

Part Number		 E_1	RPE_2	RPE_3	RPE_4	RPE_5	RPE_6	RPE_7
L x W(mm)	3.5	x3.0	5.0x3.5	5.0x4.5	7.5x5.0	7.5x7.5	10.0x10.0	12.5x12.5
TC Code	C0G (5C)	R2H (6R)	C0G (5C)					
Rated Volt.(Vdc)	200 (2D)							
Capacitance and	I T(mm)							
68pF	2.5	2.5	2.5					
82pF	2.5	2.5	2.5					
100pF	2.5	2.5	2.5					
120pF	2.5		2.5					
150pF			2.5					
180pF			3.2					
220pF			3.2					
270pF			3.2					
330pF			3.2					
390pF			3.2					
470pF				3.2				
560pF				3.2				
680pF				3.2				
820pF				3.2				
1000pF				3.2				
1200pF					3.2			
1500pF					3.2			
1800pF						4.0		
2200pF						4.0		
2700pF						4.0		
3300pF						4.0		
3900pF						4.0		
4700pF							4.0	
5600pF							4.0	
6800pF							4.0	
8200pF							4.0	
10000pF							4.0	
12000pF								5.0
15000pF								5.0
18000pF								5.0
22000pF								5.0
27000pF								5.0

High Dielectric Constant Type 25V Y5V Characteristics

Part Number	RPE_3
L x W(mm)	5.0x4.5
TC Code	Y5V (F5)
Rated Volt.(Vdc)	25 (1E)
Capacitance and	i T(mm)
1.0µF	2.5

RPE_3K/3M series only.



High Dielectric Constant Type 25V Z5U Characteristics

Part Number	RPE_3
L x W(mm)	5.0x4.5
TC Code	Z5U (E4)
Rated Volt.(Vdc)	25 (1E)
Capacitance and	d T(mm)
1.0µF	2.5

RPE_3K/3M series only.

High Dielectric Constant Type 50V X7R Characteristics

Part Number	RPE_1	RPE_2	RPE_3	RPE_6	RPE_7
L x W(mm)	3.5x3.0	5.0x3.5	5.0x4.5	10.0x10.0	12.5x12.5
TC Code	X7R (R7)				
Rated Volt.(Vdc)	50 (1H)				
Capacitance and	T(mm)				
220pF	2.5	2.5			
330pF	2.5	2.5			
470pF	2.5	2.5			
680pF	2.5	2.5			
1000pF	2.5	2.5			
1500pF	2.5	2.5			
2200pF	2.5	2.5			
3300pF	2.5	2.5			
4700pF	2.5	2.5			
6800pF	2.5	2.5			
10000pF	2.5	2.5			
15000pF	2.5	2.5			
22000pF	2.5	2.5			
33000pF	2.5	3.2			
47000pF	2.5	3.2			
68000pF	2.5	3.2			
0.10μF	2.5	3.2			
0.15μF		3.2			
0.22μF		3.2			
0.33µF		2.5			
0.47μF		3.2			
0.68µF			3.2		
1.0μF			3.2		
1.5µF				4.0	
2.2μF				4.0	
3.3µF					5.0

High Dielectric Constant Type 50V Y5V Characteristics

Part Number	RPE_1	RPE_2	RPE_4	RPE_6
L x W(mm)	3.5x3.0	5.0x3.5	7.5x5.0	10.0x10.0
TC Code	Y5V (F5)	Y5V (F5)	Y5V (F5)	Y5V (F5)
Rated Volt.(Vdc)	50 (1H)	50 (1H)	50 (1H)	50 (1H)
Capacitance and T(mm)			
1000pF	2.5	2.5		
2200pF	2.5	2.5		
4700pF	2.5	2.5		
10000pF	2.5	2.5		
22000pF	2.5	2.5		
47000pF	2.5	2.5		
0.1μF	2.5	2.5		
0.22μF	2.5	3.2		
0.47μF		3.2		
1.0μF			2.5	
2.2μF				4.0
4.7μF				4.0

High Dielectric Constant Type 50V Z5U Characteristics

Part Number	RPE_1	RPE_2	RPE_3	RPE_4	RPE_6	RPE_7
L x W(mm)	3.5x3.0	5.0x3.5	5.0x4.5	7.5x5.0	10.0x10.0	12.5x12.5
TC Code	Z5U (E4)					
Rated Volt.(Vdc)	50 (1H)					
Capacitance and	l T(mm)					
1000pF	2.5	2.5				
2200pF	2.5	2.5				
4700pF	2.5	2.5				
10000pF	2.5	2.5				
22000pF	2.5	2.5				
47000pF	2.5	2.5				
0.10μF	2.5	2.5				
0.22μF			2.5			
0.47μF			3.2			
1.0μF				3.2		
2.2μF					4.0	
4.7μF						5.0



High Dielectric Constant Type 100V X7R Characteristics

Part Number	RPE_1	RPE_2	RPE_3	RPE_4	RPE_5	RPE_6	RPE_7
L x W(mm)	3.5x3.0	5.0x3.5	5.0x4.5	7.5x5.0	7.5x7.5	10.0x10.0	12.5x12.5
TC Code	X7R (R7)						
Rated Volt.(Vdc)	100 (2A)						
Capacitance and	T(mm)						
220pF	2.5	2.5					
330pF	2.5	2.5					
470pF	2.5	2.5					
680pF	2.5	2.5					
1000pF	2.5	2.5					
1500pF	2.5	2.5					
2200pF	2.5	2.5					
3300pF	2.5	2.5					
4700pF	2.5	2.5					
6800pF	2.5	2.5					
10000pF	2.5	2.5					
15000pF		2.5					
22000pF		3.2					
33000pF		3.2					
47000pF			3.2				
68000pF			3.2				
0.10μF			3.2				
0.15μF				3.2			
0.22μF					4.0		
0.33μF					4.0		
0.47μF					4.0		
0.68μF						4.0	
1.0μF						4.0	
1.5μF							5.0
2.2μF							5.0

High Dielectric Constant Type 100V Y5V Characteristics

Part Number	RPE_1	RPE_2	RPE_3	RPE_4	RPE_5	RPE_6	RPE_7
L x W(mm)	3.5x3.0	5.0x3.5	5.0x4.5	7.5x5.0	7.5x7.5	10.0x10.0	12.5x12.5
TC Code	Y5V (F5)						
Rated Volt.(Vdc)	100 (2A)						
Capacitance and	l T(mm)						
1000pF	2.5	2.5					
2200pF	2.5	2.5					
4700pF	2.5	2.5					
10000pF	2.5	2.5					
22000pF		2.5					
47000pF			2.5				
0.10μF				2.5			
0.22μF					4.0		
0.47μF					4.0		
1.0µF						4.0	
2.2μF							5.0

High Dielectric Constant Type 100V Z5U Characteristics

Part Number	RPE_1	RPE_2	RPE_3	RPE_5	RPE_6	RPE_7
L x W(mm)	3.5x3.0	5.0x3.5	5.0x4.5	7.5x7.5	10.0x10.0	12.5x12.5
TC Code	Z5U (E4)					
Rated Volt.(Vdc)	100 (2A)					
Capacitance and	l T(mm)					
1000pF	2.5	2.5				
2200pF	2.5	2.5				
4700pF	2.5	2.5				
10000pF	2.5	2.5				
22000pF		2.5				
47000pF			2.5			
0.10μF			3.2			
0.22μF				4.0		
0.47μF				4.0		
1.0µF					4.0	
2.2μF			_			5.0

High Dielectric Constant Type 200V X7R Characteristics

Part Number	RPE_1	RPE_2	RPE_3	RPE_4	RPE_5	RPE_6	RPE_7
L x W(mm)	3.5x3.0	5.0x3.5	5.0x4.5	7.5x5.0	7.5x7.5	10.0x10.0	12.5x12.5
TC Code	X7R (R7)						
Rated Volt.(Vdc)	200 (2D)						
Capacitance and	T(mm)						
220pF	2.5	2.5					
330pF	2.5	2.5					
470pF	2.5	2.5					
680pF	2.5	2.5					
1000pF	2.5	2.5					
1500pF	2.5	2.5					
2200pF	2.5	2.5					
3300pF	2.5	3.2					
4700pF	2.5	3.2					
6800pF		3.2					
10000pF		3.2					
15000pF			3.2				
22000pF			3.2				
33000pF			3.2				
47000pF			3.2				
68000pF				3.2			
0.10μF					4.0		
0.15μF					4.0		
0.22μF						4.0	
0.33μF						4.0	
0.47μF						4.0	
0.68µF							5.0
1.0μF							5.0
1.5µF							5.0



High Dielectric Constant Type 200V Z5U Characteristics

Part Number	RPE_1	RPE_2	RPE_3	RPE_5	RPE_6	RPE_7
L x W(mm)	3.5x3.0	5.0x3.5	5.0x4.5	7.5x7.5	10.0x10.0	12.5x12.5
TC Code	Z5U (E4)					
Rated Volt.(Vdc)	200 (2D)					
Capacitance and	I T(mm)					
1000pF	2.5	3.2				
2200pF	2.5	3.2				
4700pF		3.2				
10000pF			2.5			
22000pF			3.2			
47000pF			3.2			
0.10μF				4.0		
0.22μF					4.0	
0.47μF						5.0

BI-	14		Specification		Tost Mothod	
No.	Iter	n	Temperature Compensating Type	High Dielectric Constant Type		Test Method
1	Operating Tem Range	nperature	−55 to +125°C	X7R: -55 to +125°C Z5U: +10 to + 85°C Y5V: -30 to + 85°C		
2	Rated Voltage		See previous pages.		which may be applied When AC voltage is s	defined the maximum voltage dontinously to the capacitor. Superimposed on DC voltage, VP-P larger, shall be maintained within ge.
3	Appearance		No defects or abnormalities.		Visual inspection.	
4	Dimension and	l Marking	See Dimensions		Visual inspection. Ve	rnier Caliper.
		Between Terminals	No defects or abnormalities.			
5	Dielectric Strength	Body Insulation	No defects or abnormalities.		The capacitor is place container with metal I diameter 1mm so that terminal, short-circuit approximately 2mm f as shown in the figure of the rated DC voltagimpressed for one to between capacitor termetal balls. (Charge/current ≤ 50mA)	palls of t each ed, is kept rom the balls e, and 250 % ge is five seconds rminals and
6	Insulation Resistance	Between Terminals	X7R: 100,000MΩ min. or 1000Ω • F min. (whichever is smaller) X7R: 100,000MΩ min. or 1000Ω • F min. (whichever is smaller) Z5U \ 10,000MΩ min. or 500Ω • F min. \ Y5V \ (whichever is smaller)		The insulation resistance shall be measured with a DC voltage not exceeding the rated voltage at normal temperature and humidity and within 2 minutes of charging. (Charge/Discharge current ≤ 50mA)	
7	7 Capacitance		Within the specified tolerance.		The capacitance, Q/E	OF shall be measured at 25°C at
8	Q/Dissipation	Factor (D.F.)	30pF min. : Q ≥ 1000 30pF max. : Q ≥ 400+20C C : Nominal capacitance (pF)	X7R Z5U : 0.025 max. Y5V : 0.05 max.	Char. C0G, R2 (1000) Item Bel Frequency 1±0.	oF and (more than Z5U
		Capacitance Change	Within the specified tolerance. (Table A)	Within the specified tolerance. (Table B)	at each specified tem (1) Temperature Cor The temperature coe capacitance measure cycling the temperatu through 5 (-55 to +1 other temp. coeffs.) the	ippensating Type fficient is determined using the led in step 3 as a reference. When liter sequentially from step 1 25°C for COG; —55 to +85°C for the capacitance shall be within the
9	Capacitance Temperature Characteristics	mperature Coefficient (Table A)			capacitance change a is caluculated by divid	
					1	Temperature (°C) 25±2
					2	-55±3
					3	25±2 125±3 (for C0G)
					5	85±3 (for other TC)
		Capacitance Drift Within $\pm 0.2\%$ or ± 0.05 pF (Whichever is larger)			(2) High Dielectric Co The ranges of capaci 25°C value over the to	25±2 Instant Type tance change compared with the emperature ranges shown in the in the specified ranges.

Continued on the following page.





Continued from the preceding page.

No.	Ite	m	Speci	fication	Test Method	
NO.	Rem		Temperature Compensating Type	High Dielectric Constant Type	rest wethou	
10	Terminal Strength	Tensile Strength	Termination not to be broken or loosened.		As in the figure, fix the capacitor body, apply the force gradually to each lead in the radial direction of the capacitor until reaching 10N* and then keep applied the force for 10±1 seconds.	
		Bending Strength	Termination not to be broken or	loosened.	Each lead wire shall be subjected to a force of 2.5N and then be bent 90° at the point of egress in one direction. Each wire is then returened to the original position and bent 90° in the opposite direction at the rate of one bend per 2-3 seconds.	
		Appearance	No defects or abnormalities.		The capacitor is soldered securely to a supporting	
	Vibration	Capacitance	Within the specified tolerance.		terminal and a 10 to 55Hz vibration of 1.5mm peak-	
11	Resistance	Q/D.F.	30pF min. : Q ≥ 1000 30pF max. : Q ≥ 400+20C C : Nominal capacitance (pF)	X7R Z5U : 0.025 max. Y5V : 0.05 max.	peak amplitude is applied for six hours total, 2 hours in each mutually perpendicular direction. Allow 1 minute to cycle the frequency from 10Hz to 55Hz and the converse.	
12	Solderability of Leads		Solder is deposited on unintermi direction covering 3/4 or more in wires.		The terminal of a capacitor is dipped into a 25 % ethanol (JIS-K-8101) solution of rosin (JIS-K-5902) ar then into molten solder (JIS-H-4341, H63A) of 235±5 for 2 seconds ±0.5 seconds. In both cases the depth dipping is up to about 1.5mm to 2mm from the terminibody.	
		Appearance	No defects or abnormalities.		The lead wire is immersed in the melted solder (JIS-H-	
13	Resistance to Soldering	Capacitance Change	Within ±2.5% or ±0.25pF (Whichever is larger)	X7R : Within ±7.5% Z5U Y5V : Within ±20%	14341, H63A) 1.5mm to 2mm from the main body at 270±5°C for 3±0.5 seconds (L3.5×W3.0 (mm) type) or 350±10°C for 3.5 seconds ±0.5 seconds (all other types). The specified items are measured after 24 hours ±2 hours (temperature compensating type) or 48 hours ±4 hours (high dielectric type).	
	Heat	Dielectric Strength			Initial measurement for high dielectric constant type.	
		(Between Terminals)	No defects.		The capacitors are heat treated for one hour at 150^{+}_{-10} °C, allowed to set at room temperature for 48 hours ± 4 hours, and given an initial measurement.	
		Appearance	No defects or abnormalities.		First, repeat the following temperature/time cycle five	
		Capacitance Change	Within ±5% or ±0.5pF (Whichever is larger)	X7R : Within ±12.5% Z5U Y5V : Within ±30%	times: lowest operating temperature ±3°C/30±3 minutes ordinary temperature/3 minutes max. highest operating temperature ±3°C/30±3 minutes	
	Temperature and Immersion Cycle	Q/D.F.	30pF min. : Q ≥ 350 10pF to 30pF : Q ≥ 275+ $\frac{5}{2}$ C 10pF max. : Q ≥ 200+10C C : Nominal capacitance (pF)	X7R : 0.05 max. Z5U Y5V }: 0.075 max.	» ordinary temperature/3 minutes max. Next, repeat twice the sucessive cycles of immersion, each cycle consisting of immersion in a fresh water at 65 ⁺ / ₀ °C for 15 minutes and immersion in a saturated	
14		Insulation Resistance	10000MΩ or 500Ω • F min. (Whichever is smaller)	$ \begin{array}{c} \text{X7R} : 10000M\Omega \text{ or } 500\Omega \bullet \text{F min.} \\ \text{(Whichever is smaller)} \\ \text{Z5U} 1000M\Omega \text{ or } 50\Omega \bullet \text{F min.} \\ \text{Y5V} \text{(Whichever is smaller)} \\ \end{array} $	aqueous solution of salt at 0±3°C for 15 minutes. The capacitor is then promptly washed in running water, dried with a drying cloth, and allowed to sit at room temperature for 24 hours ±2 hours (temperature compensating type) or 48 hours ±4 hours (high	
		Dielectric Strength (Between Terminals)	No defects or abnormalities.		• Initial measurement for high dielectric constant type. The capacitors are heat treated for one hour at 150±10 °C, allowed to sit at room temperature for 48 hours ±4 hours, and given an initial measurement.	

Continued on the following page.





Ontinued from the preceding page.

No.	Ite	m	Specif	ication	- Test Method	
140.	ito		Temperature Compensating Type	High Dielectric Constant Type	rest wethou	
		Appearance	No defects or abnormalities.			
		Capacitance Change	Within ±5% or ±0.5pF (Whichever is larger)	X7R : Within ±12.5% Z5U	Set the capacitor for 500 hours $\pm 2_0^4$ hours at 40 $\pm 2^{\circ}$ C in 90 to 95% humidity. Remove and set for 24 hours ± 2 hours (temperature compensating type) and 48 hours	
15	Humidity (Steady State)	Q/D.F.	30pF min. : Q ≥ 350 10pF to 30pF : Q ≥ 275+ $\frac{5}{2}$ C 10pF max. : Q ≥ 200+10C C : Nominal capacitance (pF)	X7R : 0.05 max. Z5U Y5V : 0.075 max.	±4 hours (high dielectric constant type) at room temperature, then measure. • Initial measurement for high dielectric constant type	
		Insulation Resistance	10000MΩ or 500Ω • F min. (Whichever is smaller)	$ \begin{array}{c} \text{X7R} &: 10000 \text{M}\Omega \text{ or } 500\Omega \bullet \text{F min.} \\ & \text{(whichever is smaller)} \\ \text{Z5U} \\ \text{Y5V} \end{array} \right) \cdot \frac{1000 \text{M}\Omega \text{ or } 50\Omega \bullet \text{F min.}}{\text{(whichever is smaller)}} $	The capacitors are heat treated for one hour at 150± ₄₀ °C, allowed to sit at room temperature for 48 hours ±4 hours and given an initial measurement.	
		Appearance	No defects or abnormalities.			
		Capacitance Change	Within ±5% or ±0.5pF (Whichever is larger)	X7R : Within ±12.5% Z5U	Apply the rated voltage for 500 hours $\pm \frac{24}{6}$ hours at	
16	Humidity Load	Q/D.F.	30pF min. : Q ≥ 350 10pF to 30pF : Q ≥ 275+ $\frac{5}{2}$ C 10pF max. : Q ≥ 200+10C C : Nominal capacitance (pF)	X7R : 0.05 max. Z5U Y5V : 0.075 max.	40±2°C and in 90 to 95% humidity. Remove and set for 24 hours ±2 hours (temperature compensating type) and 48 hours ±4 hours (high dielectric constant type) at room temperature, then measure.	
		Insulation Resistance	10000MΩ or 500Ω • F min. (Whichever is smaller)	$ \begin{array}{c} \text{X7R} &: 10000M\Omega \text{ or } 500\Omega \bullet \text{F min.} \\ & \text{(whichever is smaller)} \\ \text{Z5U} &: 1000M\Omega \text{ or } 50\Omega \bullet \text{F min.} \\ \text{Y5V} &: \text{(whichever is smaller)} \end{array} $	The charge/discharge current is less than 50mA.	
		Appearance	No defects or abnormalities.		Apply 200% of the rated voltage for 1000 hours $\pm ^{48}_{0}$	
		Capacitance Change	Within ±3% or ±0.3pF (Whichever is larger)	X7R : Within ±12.5% Z5U	hours at the maximum operating temperature. Remove and set for 24 hours ±2 hours (temperature compensating type) and 48 hours ±4 hours (high dielectric comstant type) at room temperature, then	
17	High Temperature Load	Q/D.F.	30pF min. : Q ≥ 350 10pF to 30pF : Q ≥ 275+ $\frac{5}{2}$ C 10pF max. : Q ≥ 200+10C C : Nominal capacitance (pF)	X7R : 0.04 max. Z5U Y5V }: 0.075 max.	measure. The charge/discharge current is less than 50mA. • Initial measurement for high dielectric constant type	
		Insulation Resistance	10000MΩ or 500Ω • F min. (Whichever is smaller)	$ \begin{array}{ll} \text{X7R} &: 10000M\Omega \text{ or } 500\Omega \bullet \text{F min.} \\ \text{(whichever is smaller)} \\ \text{Z5U} \\ \text{1000M}\Omega \text{ or } 50\Omega \bullet \text{F min.} \\ \text{Y5V} \\ \end{array} $	A voltage treatment shall be given to the capacitor in which a DC voltage of 200% of the rated voltage is applied for one hour at the maximum operating temperature ±3 °C. Then set for 48 hours ±4 hours at room temperature and conduct initial measurement.	
		Appearance	No defects or abnormalities.		The capacitor shall be fully immersed, unagitated, in	
18	Solvent Resistance	Marking	Legible		reagent at 20 to 25 °C for 30 sec. ±5 sec. and then remove gently. Marking on the surface of the capacitor shall immendiately be visually examined. Reagent: Isopropyl alcohol	

Table A

		С	Capacitance Change from 25°C (%)						
Char.	Nominal Values (ppm/°C) *1	−55°C		−30°C		-10°C			
	(ppiii/ C) i	Max.	Min.	Max.	Min.	Max.	Min.		
COG	0± 30	0.58	-0.24	0.40	-0.17	0.25	-0.11		
R2H	-220± 60	3.02	1.28	2.08	0.88	1.32	0.56		
U2J	-750±120	8.78	5.04	6.04	3.47	3.84	2.21		


^{*1 :} Nominal values denote the temperature coefficient within a range of 25 to 125°C (for C0G)/85°C (for other TC).

Table B


Char.	Temp. Range	Reference Temp.	Cap. Change Rate
X7R	-55 to +125°C		Within ± 15%
Z5U	+10 to + 85°C	25°C	Within +22 %
Y5V	-30 to + 85°C		Within +22 %




■ Capacitance-Temperature Chatacteristics




■ Capacitance-DC Voltage Chatacteristics




■ Capacitance Change-Aging




■ Capacitance-AC Voltage Chatacteristics



■ Capacitance-Resonant Frequency



■ Impedance-Frequency Characteristics



Packaging

■ PACKAGING

Two types of packaging for epoxy coated monolithic ceramic capacitors are available.

1. BULK PAGING


Minimum quantity *

Size code	Dimensions (LxW)	Minimum quantity (pcs./bag)
1	3.5x3.0	
2	5.0x3.5	
3	5.0x4.5	500
4	7.5x5.0	300
5	7.5x7.5	
6	10.0x10.0	
7	12.5x12.5	100

Please order with an integral multiple of the minimum quantity above.

2. TAPE CARRIER PACKAGING

(1) Dimensions of Ammo Pack



(2) Minimum quantity *

Size and Leed code	Dimensions (LxW)	Minimum quantity (pcs./Ammo Pack)
2S□	5.0x3.5	
2M□	3.0x3.3	
3S□	5.0x4.5	2000
3M□	3.0x4.3	2000
4M□	7.5x5.0	
5E□	7.5x7.5	
6E□	10.0x10.0	1500


Please order with an integral multiple of the minimum quantity above.

(3) Marking on Ammo Pack


The following items are in the marking position on the side of the ammo pack.

- (1) Part Number
- (2) Quantity
- (3) Inspection No.
- (4) Manufacturer's name, or its abbreviation.
- (5) Other requirements.


- (4) Incidental condition of taping
- (4)-1 Tape splicing
- If carrier tape has been cut:




• If hold down tape has been cut:



• If both hold down tape and base tape have been cut:



^{* &}quot;Minimum Quantity" means the numbers of units of each delivery or order. The quantity should be an integral multiple of the "minimum quantity". (Please note that the actual delivery quantity in a package may change sometimes.)






Packaging

Continued from the preceding page.


(5) Taping dimensions

Inside Crimp Type Taping




Size and Leed code	Dimensions (LxW)	
2M1	5.0x3.5	
2M2	5.0x3.5	
3M1	5.0x4.5	
3M2	5.0x4.5	
4M1	7 EvE 0	
4M2	7.5x5.0	

Straight Type Taping



Size and Leed code	Dimensions (LxW)
5E1	7.5x7.5
5E2	
6E1	10.0x10.0
6E2	

Outside Crimp Type Taping



Direction of reed		
Size and Leed code	Dimensions (LxW)	
2S1	5.0x3.5	
2S2		
3S1	5.0x4.5	
3S2		

Item	Code	Dimensions (mm)
Pitch of Component	Р	12.7
Pitch of Sprocket Hole	P ₀	12.7±0.2
Lead Spacing	F ₁	2.5 +0.4
	F	5.0 +0.6
Length from Hole Center to Component Center	P ₂	6.35±1.3
Lead to the form that a Constitution	P ₁	3.85±0.7
Length from Hole Center to	P ₁	5.1±0.7 (S1) (S2)
Lead	254±1.5	5 Total length of components pitch X 20
Body Dimension		See Dimensions
Deviation Along Tape, Left or Right Defect	ΔS	±2.0
Carrier Tape Width	W	18.0±0.5
Position of Sprocket Hole	W ₁	9.0+0
Lead Distance between Re-	Ho	16.0±0.5 (M1) (S1)
ference and Bottom Plane	Ho	20.0±0.5 (M2) (S2)
For Straight Lead Type	Н	20±0.5 (E2), 17.5±0.5 (E1)
Diameter of Sprocket Hole	D ₀	4.0±0.1
Lead Diameter	d	0.5±0.05
Total Tape Thickness	t1	0.6±0.3
Total Thickness of Tape and Lead Wire	t2	1.5 max.
Body Thickness	Т	See Dimensions
Deviation Across Tape	Δh1	1.0 max.
	Δh2	1.0 max.
Portion to Cut in Case of Defect	L	11.0 +0
Protrusion Length	l	0.5 max.
Hold Down Tape Width	Wo	11.5 min.
Hold Down Tape Position	W ₂	1.5±1.5
Coating Extension		See Dimensions


(in mm)



Notice

■ Notice (Soldering and Mounting)

1. Allowable Conditions for Soldering Temperature and Time



Perform soldering within tolerance range (shaded portion).

- 2. Insertion of the Lead Wire
- (1) When soldering, insert the lead wire into the PCB without mechanically stressing the lead wire.
- (2) Insert the lead wire into the PCB with a distance appropriate to the lead space.



1 Export Control

(For customers outside Japan)

Murata products should not be used or sold for use in the development, production, stockpiling or utilization of any conventional weapons or mass-destructive weapons (nuclear weapons, chemical or biological weapons, or missiles), or any other weapons. (For customers in Japan)

For products which are controlled items subject to the "Foreign Exchange and Foreign Trade Law" of Japan, the export license specified by the law is required for export.

- 2. Please contact our sales representatives or product engineers before using our products listed in this catalog for the applications listed below which require especially high reliability for the prevention of defects which might directly cause damage to the third party's life, body or property, or when intending to use one of our products for other applications than specified in this catalog.
 - 1 Aircraft equipment
- 2 Aerospace equipment
- 3 Undersea equipment
- 4 Power plant equipment
- ⑤ Medical equipment 7) Traffic signal equipment
- 6 Transportation equipment (vehicles, trains, ships, etc.)
- 8 Disaster prevention / crime prevention equipment
- (1) Application of similar complexity and/or reliability requirements to the applications listed in the above
- 3. Product specifications in this catalog are as of July 2002. They are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. If there are any questions, please contact our sales representatives or product
- 4. Please read rating and \(\triangle CAUTION \) (for storage and operating, rating, soldering and mounting, handling) in this catalog to prevent smoking and/or burning, etc.
- 5. This catalog has only typical specifications because there is no space for detailed specifications. Therefore, please approve our product specification or transact the approval sheet for product specification before ordering
- 6. Please read CAUTION and Notice in this catalog for safety. This catalog has only typical specifications. Therefore you are requested to approve our product specification or to transact the approval sheet for product specification, before ordering.
- 7. Please note that unless otherwise specified, we shall assume no responsibility whatsoever for any conflict or dispute that may occur in connection with the effect of our and/or third party's intellectual property rights and other related rights in consideration of your using our products and/or information described or contained in our catalogs. In this connection, no representation shall be made to the effect that any third parties are authorized to use the rights mentioned above under licenses without our consent.
- 8. No ozone depleting substances (ODS) under the Montreal Protocol are used in our manufacturing process.



http://www.murata.com/

2-26-10, Tenjin Nagaokakyo-shi, Kyoto 617-8555, Japan Phone: 81-75-951-9111

International Division 3-29-12, Shibuya, Shibuya-ku, Tokyo 150-0002, Japan Phone: 81-3-5469-6123 Fax: 81-3-5469-6155 E-mail: intl@murata.co.jp