
# **Disc Type NTC Thermistors**

Type: **ERTD** 



Disc type negative temperaturecoefficient thermistors. Resistance values from 8  $\Omega$  to 150  $k\Omega$  and B Values are from 3000 K to5000 K.


#### ■ Features

- Wide selection of temperature coefficients
- Excellent electrical and thermal stability

### ■ Recommended Applications


- Temperature detection
- Temperature compensation for measuring instruments
- Temperature compensation for deflection coil in TV

### ■ Explanation of Part Numbers



### ■ Derating Curve for the NTC Thermistor

For the NTC Thermistor operated in ambient temperature above 25 °C, power rating should be derated in accordance with the right figure.



Rev.02/04

## **Panasonic**

### ■ Ratings and Characteristics

	1	I					
Part No.	Zero-Power Resistance at 25 °C(Ω)	B Value** (K)	Maximum Permissible Power(W)	Heat Dissipation Constant (mW/°C)	Thermal Time Constant (s)	Resistance Ratio R <sub>25</sub> /R <sub>50</sub>	Table A/B Curve No.
ERTD2FE□*200S	20	3000				2.18	_
ERTD2FF□*400S	40	3200				2.30	_
ERTD2FGL*750S	75	3700				2.62	1
ERTD2FF□*101S	100	3500				2.48	_
ERTD2FGL*101S	100	3700				2.62	2
ERTD2FGL*171S	170	3700				2.62	3
ERTD2FF∐*251S	250	3500				2.48	_
ERTD2FGL*251S	250	3900				2.76	4
ERTD2FGL*301S	300	3900				2.76	_
ERTD2FF∐*351S	350	3500				2.48	5
ERTD2FGL*601S	600	4000				2.83	6
ERTD2FGL*801S	800	3900	0.4	4.5	20	2.76	7
ERTD2FGL*102S	1000	3700				2.61	_
ERTD2FGL*142S	1400	3900				2.76	_
ERTD2FGL*202S	2000	4000				2.83	8
ERTD2FGL*332S	3300	4000				2.83	9
ERTD2FH□*462S	4600	4100				2.90	_
ERTD2FH⊡*802S	8000	4100				2.90	10
ERTD2FH□*103S	10000	4100				2.90	_
ERTD2FH□*153S	15000	4200				2.98	11
ERTD2FH⊡*333S	33000	4500				3.22	12
ERTD2FH⊡*503S	50000	4500				3.22	13
ERTD2FI□*154S	150000	4800				3.48	14
ERTD3FEL*8R0S	8	3000				2.18	15
ERTD3FFL*130S	13	3200				2.30	16
ERTD3FFL*160S	16	3200				2.30	_
ERTD3FFL*200S	20	3200				2.30	_
ERTD3FFL*300S	30	3200				2.30	_
ERTD3FFL*400S	40	3200				2.30	_
ERTD3FGL*750S	75	3700	0.6	7.0	27	2.62	_
ERTD3FGL*800S	80	3700				2.62	_
ERTD3FGL*131S	130	3700				2.62	_
ERTD3FGL*501S	500	4000				2.83	_
ERTD3FH□*402S	4000	4100				2.90	_
ERTD3FH□*203S	20000	4500				3.22	_
ERTD3FIL*803S	80000	5000				3.70	17

\*Resistance Tolerance Code

J	K	L
±5 %	±10 %	±15 %

Operating Temperature Range: −30 to +125 °C

 $B = \frac{ \ln (R_{25}/R_{50})}{1/298.15 - 1/323.15} \qquad \begin{array}{l} R_{25} = Resistance \ at \ 25.0 \ ^{\circ}C \\ R_{50} = Resistance \ at \ 50.0 \ ^{\circ}C \end{array}$ 


Design, Specifications are subject to change without notice. Ask factory for technical specifications before purchase and/or use. Whenever a doubt about safety arises from this product, please inform us immediately for technical consultation without fail.

<sup>\*\*</sup>Tolerance of "B value": ±10 %

### ■ Dimensions in mm (not to scale)


### Straight Lead Type

F Type



\*Coating extension on leads

# Crimped Lead Type Z Type




### F Type

	φD	Т	l	W	φd
D2	5.0±0.5	1.3±0.5	30.0 min.	2.5±1.0	0.4
D3	7.5±0.5	1.4±0.5	30.0 min.	5.0±1.0	0.5


### Z Type

	φD	Т	u	е	h	W	φd
D2	5.0±0.5	1.3±0.5	3.0 max. (nom.2.5)	4.5±1.0	6.0 max. (nom.5.0)	5.0±1.0	0.5

### ■ Resistance vs. Temperature (Table A)



### ■ Voltage vs. Current (Table B)



Design, Specifications are subject to change without notice. Ask factory for technical specifications before purchase and/or use. Whenever a doubt about safety arises from this product, please inform us immediately for technical consultation without fail.




### ■ Resistance Color Code

Code	1(1st Digit)	2(2nd Digit)	3(Multiplier)
Black	0	0	10°
Brown	1	1	10¹
Red	2	2	10 <sup>2</sup>
Orange	3	3	10 <sup>3</sup>
Yellow	4	4	104
Green	5	5	10⁵
Blue	6	6	10 <sup>6</sup>
Purple	7	7	10 <sup>7</sup>
Gray	8	8	10 <sup>8</sup>
White	9	9	10 <sup>9</sup>
Gold	_	_	10 <sup>-1</sup>
Silver	_	_	10-2

### ■ Taping Dimensions in mm (not to scale)

Taping Type



Р	12.7±1.0
P <sub>0</sub>	12.7±0.3
P <sub>1</sub>	3.85±0.70
$P_2$	6.35±1.30
$\phi$ d	0.50±0.05
F	5.0±1.0
Δh	0±5.0
W	18.0+1.0
$W_0$	12.5 min.
$W_1$	$9.00^{+0.75}_{-0.50}$
$W_2$	3.0 max
Н	21.0±2.0
H₀	16.0±0.5
l	2.0 max.
$\phi D_0$	4.0±0.3
t	0.5±0.2



### **Disc Type NTC Thermistors**

### Handling Precautions

### 

The Disc Type NTC Thermisters (hereafter referred to as "The NTC Thermistors") may fail in burnout, flaming or glowing in the worst case, when subjected to severe conditions of electrical, environmental and/or mechanical stresses.

The following " $\Delta$ Safety Precautions" and "Application Notes" should be taken into consideration. For any questions regarding the "Handling Precautions", please contact our engineering section or factory.

### 1. ⚠ Precautions for Safety

### 1.1 Operating Power

The NTC Thermistors should not be operated beyond their specified Maximum Permissible Power in the Catalog or the Individual Specifications, otherwise, burnout or damages due to the thermal run awa could result. (if operated in ambient temperature above 25 °C, power rating should be derated in accordance with the derating curve.)

### 1.2 Operating Temperature Range

The NTC Thermistors should not be operated beyond their specified Operating Temperature Range of in the Catalog or the Individual Specifications.

(Do not touch the heated part of the NTC Themistors by hand during operation)

#### 1.3 Plastic Molding and Potting

In case of plastic molding or potting, the NTC Thermistors may be damaged or deteriorated by extreme mechanical stresses such as expanding and shrinking forces caused by the heat treatment of the plastics applied (depending on curing conditions and types of plastics)

#### 1.4 Environmental Conditions

The NTC Thermistors should not be operated and/or stored under the following environmental conditions;

- a) Direct exposure to water or drops of water.
- b) Direct exposure to sunlight.
- c) Under conditions of high humidity or water condensation.
- d) Direct exposure to oil, gasoline or organic solvent and/or atomospheres of them.
- e) Under conditions of deoxidized or corrosive atomospheres such as chlorine, hydrogen sulfide, sulfur oxide or vinyl chloride.
- f) Under severe conditions of extreme vibration or shock.

### 1.5 Mounting

Do not let other parts touch the Thermistors because other coating is not a generated insulator.

### 1.6 Fail-Safe Design for Equipment

In application of the Termistors, equipment should be protected against deterioration and failures of the Thermistors.

### 2. Application Notes

#### 2.1 Soldering Flux

Rosin-based and non-activated type soldering flux is recommended.

#### 2.2 Post Soldering Cleaning

In case of solvent cleaning, outer coating material of the NTC Thermistors may acquire the solvent, depending on the cleaning condition and type of cleaning solvent.

### 2.3 Abnormal Mechanical Stresses

The NTC Thermistors may be damaged or deteriorated, when dropped or exposed to a large impact. Excessive shock and impact should not be applied.

#### 2.4 Soldering

- (1) When soldering the thermistor, solder for as short time as possible to minimize the exposure time of the element to the melting point of solder.
  - Take into account the solder-heat resistance of the product before use.
- (2) In soldering the device, the body and outer coating section should not be touched by molten solder and/or heated iron tip.

### 2.5 Long Term Storage

- (1) NTC Thermistors should not be stored under severe conditions of high temperature and/or high humidity.
- (2) NTC Thermistors should not be stored under conditions of corrosive atomospheres such as hydrogen sulfide, sulfur oxide, chlorine, and ammonia etc.
- (3) NTC Thermistors should not be exposed to direct sunlight.
- (4) NTC Thermistors should not be stored under conditions of condensation.
- (5) Store them indoors under 40 °C max. and 75 %RH max.

Use them within one year of manufacture and check the solderability before use.