

5 x 3.2 x 1.0mm SMD

FEATURES

- Miniature size: 5.0mm x 3.2mm x 1.0mm height
- Gold-plated ceramic base with metal seam-welded lid
- To minimize EMI the whole crystal may be grounded
- High shock and vibration resistance
- Ideal for PDAs, GPS, PCMCIA, Wirles LAN etc.

DESCRIPTION

MJ crystals are miniature surface-mount crystals produced with a ceramic substrate and seam-welded metal lid. Their compact size and low mass make hem an ideal crystal for high-density applications.

SPECIFICATION

Frequency Range:	10.0MHz to 48.0MHz
Mode:	AT-Cut Fundamental
Calibration Tolerance at 25°C:	from ±5ppm
	$(\pm 10, \pm 20 \text{ or } \pm 30 \text{ppm standard})$
Frequency stability	
-10° to +60°C	from ±5ppm
-20° to +70°C	from ±10ppm
-40° to +90°C	from ±15ppm
Storage Temperature:	-40°~+105°C
Effective Series Resistance:	See table
Shunt Capacitance (C0):	2pF to 4pF typical, 5pF maximum
Load Capacitance (CL):	Series or from 10pF to 32pF
	(Customer specified CL)
Ageing:	<±3ppm per year at +25°C
Drive level:	100 μW maximum
Reflow Soldering:	10s maximum at 260°C twice
-	or 180s at 230°C, once.
Package:	Ceramic base, metal (Kovar) lid,
_	Hermetic seal
Packaging:	12mm EIA tape and reel
	1000 pieces per reel

EQUIVALENT SERIES RESISTANCE (ESR)

Frequency Range MHz	Crystal Cut/ Mode	ESR Ohms Max.
10.0 ~ 12.0	AT Fund.	80
12.0 ~ 16.0	AT Fund.	60
16.01~48.0	AT Fund.	50


ENVIRONMENTAL SPECIFICATION

RoHS Status:	Compliant
Gross Leak:	1kg pressurized water immersion test as per Euroquartz procedures.
Fine Leak: Shock:	<5x10-8 atm cc/s -helium leak test ±5ppm max. Free drop 3 times from 75cm height onto a hard wooden board or half sine wave acceleration of 100g peak amplitude for 11 ms duration, 3 cycles each plane.
Vibration:	±5ppm max., frequency 10 to 55Hz, amplitude 1.5mm or 10g rms. Duration 6 hours.
Solderability:	MIL-STD-883, Method 2003
Humidity:	48 hours at 85°C, relative humidity, non-condensing
Thermal Shock:	Temperature cycling: Exposed to -40°C for 30 minutes then to +85°C for 30 minutes, - duration 5 days.






OUTLINE & DIMENSIONS



PART NUMBER GENERATION

Part numbers for MJ crystals are generated as follows:



EUROQUARTZ LIMITED Blacknell Lane CREWKERNE Somerset UK TA18 7HE
Tel: +44 (0)1460 230000 Fax: +44 (0)1460 230001 Email: info@euroquartz.co.uk www.euroquartz.co.uk