
## Thermoelectric Cooler RC6-4


# RoHS 2002/95/EC Compliant


### **Performance Values**

Hot Side Temperature (°C)	27°C	50°C
Δ Tmax (°C-dry N <sub>2</sub> ):	65	73
Qmax (watts):	20	22
Imax (amps):	3.7	3.7
Vmax (vdc):	8.2	9.2
AC Resistance (ohms):	1.8	



### **Mechanical Characteristics**





Ceramic Material: Alumina (AC)

Dimensions in [ ] are millimeters

# **Ordering Options**

Model Number	Description	
RC6-4-01	Base Model w/ leads	
RC6-4-01L	Lapped Model	
RC6-4-01S	Sealed Model	
RC6-4-01LS	Lapped and Sealed Model	

### **Features**

- RoHS 2002/95/EC compliant
- Solid-state reliability.
- Built with high temperature solder with the ability to withstand higher assembly processing temperatures for short periods of time (<160°C).</li>
- Superior nickel diffusion barriers on elements
- High strength for rugged environment.
- · Porched configuration for enhanced leadwire strength
- RTV sealing available (Optional)
- Lapped option available for multiple module applications.

Doc # 102-0280

Rev A


# U Z I

### **Performance Curves**

### Environment: One atmosphere dry nitrogen


Hot Side Temperature: 27°C

TA(C)= 27



Hot Side Temperature: 50°C





For performance information in a vacuum or with hot side temperatures other than 27°C or 50°C, consult one of our Applications Engineers.

### Installation

Recommended mounting methods: Bonding with thermal epoxy or soldering with metallized ceramics. For additional information, please refer to our TEC Installation Guide.

### **Operation Cautions**

For maximum reliability, storage and operation below 85°C in a non-condensing environment is recommended. To minimize thermal stress, use linear/proportional temperature control or a similar method rather than an ON/OFF method.

### Addresses

### Marlow Industries, Inc.

10451 Vista Park Road Dallas Texas 75238-1645 214-340-4900 (tel) 214-341-5212 (fax) www.marlow.com

### Marlow Industries Europe

Aberdeen House, South Road Haywards Heath West Sussex RH164NG UK +44 (0)1444-443404 (tel) +44 (0)1444-443334(fax)

### Marlow Industries Japan

1-1-8-401 Uehara, Shibuya-ku Tokyo, Japan 151-0064 +81 (3) 5454-5280 (tel) +81 (3) 5454-5281(fax)

214-340-4900 (tel) • 214-341-5212 (fax) • www.marlow.com

Doc # 102-0280

Rev A