Preferred Device

POWERTAP[™] II SWITCHMODE[™] Power Rectifier

This state-of-the-art SWITCHMODE Power Rectifier uses the Schottky Barrier principle with a platinum barrier metal.

Features

- Dual Diode Construction; May Be Paralleled for Higher Current Output
- Guard-Ring for Stress Protection
- Low Forward Voltage Drop
- 150°C Operating Junction Temperature
- Recyclable Epoxy
- Guaranteed Reverse Avalanche Energy Capability
- Improved Mechanical Ratings
- Pb-Free Package is Available*

Mechanical Characteristics

- Case: Epoxy, Molded with Metal Heatsink Base
- Weight: 80 grams (Approximately)
- Finish: All External Surfaces Corrosion Resistant
- Top Terminal Torque: 25-40 lb-in Max
- Base Plate Torques: See Procedure Given in the Package Outline Section

MAXIMUM RATINGS

| Rating | Symbol | Value | Unit |
|---|--|-------------|------|
| Peak Repetitive Reverse Voltage Working Peak Reverse Voltage DC Blocking Voltage | V _{RRM} V _{RWM} V _R | 35 | V |
| Average Rectified Forward Current (At Rated V _R , T _C = 100°C) Per Leg Per Device | I _{F(AV)} | 300 600 | A |
| Peak Repetitive Forward Current, (At Rated V _R , Square Wave, 20 kHz, T _C = 100°C) | IFRM | 300 | A |
| Non-Repetitive Peak Surge Current (Surge Applied at Rated Load Conditions Halfwave, Single Phase, 60 Hz) | IFSM | 4000 | A |
| Peak Repetitive Reverse Surge Current (2.0 μs, 1.0 kHz) | I _{RRM} | 2.0 | A |
| Storage Temperature Range | T _{stg} | –55 to +150 | °C |
| Operating Junction Temperature | TJ | –55 to +150 | °C |
| Voltage Rate of Change (Rated V _R) | dv/dt | 10,000 | V/μs |




ON Semiconductor®

http://onsemi.com

LOW V_F SCHOTTKY BARRIER RECTIFIER 600 AMPERES, 35 VOLTS



MARKING DIAGRAM



| B60035L | = Specific Device Code |
|---------|------------------------|
| MCC | = Mold Compound Code |
| А | = Assembly Location |
| YY | = Year |
| WW | = Work Week |
| G | = Pb-Free Package |
| | |

ORDERING INFORMATION

| Device | Package | Shipping |
|---------------|--------------------------|---------------|
| MBRP60035CTL | POWERTAP II | 25 Units/Tray |
| MBRP60035CTLG | POWERTAP II (Pb-Free) | 25 Units/Tray |

Preferred devices are recommended choices for future use and best overall value.

THERMAL CHARACTERISTICS

| Rating | Symbol | Value | Unit |
|---|------------------|--------------|------|
| Thermal Resistance, Junction-to-Case | R _{θJC} | 0.4 | °C/W |
| ELECTRICAL CHARACTERISTICS | | | |
| Maximum Instantaneous Forward Voltage (Note 1) ($i_F = 300 \text{ Amps}, T_C = +25^{\circ}C$) ($i_F = 300 \text{ Amps}, T_C = +100^{\circ}C$) | V _F | 0.57 0.50 | V |
| Maximum Instantaneous Reverse Current (Note 1) (Rated dc Voltage, $T_C = +25^{\circ}C$) (Rated dc Voltage, $T_C = +100^{\circ}C$) | I _R | 3.0 250 | mA |

1. Pulse Test: Pulse Width = 300 μ s, Duty Cycle <[2%.

MAXIMUM MECHANICAL RATINGS

| Terminal Penetration: | 0.235 max |
|-------------------------------------|---|
| Terminal Torque: | 25–40 in-lb max |
| Mounting Torque — Outside Holes: | 30-40 in-lb max |
| Mounting Torque — Center Hole: | 8–10 in-lb max |
| Seating Plane Flatness | 1 mil per in. (between mounting holes) |

POWERTAP MECHANICAL DATA APPLIES OVER OPERATING TEMPERATURE

2 2 in. Lever Pull Vertical Pull 250 lbs. max 50 lbs. max

Note: While the POWERTAP is capable of sustaining these vertical and levered tensions, the intimate contact between POWERTAP and heat sink may be lost. This could lead to thermal runaway. The use of very flexible leads is recommended for the anode connections. Use of thermal grease is highly recommended.

MOUNTING PROCEDURE

The POWERTAP package requires special mounting considerations because of the long longitudinal axis of the copper heat sink. It is important to follow the proper tightening sequence to avoid warping the heat sink, which can reduce thermal contact between the POWERTAP and heat sink.

2-3 TURNS

2-3 TURNS

5–10 IN-LB

POWER

HEAT

POWER

HEAT

POWER

HEAT

2-3 TURNS

FINGER-TIGHT

FINGER-TIGHT

8-10 IN-LB

2-3 TURNS

2-3 TURNS

10 IN-LB

TAP

SINK

TAP

SINK

TAP

SINK

STEP 1:

Locate the POWERTAP on the heat sink and start mounting bolts into the threads by hand (2 or 3 turns).


STEP 2:

Finger tighten the center bolt. The bolt may catch on the threads of the heat sink so it is important to make sure the face of the bolt or washer is in contact with the surface of the POWERTAP.

STEP 3:


Tighten each of the end bolts between 5 to 10 in-lb.

STEP 4:



PACKAGE DIMENSIONS

CASE 357C-03 POWERTAP PLASTIC PACKAGE ISSUE E



POWERTAP and SWITCHMODE are trademarks of Semiconductor Components Industries, LLC

ON Semiconductor and 💷 are registered trademarks of Semiconductor Components Industries, LLC (SCILLC). SCILLC reserves the right to make changes without further notice to any products herein. SCILLC makes no warranty, representation or guarantee regarding the suitability of its products for any particular purpose, nor does SCILLC assume any liability arising out of the application or use of any product or circuit, and specifically disclaims any and all liability, including without limitation special, consequential or incidental damages. "Typical" parameters which may be provided in SCILLC data sheets and/or specifications can and do vary in different applications and actual performance may vary over time. All operating parameters, including "Typicals" must be validated for each customer application by customer's technical experts. SCILLC does not convey any license under its patent rights nor the rights of others. SCILLC products are not designed, intended, or authorized for use as components in systems intended for surgical implant into the body, or other applications intended to support or sustain life, or for any other application in which the failure of the SCILLC product could create a situation where personal injury or death may occur. Should Buyer purchase or use SCILLC products for any such unintended or unauthorized application, Buyer shall indemnify and hold SCILLC and its officers, employees, subsidiaries, affiliates, and distributors harmless against all claims, costs, damages, and expenses, and reasonable attorney fees arising out of, directly or indirectly, any claim of personal injury or death associated with such unintended or unauthorized use, even if such claim alleges that SCILLC was negligent regarding the design or manufacture of the part. SCILLC is an Equal Opportunity/Affirmative Action Employer. This literature is subject to all applicable copyright laws and is not for resale in any manner.

PUBLICATION ORDERING INFORMATION

LITERATURE FULFILLMENT

Literature Distribution Center for ON Semiconductor P.O. Box 5163, Denver, Colorado 80217 USA Phone: 303-675-2175 or 800-344-3860 Toll Free USA/Canada Fax: 303-675-2176 or 800-344-3867 Toll Free USA/Canada Email: orderlit@onsemi.com

N. American Technical Support: 800-282-9855 Toll Free USA/Canada Europe, Middle East and Africa Technical Support:

Phone: 421 33 790 2910 Japan Customer Focus Center Phone: 81-3-5773-3850

ON Semiconductor Website: www.onsemi.com

Order Literature: http://www.onsemi.com/orderlit

For additional information, please contact your local Sales Representative