
P-150SCS SC size (KR23/43) Type: R



Specifications

			mm		inch	
Diameter		23.0 +0/-1.0		0.89 +0/-0.5		
Height			43.0 +0	/-1.5	1.69 +0/-0.06	
Approximate Weight		ý	Grams		Ounces	
			44g		1.55	
Nominal Voltage			1.2V			
Discharge Capacity*		Average**		1600mAh		
		Ra	ted (Min.)	1500mAh		
Approx. Internal impedance at 1000Hz at charged state			6mΩ			
Charge		S	standard	150mA (0.1lt) x 16 hrs.		lt) x 16 hrs.
		F	Rapid***	1500mA (1lt) x 1.5 hrs.		t) x 1.5 hrs.
Ambient Temperature	Charge	Standard		°C		°F
				0°C to	45°C	32°F to 113°F
			Rapid	10°C to	40°C	50°F to 104°F
	Discharge		-20°C to	65°C	-4°F to 149°F	
	Storage	< 2 years		-20°C to	35°C	-4°F to 95°F
		< (6 months	-20°C to	45°C	-4°F to 113°F
		< '	1 month	-20°C to	55°C	-4°F to 131°F
		< '	1 week	-20°C to	65 [°] C	-4°F to 149°F

* 0.2lt discharge capacity after charging at 0.1lt for 16 hours.

** For reference only.


*** Refer to "Charge Methods for Ni-Cd Batteries"

Battery performance and cycle life are strongly affected by how they are used. In order to maximize battery safety, please consult Panasonic when determining charge / discharge specs, warning label contents and unit design.


Note: [It] was previously expressed as [C]. [It] is an IEC standard expression for the amount of charge or discharge current and is expressed as: It(A) = Cn (Ah)/1h.


- [It] is the reference test current in ampres
- [Cn] is the rated capacity of the cell or battery in Ampere-hours.
- n = the time base [hours] for which the rated capacity is declared

Typical Charge Characteristics



Typical Discharge Characteristics





NICKEL CADMIUM HANDBOOK

AUGUST 2005

This information is generally descriptive only and is not intended to make or imply any representation, guarantee or warranty with respect to any cells and batteries. Cell and battery designs/specifications are subject to modification without notice. Contact Panasonic for the latest information.