Electrical Data						
IRC Туре	SPP-1		SPP-2		SPP-3	
Resistance - Std.         0.1Ω to 1200Ω		0.1Ω to 2400Ω		0.1Ω to 2400Ω		
Tolerance - Std.	±5%, ±10%		±5%, ±10%		±5%, ±10%	
Power Rating	1 watt @ 85°C 3/4 watt @ 105°C 1/2 watt @ 125°C Derating to 0 @ 160°C		2 watt @ 85°C 1 watt @ 140°C  		3 watt @ 85°C 2 watt @ 145°C 1 watt @ 190°C 	
Load Life Stability	1 watt @ 85°C ± 10%		2 watt @ 85°C ± 10%		3 watt @ 85°C ± 10%	
Max. Continuous Working Voltage	√PR		√PR		√PR	
Min. Insulation Dry Resistance Wet	10,000 Meg 100 Meg		10,000 Meg 100 Meg		10,000 Meg 100 Meg	
Min. Dielectric Withstanding Volts (RMS)	600V		600V		600V	
Current Noise	Negligible		Negligible		Negligible	
Temperature Rise at Rated Load, 25°C Ambient	Approx. 150°C		Approx. 200°C		Approx. 225°C	
Temperature Coefficient	±600/°C 0.10Ω - 0.91Ω	±300/°C 1Ω - 1200Ω	±600/°C 0.10Ω - 0.91Ω	±300/°C 1Ω - 2400Ω	±600/°C 0.10Ω - 0.91Ω	±300/°C 1Ω - 2400Ω

### Electrical Data

· Weldable and solderable magnetic leads

Positive high TC's upon request
Color band standard identification
Lower ranges available - contact factory

**SPP Series** 

· Coated or uncoated units

Notes: Unless specified otherwise, standard test centers are 1  $\frac{3}{4}$  inches.

General Note IRC reserves the right to make changes in product specification without notice or liability. All information is subject to IRC's own data and is considered accurate at time of going to print.

Wire and Film Technologies Division • 4222 South Staples Street • Corpus Christi Texas 78411 USA Telephone: 361 992 7900 • Facsimile: 361 992 3377 • Website: www.irctt.com

### Low-Cost General Purpose Conformal Coated Wirewound Resistor



Alloy resistance wirewound on fiberglass core

EIA/MIL color code: first wide band indicates wirewound construction,

blue indicator indicates

Mechanically crimped

termination assembly




## Low-Cost General Purpose Conformal Coated Wirewound Resistor



#### Environmental Data

Characteristics	Maximum Limits			
	SPP-1         ±600/°C         0.10Ω - 0.91Ω           ±300/°C         1.0Ω - 1200Ω			
Temperature Coefficient (ppm/°C)	SPP-2         ±600/°C         0.10Ω - 0.91Ω           ±300/°C         1.0Ω - 2400Ω			
	SPP-3         ±600/°C         0.10Ω - 0.91Ω           ±600/°C         1.0Ω - 2400Ω			
Thermal Shock	±5%			
Low Shock	±5%			
Short Time Overload	±5%			
Commercial Short Time Overload	±5%			
Resistance to Solder Immersion	±3%			
Solderability	95% minimum coverage			
Moisture Resistance	±5%			
Life Test	±5%			
Test Method	EIA Specification RS-344			

#### Physical Data




Wire and Film Technologies Division • 4222 South Staples Street • Corpus Christi Texas 78411 USA Telephone: 361 992 7900 • Facsimile: 361 992 3377 • Website: www.irctt.com



# Low-Cost General Purpose Conformal Coated Wirewound Resistor


### Power Derating Curve







### Ordering Data



Wire and Film Technologies Division • 4222 South Staples Street • Corpus Christi Texas 78411 USA Telephone: 361 992 7900 • Facsimile: 361 992 3377 • Website: www.irctt.com