

NANYA ROAD, MUGANG ZHAOQING CITY GUANGDONG CHINA.

TEL: 86-758-2875541, 2870651, 2877464, 2876185, 2877017

FAX:86-758-2878014

Http://www.ledtech.com.tw

SPECIFICATION


PART NO.: LA(C)5141-K2 EWEW 5.0"(127.0mm) SINGLE DIGIT DISPLAY





Approved by	Checked by	Prepared by
Tung	Andy	Feng




Dimensions










Notes:

- 1. The slope angle of any PIN may be $\pm 5.0^{\circ}$ Max.
- 2. All dimensions are in mm, tolerance is ± 0.25 mm unless otherwise noted.

Internal Circuit Diagram



VER.: 01 Date: 2007/01/30 Page: 1/5

LA(C)5141-K2

Description

Part No.	LED Chip		Face Color	
	Material	Emitting Color	Surface	Segments
LA5141-K2 EWEW	GaAsP/GaP	Orange	Grey	White
LC5141-K2 EWEW	GaAsP/GaP	Orange	Grey	White

Absolute Maximum Ratings at Ta=25 $^{\circ}$ C

Parameter		Symbol	Rating	Unit	
Power Dissipation Per Segment	COMMA.DP.	PD	234	mW	
	SEG	PD	1560		
Pulse Current(1/10Duty Cycle,0.1ms Pulse Width.)Per Chip		IFP	100	mA	
Forward Current Per Chip		IF	30	mA	
Reverse (Leakage)Current Per Chip		Ir	100	uA	
Reverse Voltage Per Chip		VR	5	V	
Operating Temperature Range		Topr.	-25 to +85	$^{\circ}\!\mathbb{C}$	
Storage Temperature Range		Tstg.	-40 to +100	$^{\circ}\!\mathbb{C}$	
Soldering Temperature.		Tsol.	Dip Soldering: 260°C for 5 sec. Hand Soldering: 350°C for 3 sec.		

VER.: 01 Date: 2007/01/30 Page: 2/5

Electrical and Optical Characteristics:

Parameter	Symbol		Condition	Min.	Тур.	Max.	Unit
Luminous Intensity Per Segment	Iv		If=10mA/seg.	5.3	14.0		mcd
Forward Voltage	Vf	COMMA.DP.	If=20mA/seg.		6.3	7.8	V
		SEG.	If=20mA/seg.		21.0	26.0	V
Peak Wavelength	λр		If=20mA/seg.		635		nm
Dominant Wavelength	λd		If=20mA/seg.		626		nm
Reverse Current Per Chip (Leakage Current Per Chip)		Ir	Vr=5V			100	μΑ
Spectrum Line Halfwidth	Δλ		If=20mA/seg.		35		nm
Response Time		T			250		ns

Note: Customer's special requirements are also welcome.

VER.: 01 Date: 2007/01/30 Page: 3/5



Typical Electrical/Optical Characteristic Curves

(25°C Ambient Temperature Unless Otherwise Noted)




Fig.1 RELATIVE INTENSITY VS. WAVELENGTH




Fig.2 MAXIMUM TOLERABLE PEAK CURRENT VS. PULSE DURATION




Fig .3 FORWARD CURRENT VS. FORWARD VOLTAGE PER CHIP





Fig.4 FORWARD CURRENT VS. **DERATING CURVE**



Forward Current (mA) Fig.5 RELATIVE LUMINOUS INTENSITY VS. FORWARD CURRENT




Fig.6 LUMINOUS INTENSITY VS. AMBIENT TEMPERATURE

LA(C)5141-K2

5.0" SINGLE DIGIT DISPLAY

Precautions in Use:

PLEASE PAY SPECIAL ATTNTION TO THE NEXT POINT TO INCORPORATE OPTO DEVICE TO HIGH RELIABILITY

- 1. Do not bend the lead. Bending leads could cause breakage of leads or the degradation of the chip.
 - When bending is unavoidable, strictly follow the cautionary instruction below.
 - (1)Bend the leads before soldering.
 - (2)Bending a lead must be done by fixing a lead tightly and applying no stress on the resin part.
 - (3) The lead bending point must be more than 1.6mm away from the edge or the resin part.
 - (4) When a pin is tested for its endurance, bending degree should be 45° and repeated no more than two times.
- 2. Setting a product by using tool such as a holder should be avoided.

When necessary, no stress should be applied to the resin part and lead to consider dimension tolerance, thermal expansion, thermal contraction of holder, product and circuit board etc.

- 3. The hole pitch of a circuit board must fit into the lead pitch of products.
- 4. When soldering, care the followings:
 - (1)Do not heat a product under any stress (i.e.: twist) to leads.
 - (2)Do not heat (for example, by soldering) a product while out side force is applied the resin part.
 - (3 The lead bending point must be more than 1.6mm away from the edge or the resin part.
 - (4) Soldering with PC Board should be conducted with following conditions.
 - (a) For dip soldering

Pre-heating: 90°C Max. for within 60 Sec.

Soldering Max. : 260±5°C (Solder Temp.) for within 5 Sec.

- (b) Soldering iron: 350°C (Soldering iron tip) for within 3 Sec.
- 5. Flux could corrode the leads. Use flux that contains as little chlorine as possible (RA, RMA,

less than 0.2 wt%) and need not be washed way. When, however, washing is necessary, partially wash around the leads, instead of the entire LED, by the following conditions.

Cleaning agent: Methyl Alcohol
Cleaning temp: 45°C Max.
Cleaning time: 30Sec. Max.

- 6. Minimum amount of soldering flux should be used. Soldering flux should be applied only to the pin portion.
- 7. The following may damage products or LED chips: Attachment or contact of residual flux solvent onto the product surface or to LED chips, or invasion of the same into the product.

VER.: 01 Date: 2007/01/30 Page: 5/5