

LITE-ON ELECTRONICS, INC.

Property of Lite-On Only

FEATURES

- * SELECTED TO SPECIFIC ON-LINE INTENSITY AND RADIANT INTENSITY RANGES
- * LOW COST MINIATURE PLASTIC SIDE LOOKING PACKAGE
- * MECHANICALLY AND SPECTRALLY MATCHED TO THE LTR-5888DH SERIES OF PHOTOTRANSISTOR

PACKAGE DIMENSIONS



NOTES:

- 1. All dimensions are in millimeters (inches).
- 2. Tolerance is ± 0.25 mm(.010") unless otherwise noted.
- 3. Lead spacing is measured where the leads emerge from the package.
- 4. Specifications are subject to change without notice.

Part No. : LTE-309 DATA SHEET

Page: 1 of 4



LITEON LITE-ON ELECTRONICS, INC.

Property of Lite-On Only

ABSOLUTE MAXIMUM RATINGS AT TA=25°C

PARAMETER	MAXIMUM RATING	UNIT			
Power Dissipation	75	mW			
Peak Forward Current (300pps, 10μ s pulse)	1	А			
Continuous Forward Current	50	mA			
Reverse Voltage	5	V			
Operating Temperature Range	-10°C to $+50^{\circ}\text{C}$				
Storage Temperature Range	-55°C to + 100°C				
Lead Soldering Temperature [1.6mm(.063") From Body]	260°C for 5 Seconds				

Part No. : LTE-309 DATA SHEET

Page : 2 of 4



LITEON LITE-ON ELECTRONICS, INC.

Property of Lite-On Only

ELECTRICAL / OPTICAL CHARACTERISTICS AT TA=25°C

PARAMETER	SYMBOL	MIN.	TYP.	MAX.	UNIT	TEST COND.	BIN No.	Color Marking
Peak Emission Wavelength	λp		940		nm	$I_F = 20 m A$		
Spectral Line Half-Width	Δλ		50		nm	$I_F = 20 mA$		
Forward Voltage	V _F		1.2	1.6	V	$I_F = 20 m A$		
Reverse Current	I _R			100	μA	$V_R = 5V$		
Average Axis Intensity (Light Current) Setting of LITE-ON Production (I _{L1} +I _{L2})/2)	IL	0.25		0.35	mA	$I_F = 4mA$ Vcc=3.5V	BIN C	Blue
		0.35		0.45			BIN D	Green
		0.45		0.55			BIN E	Black
		0.55		0.65			BIN F	Red
		0.65		0.75			BIN G	Gold
		0.75		0.85			BIN H	Silver
Average Axis Intensity (Light Current) Q.C Limits (I _{L1} +I _{L2})/2)	IL	0.20		0.42	mA	$I_F = 4mA$ Vcc=3.5V	BIN C	Blue
		0.28		0.54			BIN D	Green
		0.36		0.66			BIN E	Black
		0.44		0.78			BIN F	Red
		0.52		0.90			BIN G	Gold
		0.60		1.02			BIN H	Silver
Viewing Angle (See FIG.6)	$2 heta$ $_{1/2}$		40		deg.			

INFRARED AXIS INTENSITY TEST METHOD





LITE-ON ELECTRONICS, INC.

Property of Lite-On Only

