Content

1.

1.1.

This specification covers the performance, tests and quality requirements for the AMPMODU* mass terminated, high pressure, interconnection system connector. This preloaded insulation displacement connector consists of AMPMODU receptacles crimped to wire and is intended to mate with .025 square posts.

SPECIFICATION

PRODUCT

1.2. Qualification

When tests are performed on the subject product line, the procedures specified in AMP 109 series specifications shall be used. All inspections shall be performed using the applicable inspection plan and product drawing.

APPLICABLE DOCUMENTS 2.

The following documents form a part of this specification to the extent specified herein. In the event of conflict between the requirements of this specification and the product drawing, the product drawing shall take precedence. In the event of conflict between the requirements of this specification and the referenced documents, this specification shall take precedence.

AMP Specifications

- 109-1: General Requirements for Test Specifications
- 109 Series: В. Test Specifications as indicated in Figure 1. (Comply with MIL-STD-202, MIL-STD-1344 and EIA RS-364)
- 114-25017: Connector, AMPMODU, Mass Terminated, High Pressure, Application of

2.2. Military Standard

MIL-STD-105: Sampling Procedures and Tables for Inspection by Attributes

2.3. Military Specifications

- MIL-G-45204: Α. Gold Plating, Electrodeposited
- В. MIL-I-45208: Inspection System Requirements
- MIL-M-19887: C. Molded Plastic, Polymide Resin, Glass Fiber Filled
- D. MIL-M-20693: Molded Plastic Polymide
- MIL-T-10727: Tin Plating, Electrodeposited

*Trademark of AMP Incorporated.

AMP INCORPORATED Harrisburg, Pa. REV A Revise per ECN AR-1076 Release per CONNECTOR, INTERCONNECTION DIST ECN 4929-7 SYSTEM, HIGH PRESSURE, 25 REVISION RECORD APP MASS TERMINATED, AMPMODU AMP 1250-13 REV 7-78

2.4. Federal Specifications

- A. QQ-B-750: Phosphor Bronze
- B. QQ-N-290: Nickel Plating, Electrodeposited

3. REQUIREMENTS

3.1. Design and Construction

Connectors shall be of the design, construction and physical dimensions specified on the applicable product drawing.

3.2. Materials

- A. Terminal: Copper alloy, tin or gold over nickel plated
- B. Housing: Black, glass filled thermoplastic, UL 94V-0
- C. Cover: Black, thermoplastic, UL 94V-0

3.3. Ratings

- A. Current: 3 amperes maximum
- B. Operating Temperature: -65° to 105°C


3.4. Performance and Test Description

Connectors shall be designed to meet the electrical, mechanical and environmental performance requirements specified in Figure 1.

3.5. Test Requirements and Procedures Summary


Test Description	Requirement	Procedure
Examination of Product	Meets requirements of product drawing and AMP Spec 114-25017. ELECTRICAL	Visual, dimensional and functional per applicable inspection plan.
Termination Resistance, Specified Current	Resistance, Wire Test milliohms Size, Current, maximum AWG ampere initial 30 1.0 12 28 1.5 12 26 2.0 12 24 3.0 12 22 3.0 12 20 3.0 12	Measure potential drop of mated contacts assembled in housing, see Figure 3; AMP Spec 109-25, calculate resistance.

Figure 1 (cont)



Test Description	Requirement	Procedure
Termination Resistance, Dry Circuit (Low Level)	12 milliohms maximum.	Subject mated contacts assembled in housing to 50 mv open circuit at 100 ma maximum, see Figure 3; AMP Spec 109-6, cond A.
Crimp Resistance	Resistance, Wire Test milliohms Size, Current, maximum AWG amperes initial 30 1.0 7.0 28 1.5 7.0 26 2.0 5.0 24 3.0 4.0 22 3.0 3.0 20 3.0 3.0 $\Delta R = 2$ milliohms maximum.	Measure potential drop of crimp as indicated in Figure 3, after temperature of wire has stabilized to current indicated; AMP Spec 109-25, calculate crimp resistance.
Dielectric Withstanding Voltage	Test Voltage AC (rms) Altitude .100 & .125 Feet 750 Sea Level 300 50,000 275 70,000 No breakdown or flashover.	Test between adjacent contacts of mated connector assemblies; AMP Spec 109-29-1.
Insulation Resistance	5000 megohms minimum initial.	Test between adjacent contacts of mated connector assembly; AMP Spec 109-28-4.
Current Cycling	Termination resistance, see Figure 3.	Subject mated contacts to 50 cycles at 125% specified current for 30 minutes "ON" - 15 minutes "OFF"; AMP Spec 109-51, cond B, test method 3.

Figure 1 (cont)




		
Requirement	Procedure	
MECHANICAL		
No discontinuities greater than 1 microsecond.	Subject mated connectors to 15 G's, 10-2000 Hz with 100 ma current applied; AMP Spec 109-21-3, cond C.	
No discontinuities greater than I microsecond.	Subject mated connector to 100 G's sawtooth in 6 milliseconds; 3 shocks in each direction applied alon 3 mutually perpendicular planes total 18 shocks; AMP Spec 109-26-9, cond I.	
26 ounces maximum initial.	Measure force necessary to mate connector, during third mating, a distance of .070 from point of initial contact, incorporating free floating fixtures at a rate of 0.5 inch/minute; AMP Spec 109-42, cond A. Calculate force per contact.	
5.0 ounces minimum final.	Measure force necessary to unmate connector, after third mating, at a rate of 0.5 inch/minute; AMP Spec 109-42, cond A, calculate force per contact.	
5 pounds minimum per contact.	Apply axial load of 5 pounds to crimped contacts AMP Spec 109-30.	
26 ounces maximum per contact.	Measure force to engage during third engagement, using gage 1, as indicated in Figure 4; AMP Spec 109-35, engagement depth .070 inches.	
	MECHANICAL No discontinuities greater than 1 microsecond. No discontinuities greater than 1 microsecond. 26 ounces maximum initial. 5.0 ounces minimum final. 5 pounds minimum per contact. 26 ounces maximum	

Figure 1 (cont)

				Figure
AMP INCORPORATED Harrisburg, Pa.		SHEET		
Loc B	A NO	8-25018	REV	
NAME				
C	ONNEC	TOR, INTERC	ONN	ECTION
	SYST	EM, HIGH PR	ESSI	URE,
l i	MASS T	ERMINATED,	AME	PMODU
	783-2 RI		•	

Test Description	Requirement	Procedure
Contact Separating Force	5.0 ounces minimum per contact.	Size 3 times using gage 1, as indicated in Figure 4, insert gage 2 and measure force to separate; AMP Spec 109-35, separation depth .070 inches.
Crimp Tensile (b)	Slot Wire Tensile, Number & Size, pounds Color I.D. AWG minimum 30 2.0 4 28 3.0 Yellow 26 3.5 26 2.5	Determine crimp tensile at a rate of 1 inch/minute; AMP Spec 109-16.
	5 24 7.0 White 22 6.0 6 22 4.5 Green 20 9.5	Mate and unmate connector
Durability	Mating-unmating; 12 milliohms maximum termination resistance, dry circuit.	assemblies for 50 cycles; AMP Spec 109-27.
	ENVIRONMENTAL	
Thermal Shock (a)	Dielectric withstanding voltage; 12 milliohms maximum termination resistance, dry circuit.	Subject mated connectors to 5 cycles between -65° and 105°C; AMP Spec 109-22.
Temperature-Humidity Cycling	1000 megohms final insulation resistance, 12 milliohms maximum termination resistance, dry circuit; dielectric withstanding voltage.	Subject mated connectors to 10 temperature-humidity cycles between 25° and 65°C at 95% RH; AMP Spec 109-23, method III, cond B, with cold shock at -10°C, less step 7b.
Corrosion, Salt Spray	12 milliohms maximum termination resistance, dry circuit and specified current.	Subject mated connectors to 5% salt concentration for 48 hours; AMP Spec 109-24, cond B.

Figure 1 (cont)



AMP 1251-13 REV 7-78

Test Description	Requirement	Procedure
Corrosion, Industrial Gas	12 milliohms maximum termination resistance, dry circuit and specified current.	Subject mated connectors to 1% solution, 24 hours; AMP Spec 109-37, method 2.
Temperature Life (a)	12 milliohms maximum termination resistance, dry circuit and specified current.	Subject mated connectors to temperature life, AMP Spec 109-43, test level 9, test duration I.

- (a) Shall remain mated and show no evidence of damage, cracking or chipping.
- (b) Slot number is stamped on terminal.

Figure 1 (end)

3.6. Connector Tests and Sequences

Test or Examination		Test Group (a)			
		2	3	4	
		1 2 3 4 Test Sequence (b)			
Examination of Product	1	1	1	1	
Termination Resistance, Specified Current (c)	4,13	5,12,17,20	3,6		
Termination Resistance, Dry Circuit (c)	3,8,12	4,11,16,19	2,5		
Crimp Resistance				2,4	
Dielectric Withstanding Voltage	7	7,14			
Insulation Resistance		6,13			
Current Cycling				3	
Vibration		8			
Physical Shock		9			
Mating Force	2,10				
Unmating Force	5,11				
Contact Retention		21			
Contact Engaging Force		2			
Contact Separating Force		3			
Crimp Tensile				5	
Durability	9				
Thermal Shock	6				
Temperature-Humidity Cycling		10			
Corrosion, Salt Spray		15			
Corrosion, Industrial Gas		18			
Temperature Life			4		

(a) See Para 4.1.A.

(b) Numbers indicate sequence in which tests are performed.

AMP INCORPORATED SHEET

LOC B A 108-25018 REV
CONNECTOR, INTERCONNECTION

SYSTEM, HIGH PRESSURE, MASS TERMINATED, AMPMODU

(c) Termination resistance equals millivolts divided by test current less resistance of 1 inch of wire.

Figure 2

AMP 2783-2 REV 7-78

4. QUALITY ASSURANCE PROVISIONS

4.1. Qualification Testing

A. Sample Selection

Current housings and contacts shall be prepared in accordance with applicable Instruction Sheets. They shall be selected at random from current production. Test group 1, 2 and 3 shall consist of two 20 position connectors crimped to a nominal wire size. Test group 4 shall consist of a minimum of 30 contacts crimped to each AWG wire size, 20, 22, 24, 26, 28 and 30. All contacts shall be crimped in accordance with AMP Specification 114-25017.

B. Test Sequence


Qualification inspection shall be verified by testing samples as specified in Figure 2.


C. Acceptance


- (1) All samples tested in accordance with this specification shall meet the stated tolerance limit.
- (2) Failures attributed to equipment, test setup, or operator deficiencies shall not disqualify the product. When product failure occurs, corrective action shall be taken and samples resubmitted for qualification.

4.2. Quality Conformance Inspection

The applicable AMP inspection plan will specify the sampling acceptable quality level to be used. Dimensional and functional requirements shall be in accordance with the applicable product drawing and this specification.








Gage	A
1	.0260 +.0000
2	.0240 +.0005 0000

Notes: 1. Tolerance: ±.005 or ±2° as applicable, unless otherwise specified.

- 2. Material: Tool steel, AISI type 02 per AMP Specification 100-15.
- 3. Heat treat: Rockwell C 50-55.
- 4. Gage surface shall be clean of contaminants or lubricants.

Figure 4
Engaging and Separation Gages



AMP 1251-13 REV 7-78