


1040 VIENNA **AUSTRIA** WIEDNER HAUPTSTRASSE 76 TEL. +43 I 586 52 43 -0, FAX. -44, OFFICE@ROITHNER-LASER.COM



SMB1W-760



TECHNICAL DATA

High Power LED, SMD

AIGaAs

SMB1W-760 are AlGaAs High Power LEDs mounted on a cooper heat sink with a 5x5 mm SMD package and molded with epoxy resin. On forward bias, it emits a radiation of typical 330 mW at a peak wavelength of 760 nm.

Specifications

- Structure: AlGaAs, 1W high power chip
- Peak Wavelength: typ. 760 nm
- Optical Output Power: typ. 330 mW
- Package


SMD. PPA resin

Lead frame die: silver plated on copper

Lens: epoxy resin

Absolute Maximum Ratings (T_a=25°C)

Item	Symbol	Value	Unit
Power Dissipation	P_{D}	2500	mW
Forward Current	I_{F}	800	mΑ
Pulse Forward Current *1	I _{FP}	4000	mΑ
Reverse Voltage	V_R	5	V
Thermal Resistance	R_{th}	10	K/W
Junction Temperature	T_J	100	°C
Operating Temperature	T _{opr}	-30 +85	°C
Storage Temperature	T _{stg}	-30 +100	°C
Soldering Temperature *2	T_{sol}	255	°C



Electro-Optical Characteristics

Item	Symbol	Condition	Min.	Тур.	Max.	Unit
Forward Voltage	V_{F}	$I_F = 800 \text{ mA}$	-	2.0	2.5	V
Pulsed Forward Current	V_{FP}	$I_{FP} = 4 A$	-	4.5	5.5	V
Total Radiated Power	Po	$I_F = 800 \text{ mA}$	-	330	-	mW
		$I_{FP} = 4 A$	-	1650	-	
Radiant Intensity	Ι _Ε	$I_F = 800 \text{ mA}$	-	145	-	mW/sr
		$I_{FP} = 4 A$	-	725	-	
Peak Wavelength	λ_{P}	$I_F = 100 \text{ mA}$	-	760	-	nm
Half Width	Δλ	$I_F = 100 \text{ mA}$	-	25	-	nm
Viewing Half Angle	Θ _{1/2}	$I_F = 100 \text{ mA}$	-	±62	-	deg.
Rise Time	t _r	$I_F = 100 \text{ mA}$	-	80	-	ns
Fall Time	t _f	$I_F = 100 \text{ mA}$	-	80	-	ns

Total Radiated Power is measured by S3584-08 Radiant Intensity is measured by Tektronix J-6512

Notes: Do not view directly into the emitting area of the LED during operation!

The above specifications are for reference purpose only and subjected to change without prior notice.

 $^{^{*1}}$ duty = 1%, pulse width = 10 μ s

^{*2} must be completed within 5 seconds




ROITHNER LASERTECHNIK GmbH


WIEDNER HAUPTSTRASSE 76


1040 VIENNA TEL. +43 I 586 52 43 -0, FAX. -44, OFFICE@ROITHNER-LASER.COM




Typical Performance Curves












ROITHNER LASERTECHNIK GMBH

WIEDNER HAUPTSTRASSE 76 IO40 VIENNA AUSTRIA TEL. +43 I 586 52 43 -0, FAX. -44, OFFICE@ROITHNER-LASER.COM








ROITHNER LASERTECHNIK GmbH

WIEDNER HAUPTSTRASSE 76

1040 VIENNA TEL. +43 I 586 52 43 -0, FAX. -44, OFFICE@ROITHNER-LASER.COM




Viewing half angle






Recommended Land Layout (Unit: mm)



1. Soldering Conditions

- DO NOT apply any stress to the lead particularly when heat.
- After soldering the LEDs should be protected from mechanical shock or vibration until the LEDs return to room temperature.
- When it is necessary to clamp the LEDs to prevent soldering failure, it is important to minimize the mechanical stress on the LEDs.



2. Static Electricity

- The LEDs are very sensitive to Static Electricity and surge voltage. So it is recommended that a wrist band or an anti-electrostatic glove be used when handling the LEDs.
- All devices, equipment and machinery must be grounded properly. It is recommended that
 precautions should be taken against surge voltage to the equipment that mounts the LEDs.

