


Type 12 Console Cabinet 1471 Series

Sloped Front, Continuous Hinged Cover



Application

- Designed to house electrical, electronic, hydraulic or pneumatic controls and instruments.
- Heavy-duty construction provides protection from dirt, dust, oil and water.
- Sloping front control panel provides an ideal surface for mounting operator controls or instrumentation.
- Interior mounting provision on removable inner panels located on the rear and sides of the enclosure.

Standards

- UL 508 Type 12
- CSA Type 12
- **Complies with**
 - NEMA Type 12
 - IEC 60529, IP54

Construction

- Formed 14 gauge steel.
- Smooth, continuously welded seams, without knockouts, cutouts or holes.
- Sloped front instrument panel is continuously hinged on the front (bottom) edge and secured with captive panel screws, threaded into sealed wells.
- Continuously hinged door and front instrument panel may be removed by pulling the hinge pin.
- Doors are secured with a three point latch and operated with a key locking automotive type handle.
- Oil resistant gaskets are permanently secured and mechanically retained.
- Includes three removable inner panels formed from 12 gauge steel, mounted to the back and sides of the enclosure interior.
- Collar studs are provided for mounting inner panels.
- A bonding stud is provided on the door and a grounding stud is provided in the enclosure for each door.
- A literature pocket is provided for the inside of the door.



Finish

- Cover and enclosure are phosphatized and finished in ANSI 61 gray powder coating on the outside and on the inside.
- Removable inner panels are finished in white powder coating.

Accessories

[Cooling Products](#)
[Door Stop Kit](#)
[Type 12 Handle Kits](#)
[Window Kits](#)

[Casters](#)
[Heaters](#)
[Ventilation](#)



Part No.	A	B	C	D	E	F	G	Ship Wt. lbs.
----------	---	---	---	---	---	---	---	---------------

1471C24	24.00	22.13	21.25	23.18	21.69	15.25	17.00	165
1471C36	36.00	34.13	33.25	35.18	33.68	27.25	29.00	210

Data subject to change without notice.

© 2013. Hammond Manufacturing Ltd. All rights reserved.