



NOTE:

1. MATERIAL: MEDIUM DENSITY, CLOSED CELLULAR NEOPRENE SPONGE, APPROX. 50-70 DUROMETER. BLACK COLOR
2. SURFACES INDICATED BY THIS DIMENSION TO HAVE NO SKIN (BOTH SIDES) AND MAY HAVE A WAFFLED FINISH OF MIN DEPTH.

SOURCE: SEAL RING'S
OR ENG'R APPROVED EQUAL

NO	COMPONENT NO	DESCRIPTION	QTY/M	U/M
----	--------------	-------------	-------	-----

BILL OF MATERIAL

UNLESS OTHERWISE SPECIFIED, DIMENSIONS DO NOT INCLUDE PLATING.

○	DENOTES CRITICAL CHARACTERISTICS.
CPK	DENOTES CPK DIMENSIONS, -MINIMUM CPK VALUE 1.33
ST	DENOTES A CHARACTERISTIC THAT PROVIDES AN INDICATION OF PROCESS PERFORMANCE. PROCEDURE FOR MEASUREMENT AND TRACKING TO BE DEFINED IN LITTELFUSE INSPECTION INSTRUCTIONS.
CP	DENOTES CP DIMENSIONS, -MINIMUM CP VALUE MUST BE WITHIN THE DIMENSIONAL LIMITATIONS SHOWN ON DRAWING AND INITIALLY LOCATED TO ALLOW FOR MAXIMUM TOOL LIFE.

COPIES TO		MATL SPEC	FINISH
1	9 18	DRW	KAM DATE 4/8/98 SCALE 4:1
2	10 19	CHK	DATE SUPER DRW
3	12 20	APPD	DATE RAW STK WT
4	13 21	TOLERANCE UNLESS OTHERWISE SPECIFIED	
5	14 23	TWO PLACE DEC ±.01 FRACTION	
6	15 33	THREE PLACE DEC ±.005 ANGULAR	
7	16 43	TITLE WASHER RUBBER	
8	17 53	LITTELFUSE® DES PLAINES, ILLINOIS 60016	

LTR	REVISION	CHK	APD
F	39212C - REVISED & REDRAWN ON NEW FORMAT 6/12/98 JMB		
G	39313D - CHG. TITLE BUJ 7/27/98		

UNCONTROLLED DOCUMENT
 REVISION DRWG. NO. -901-124

CAD GENERATED DRAWING - NO PENCIL CHANGES ALLOWED