




DRAWING MADE IN THIRD ANGLE PROJECTION
 THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION .19
 © COPYRIGHT 19 BY AMP INCORPORATED. ALL INTERNATIONAL RIGHTS RESERVED.

REVISIONS									
PROJ CODE	LOC	DIST	P	F	ZONE	LTR	DESCRIPTION	DATE	APPR
3321	DF	X0				K	REV & REDRAWN; 0600-1969-94 CT	2-95	JD

ASSEMBLED VIEW



RECOMMENDED STRIP LENGTH
 SCALE: N. T. S.



- FOR USE WITH RG-58 C/U & 141 A/U COAX CABLE.
- FERRULE CRIMPING TOOL: AMP TOOL #220066-1 OR 220066-2 CRIMP B.
- CONTACT CRIMPING TOOL: M22520/2-01 OR AMP TOOL NUMBER 601966-1, SETTING NUMBER 5. DANIELS POSITIONER PART NO. K345 OR AMP TOOL NO. 1-601966-6.
- SEE I. S. 2348.
- DANIELS MANUFACTURING CORP
 2266 FRANKLIN ROAD
 BLOOMFIELD HILLS, MI 48013
- OUTER JACKET OF CABLE MUST BE TRIMMED TO ALLOW PROPER INTER-PIN CONTACT LOCATION AFTER FERRULE CRIMP OPERATION.
- PARTS SHIPPED UNASSEMBLED AND CABLE IS SUPPLIED BY CUSTOMER.

THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP INCORPORATED. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.

DO NOT SCALE PRINT. UNLESS SPECIFIED DIMENSIONS IN INCHES [mm] TOLERANCES ON:		DR 2-1-95 C.C. THOMAS		AMP Incorporated Harrisburg, PA 17105-3608	
2 PLC DEC # -		CHK 2-2-95 J. DUNBAR			
3 PLC DEC # -		APPD 2-2-95 J. DUNBAR		NAME	
ANGLES ± -		APPD 2-2-95 C.C. THOMAS		CONNECTOR, COAXIAL, RF SOCKET SIZE 5, ARINC (HEX CRIMP)	
MATERIAL		PRODUCT SPEC		SIZE	
SEE CALLOUTS		-		CAGE CODE	
FINISH		APPLICATION SPEC		DRAWING NO	
SEE CALLOUTS		-		00779	
WEIGHT		SCALE		SHEET	
-		5:1		1 OF 1	

CUSTOMER DRAWING

AMP 1471-6 REV 3-92

225791-1

A