







THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL INTERNATIONAL RIGHTS RESERVED.


REVOLUTIONS		DATE	BY	APP'D
F	LR			
L2		09MAR2010	JY	SY
M		15SEP10	DP	MQW



ALTERNATE FORM



- NOTES:**
- △ MATERIAL CONTACT: PHOSPHORBRONZE
MATERIAL HOUSING: GLASSFILLED POLYESTER
UL-RATING 94VO (GRAY).
 - △ GENERAL PLATING SPECIFICATION: UNDERPLATING (ENTIRE CONTACT): 1,27µm NICKEL MIN. AND ACTION PIN: 0.5µm TIN-LEAD MIN. FOR PLATING OF MATING SURFACES SEE APPLICABLE SPECIFICATION REFERENCE FOR EACH DASH NUMBER.
 - △ CONFORMS TO ALL TESTING ACCORDING IEC 61076-4-101 PERFORMANCE LEVEL 2.
 - △ CONFORMS TO ALL TESTING ACCORDING IEC 61076-4-101 PERFORMANCE LEVEL 1.
 - △ CONNECTOR TESTED AND QUALIFIED AGAINST TELCORDIA GR-1217-CORE QUALITY LEVEL III, CENTRAL OFFICE APPLICATIONS.
 - △ CONNECTOR TESTED AND QUALIFIED AGAINST TELCORDIA GR-1217-CORE QUALITY LEVEL III, UNCONTROLLED ENVIRONMENT APPLICATIONS.
 - △ CONNECTOR LUBRICATED WITH TELCORDIA APPROVED LUBRICANT.
 - △ CONNECTOR PRINTED WITH PARTNUMBER AND DATECODE.
 - △ PLATED-THROUGH HOLES AT 2x2mm SQUARE GRID (125 HOLES).
 - △ HOLES IN ROW f AND z FOR POSSIBLE FUTURE USE OF GROUND RETURN SHIELD. (SHIELDS NOT YET TOOLED)
 - △ 0.76µm MIN GOLD PLATING AT MATING SURFACES.



FINISH	MATERIAL	PARTNUMBER
△△△		3-106774-0
△△△		1-106774-9
△△△		106774-9
△△△		106774-4
△△△		106774-1

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN	-
DIMENSIONS: mm		CHK	-
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APP'D	-
0-PLC	±0.2	NAME	-
1-PLC	±0.2	PRODUCT SPEC	108-19082
2-PLC	±0.2	APPLICATION SPEC	114-19029
3-PLC	±0.2	SIZE	A2
4-PLC	±0.2	CAGE CODE	00779
FINISH	-	DRAWING NO	106774
MATERIAL	-	WEIGHT	-
		RESTRICTED TO	-
		CUSTOMER DRAWING	-

Tyco Electronics Corporation Harrisburg, PA 17105-3608	
Z-PACK 2MM HM TYPE B 125 POS. VERTICAL FEMALE CONNECTOR ASSEMBLY	
SCALE	NTS
SHEET	1 of 1
REV	M