




CUSTOMER: CISCO

ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	73664-0356	STIFFENER
2	5	73728-0000	MOUNTING SCREW
3	2	73632-0120	72 POS. SIGNAL, UNSHIELDED
4	6	73632-1020	144 POS. SIGNAL, SHIELDED
5	1	73660-0000	GUIDE MODULE, KEY A
6	1	73651-0233	POWER MODULE, TYPE LMS
7	4	73665-0000	MOUNTING EAR
8	1	73728-0000	CUSTOM LABEL

- NOTES: 1. DISTANCE FROM 'REF' PLANE TO FIRST SIGNAL CONTACT.
 2. DISTANCE FROM 'REF' PLANE TO LEFT END OF STIFFENER.
 3. DIMENSIONS ARE IN MILLIMETERS.
 4. THIS PRODUCT CONFORMS TO MOLEX PRODUCT SPECIFICATION PS-13670-9999.
 5. NON-TOLERANCED DIMENSIONS ARE BASIC.
 6. FINISH:
 0.75 MICROMETERS MINIMUM SELECTIVE GOLD (Au) IN MATING AREA
 2.50 MICROMETERS MINIMUM SELECTIVE TIN (Sn) IN TAL AREA
 NICKEL IN UNDERPLATE OVERALL.
 7. PACKAGED PER PK-70873-0820.
 8. THE 3-LETTER TYPE CODE REFERS TO BLADE LENGTH IN ROWS B, D, & F, RESPECTIVELY. S=SHORT, M=MEDIUM, & L=LONG.
 9. THIS PART CONFORMS TO CLASS 'B' REQUIREMENTS OF MOLEX COSMETIC SPECIFICATION PS-45499-002.



MODIFY FINISH EC NO. LCP2007-2320 2007/07/02 DRINKSTEIN 2007/07/02 CHRO- LCP2007/07/02 APPROVED 2007/07/02 DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
	4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± --- ± --- 1 PLACE ± --- ± ---	mm INCH ANGULAR +1/2°	MM ONLY DRAWN BY DATE JPB 1999/04/22 CHECKED BY DATE SMR 1999/04/22 APPROVED BY DATE CAB 1999/04/22	1:1 METRIC	HDM PLUS DAUGHTERCARD SALES ASSEMBLY MOLEX INCORPORATED	SHEET NO. 1 OF 1	DOCUMENT NO. SDA-73670-0267
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO. 73670-0267		DOCUMENT NO. SDA-73670-0267		SHEET NO. 1 OF 1
	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						