





REV	DATE	DESCRIPTION	BY	CHK	APP
AD 47					
B		REVISED PER ECO-08-009495	JAMAR	DH	DD



- △ HOUSING: LIQUID CRYSTAL POLYMER, COLOR BLACK.
CONTACTS: HIGH RELIABILITY COPPER ALLOY.
GROUND BUSES: BRASS.
- △ CONTACTS & GROUND BUSES: NICKEL UNDERPLATE ALL OVER, MATING SURFACE PLATED TO MEET LEVEL 1 PERFORMANCE REQUIREMENTS OF TE PRODUCT SPECIFICATION 108-1422. SOLDER TAILS PLATED MATTE TIN.
- △ DATE CODE MARKED IN AREA INDICATED ON SAME SIDE AS POSITION #1.
- △ ONE GROUND BUS WITH 5 TAILS PER EACH MODULE.
- △ TOLERANCE NON-ACCUMULATIVE.
- △ FOR STANDARD APPLICATIONS, ORIENTATION HOLE TO BE $0.094 \pm .002 [2.39 \pm 0.05]$.
FOR SLIP-FIT APPLICATIONS, ORIENTATION HOLE TO BE $0.079 \pm .001 [2.00 \pm 0.03]$.



PC BOARD HOLD DOWN REQUIRED IN THIS AREA FOR CONNECTORS OF 190 POSITIONS AND LARGER. SIZE, SHAPE & LOCATION AT CUSTOMERS DISCRETION.

RECOMMENDED PC BOARD LAYOUT
 (VIEWED FROM CONNECTOR SIDE)

3.000 [76.2]	6	3.450 [87.63]	3.898 [99]	4.000 [101.6]	266	5767139-7
2.500 [63.5]	5	2.950 [74.93]	3.398 [86.31]	3.500 [88.9]	228	5767139-6
2.000 [50.8]	4	2.450 [62.23]	2.898 [73.61]	3.000 [76.2]	190	5767139-5
1.500 [38.1]	3	1.950 [49.53]	2.398 [60.91]	2.500 [63.5]	152	5767139-4
1.000 [25.4]	2	1.450 [36.83]	1.898 [48.21]	2.000 [50.8]	114	5767139-3
.500 [12.7]	1	.950 [24.13]	1.398 [35.51]	1.500 [38.1]	76	5767139-2
.000 [0]	0	.450 [11.43]	.898 [22.81]	1.000 [25.4]	38	5767139-1
E	D	C	B	A	NO. OF POS	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT. IT IS ATTACHED TO THE DRAWING OF THE ORIGINAL DESIGN.

INCHES: $\frac{1}{16}$ FRACTIONS: $\frac{1}{16}$ DECIMALS: $\frac{1}{1000}$ TOLERANCES: UNLESS OTHERWISE SPECIFIED: .010

DATE: 108-1422
 REV: 114-11004
 SIZE: 8.1
 PART: A100779
 CUSTOMER DRAWING

THIS ELECTRONICS CORPORATION
 HARRISBURG, PA 17105-3608

PLUG ASSEMBLY, .354[9.00] VERTICAL, .025[0.64] JCL, GULL WING LEADS, MICROTOR

SIZE: 8.1
 PART: A100779
 REV: 1
 SHEET: 1
 OF: 1