



- $\Delta$  HOUSING: LIQUID CRYSTAL POLYMER, COLOR BLACK.
- CONTACTS: HIGH RELIABILITY COPPER ALLOY.
- GROUND BUSES: PHOSPHOR BRONZE ALLOY, UNS C51100.
- $\Delta$  CONTACTS & GROUND BUSES: NICKEL UNDERPLATE ALL OVER, MATING SURFACE PLATED TO MEET LEVEL 2 PERFORMANCE REQUIREMENTS OF TE PRODUCT SPECIFICATION 108-1422, SOLDER TAILS PLATED TIN-LEAD.
- $\Delta$  DATE CODE MARKED IN AREA INDICATED ON SIDE OPPOSITE POSITION #1.
- $\Delta$  ONE GROUND BUS WITH 5 TAILS PER EACH MODULE.
- $\Delta$  TOLERANCE NON-ACCUMULATIVE.



RECOMMENDED PC BOARD LAYOUT  
 (VIEWED FROM CONNECTOR SIDE)

3.000 [76.2]	6	3.450 [87.63]	3.900 [99.06]	4.000 [101.6]	266	767081-7
2.500 [63.5]	5	2.950 [74.93]	3.400 [86.36]	3.500 [88.9]	228	767081-6
2.000 [50.8]	4	2.450 [62.23]	2.900 [73.66]	3.000 [76.2]	190	767081-5
1.500 [38.1]	3	1.950 [49.53]	2.400 [60.96]	2.500 [63.5]	152	767081-4
1.000 [25.4]	2	1.450 [36.83]	1.900 [48.26]	2.000 [50.8]	114	767081-3
.500 [12.7]	1	.950 [24.13]	1.400 [35.56]	1.500 [38.1]	76	767081-2
.000 [0]	0	.450 [11.43]	.900 [22.86]	1.000 [25.4]	38	767081-1
E	D	C	B	A	NO. OF POS.	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT. IN PROCESS 17-78

DESIGNED BY: J. STICKLER 17-78

REVISED BY: J. STICKLER 17-78

DATE: 108-1422

REVISED BY: 114-11004

DATE: 100779

CUSTOMER DRAWING

RECEPTACLE ASSEMBLY, VERTICAL, DUAL WING LEADS, .025 [0.64] CENTER LINE, MCTOR

100779 C=767081

REV D