




THIS DRAWING IS UNPUBLISHED
 ALL INFORMATION HEREIN IS UNCLASSIFIED
 EXCEPT WHERE SHOWN OTHERWISE

REV	DATE	DESCRIPTION	BY	CHK
AD 47		REVISED PER ECO-08-022870		



- △ HOUSING: LIQUID CRYSTAL POLYMER, COLOR BLACK.
- △ CONTACTS: HIGH RELIABILITY COPPER ALLOY.
- △ GROUND BUSES: PHOSPHOR BRONZE ALLOY, UNS C51100.
- △ CONTACTS & GROUND BUSES: NICKEL UNDERPLATE ALL OVER, MATING SURFACE PLATED TO MEET LEVEL 1 PERFORMANCE REQUIREMENTS OF TE PRODUCT SPECIFICATION 108-1422. SOLDER TAILS PLATED TIN-LEAD.
- △ DATE CODE MARKED IN AREA INDICATED ON SIDE OPPOSITE POSITION #1.
- △ ONE GROUND BUS WITH 5 TAILS PER EACH MODULE.
- △ TOLERANCE NON-ACCUMULATIVE.
- △ FOR STANDARD APPLICATIONS, ORIENTATION HOLE TO BE Ø.094±.002[2.39±0.05].
- △ FOR SLIP-FIT APPLICATIONS, ORIENTATION HOLE TO BE Ø.079±.001[2.00±0.03].
- △ CONNECTORS PACKAGED ON 13 INCH DIA REELS PER EIA 481.
- △ NOT RELEASED FOR PRODUCTION.




SEE SHEET 2 FOR RECOMMENDED PC BOARD LAYOUT AND PACKAGING DETAIL

	NO	4.724[120]	3.000[76.2]	6	3.450[87.63]	3.898[99.01]	4.000[101.6]	266	1-767118-4
△	NO	4.094[104]	2.500[63.5]	5	2.950[74.93]	3.398[86.31]	3.500[88.9]	228	1-767118-3
	NO	3.465[88]	2.000[50.8]	4	2.450[62.23]	2.898[73.61]	3.000[76.2]	190	1-767118-2
	NO	3.465[88]	1.500[38.1]	3	1.950[49.53]	2.398[60.91]	2.500[63.5]	152	1-767118-1
	NO	2.835[72]	1.000[25.4]	2	1.450[36.83]	1.898[48.21]	2.000[50.8]	114	1-767118-0
	NO	2.205[56]	.500[12.7]	1	.950[24.13]	1.398[35.51]	1.500[38.1]	76	767118-9
	NO	1.732[44]	.000[0]	0	.450[11.43]	.898[22.81]	1.000[25.4]	38	767118-8
△	YES	4.724[120]	3.000[76.2]	6	3.450[87.63]	3.898[99.01]	4.000[101.6]	266	767118-7
	YES	4.094[104]	2.500[63.5]	5	2.950[74.93]	3.398[86.31]	3.500[88.9]	228	767118-6
	YES	3.465[88]	2.000[50.8]	4	2.450[62.23]	2.898[73.61]	3.000[76.2]	190	767118-5
	YES	3.465[88]	1.500[38.1]	3	1.950[49.53]	2.398[60.91]	2.500[63.5]	152	767118-4
	YES	2.835[72]	1.000[25.4]	2	1.450[36.83]	1.898[48.21]	2.000[50.8]	114	767118-3
	YES	2.205[56]	.500[12.7]	1	.950[24.13]	1.398[35.51]	1.500[38.1]	76	767118-2
	YES	1.732[44]	.000[0]	0	.450[11.43]	.898[22.81]	1.000[25.4]	38	767118-1
VACUUM COVER INCLUDED	F	E	D	C	B	A	NO OF POS	PART NUMBER	


THIS DRAWING IS A CONTROLLED DOCUMENT. REFERENCE TO THIS DRAWING SHOULD BE MADE TO THE ORIGINAL DRAWING.

TECHNICAL DATA: DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED. TOLERANCES: FRACTIONS DECIMALS .005 .010 .015 .020 .030 .040 .050 .060 .070 .080 .090 .100 .125 .150 .200 .250 .300 .375 .450 .500 .625 .750 .875 1.000 1.250 1.500 2.000 2.500 3.000 3.750 4.500 5.000 6.250 7.500 8.750 10.000 12.500 15.000 20.000 25.000 30.000 37.500 45.000 50.000 62.500 75.000 87.500 100.000 125.000 150.000 200.000 250.000 300.000 375.000 450.000 500.000 625.000 750.000 875.000 1000.000

DATE: 11-11-04
 DRAWING NO: 114-11004
 CUSTOMER DRAWING: A100779 (G=767118)
 SHEET: 8.1 OF 12



PACKAGING DETAIL Δ
SCALE 2:1
DIMENSIONS ARE FOR REFERENCE



RECOMMENDED PC BOARD LAYOUT
(VIEWED FROM CONNECTOR SIDE)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DATE	12-11-88	BY	J. G. GIBSON
DESIGNED	J. G. GIBSON	DATE	12-11-88	BY	J. G. GIBSON
CHECKED	J. G. GIBSON	DATE	12-11-88	BY	J. G. GIBSON
APPROVED	J. G. GIBSON	DATE	12-11-88	BY	J. G. GIBSON
CUSTOMER DRAWING		DATE	12-11-88	BY	J. G. GIBSON

TYS ELECTRONICS CORPORATION Harrisburg, PA 17105-3608	
PLUG ASSEMBLY, 260(6.6) VERTICAL, 0.025(0.64) GULL WING LEADS, POCKET TAPE PACKAGED, MICTOR	
SIZE	A1
DRAWING NO.	00779
REV	2
DATE	8.1
BY	J. G. GIBSON
CHK	J. G. GIBSON
APP	J. G. GIBSON