




REV	DATE	DESCRIPTION	BY	APP'D
AD 47		REVISIONS		
A1		REVISED PER ECO-09-022670		22/01/10 HMR DD



- Δ HOUSING: LIQUID CRYSTAL POLYMER, COLOR BLACK. CONTACTS: HIGH RELIABILITY COPPER ALLOY. GROUND BUSES: PHOSPHOR BRONZE ALLOY, UNS C51100.
- Δ CONTACTS & GROUND BUSES: NICKEL UNDERPLATE ALL OVER, MATING SURFACE PLATED TO MEET LEVEL 2 PERFORMANCE REQUIREMENTS OF TE PRODUCT SPECIFICATION 108-1422. SOLDER TAILS PLATED MATTE TIN.
- Δ DATE CODE MARKED IN AREA INDICATED ON SIDE OPPOSITE POSITION #1.
- Δ ONE GROUND BUS WITH 5 TAILS PER EACH MODULE.
- Δ TOLERANCE NON-ACCUMULATIVE.
- Δ FOR STANDARD APPLICATIONS, ORIENTATION HOLE TO BE $\phi .094 \pm .002 [2.39 \pm 0.05]$.
- Δ FOR SLIP-FIT APPLICATIONS, ORIENTATION HOLE TO BE $\phi .079 \pm .001 [2.00 \pm 0.03]$.
- Δ CONNECTORS PACKAGED ON 13 INCH DIA REELS PER EIA 481.
- Δ NOT RELEASED FOR PRODUCTION.



SEE SHEET 2 FOR RECOMMENDED PC BOARD LAYOUT AND PACKAGING DETAIL


	NO	4.724 [120]	3.000 [76.2]	6	3.450 [87.63]	3.898 [99.01]	4.000 [101.6]	266	1-5767119-4
Δ	NO	4.094 [104]	2.500 [63.5]	5	2.950 [74.93]	3.398 [86.31]	3.500 [88.9]	228	1-5767119-3
	NO	3.465 [88]	2.000 [50.8]	4	2.450 [62.23]	2.898 [73.61]	3.000 [76.2]	190	1-5767119-2
	NO	3.465 [88]	1.500 [38.1]	3	1.950 [49.53]	2.398 [60.91]	2.500 [63.5]	152	1-5767119-1
	NO	2.835 [72]	1.000 [25.4]	2	1.450 [36.83]	1.898 [48.21]	2.000 [50.8]	114	1-5767119-0
	NO	2.205 [56]	.500 [12.7]	1	.950 [24.13]	1.398 [35.51]	1.500 [38.1]	76	5767119-9
	NO	1.732 [44]	.000 [0]	0	.450 [11.43]	.898 [22.81]	1.000 [25.4]	38	5767119-8
Δ	YES	4.724 [120]	3.000 [76.2]	6	3.450 [87.63]	3.898 [99.01]	4.000 [101.6]	266	5767119-7
	YES	4.094 [104]	2.500 [63.5]	5	2.950 [74.93]	3.398 [86.31]	3.500 [88.9]	228	5767119-6
	YES	3.465 [88]	2.000 [50.8]	4	2.450 [62.23]	2.898 [73.61]	3.000 [76.2]	190	5767119-5
	YES	3.465 [88]	1.500 [38.1]	3	1.950 [49.53]	2.398 [60.91]	2.500 [63.5]	152	5767119-4
	YES	2.835 [72]	1.000 [25.4]	2	1.450 [36.83]	1.898 [48.21]	2.000 [50.8]	114	5767119-3
	YES	2.205 [56]	.500 [12.7]	1	.950 [24.13]	1.398 [35.51]	1.500 [38.1]	76	5767119-2
	YES	1.732 [44]	.000 [0]	0	.450 [11.43]	.898 [22.81]	1.000 [25.4]	38	5767119-1
VACUUM COVER INCLUDED	F	E	D	C	B	A	NO OF POS	PART NUMBER	

THIS DRAWING IS A CONTROLLED DOCUMENT. DATE: 07/07/04


THIS DRAWING IS A CONTROLLED DOCUMENT. DATE: 07/07/04
 APPROVED: [Signature] DATE: 07/07/04
 DRAWN: [Signature] DATE: 07/07/04
 CHECKED: [Signature] DATE: 07/07/04
 ENGINEER: [Signature] DATE: 07/07/04
 PROJECT: 114-11004
 CUSTOMER DRAWING: A100779 (Q=5767119)

THIS ELECTRONICS CORPORATION
 Harrisburg, Pa 17105-3608
 PLUG ASSEMBLY, 260(6.6) VERTICAL,
 .025(0.64) JCL, GULL WING LEADS,
 PROJECT TYPE PACKAGED, MICTOR

SHEET: 1 OF 2
 DATE: 11/2004
 REV: A1



PACKAGING DETAIL Δ
 SCALE 2:1
 DIMENSIONS ARE FOR REFERENCE



RECOMMENDED PC BOARD LAYOUT
 (VIEWED FROM CONNECTOR SIDE)

THIS DRAWING IS A CONTROLLED DOCUMENT.		REV. ATTACH	27 SET 51	 TIPO Electronics Harrisburg, Pa 17105-3608	THIS DRAWING IS A CONTROLLED DOCUMENT.
UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES (DIMENSIONS IN PARENTHESES ARE IN MILLIMETERS).		REV. DIXON	27 SET 51		DATE
DIMENSIONS: <ul style="list-style-type: none"> AS SHOWN AS DIMENSIONED AS NOTED AS SPECIFIED 	FINISHES: <ul style="list-style-type: none"> AS SHOWN AS SPECIFIED AS NOTED AS DIMENSIONED 	PLUG ASSEMBLY, 260[6.6] VERTICAL, .025[0.64] GULL WING LEADS, POCKET TYPE PACKAGED, MICTOR		SIZE: A1 DATE: 00779 DRAWING NO: C=5767119	REWORKED TO:
CUSTOMER DRAWING				SCALE: 1:1	REV: 2