



**Tripp Lite**  
1111 West 35th Street  
Chicago, IL 60609 USA  
Telephone: +(773) 869 1234  
E-mail: [saleshelp@tripplite.com](mailto:saleshelp@tripplite.com)

## Model #: B072-008-1

### KVM Switch - 8-Port NetCommander 1U Rackmount Cat5 KVM Switch

#### Highlights

- 8 RJ45 Ports utilize inexpensive Cat5 patch cables
- Expandable - Cascade a second level of KVM switches to control up to 128 servers from a single station
- Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases



#### Description

Tripp Lite's 8-Port NetCommander 1U Rackmount Cat5 KVM Switch, is the next generation of our cost-effective, feature rich, KVM switches. It's sleek, 1U design and compact size, features RJ45 connection ports that utilize inexpensive Cat5 patch cables, reducing the amount of cable clutter normally found with traditional KVM cabling. Easily switch between CPU's with Push Buttons, Hot-Key commands, or built-in On Screen Display (OSD) menu function. Cascadability allows connection to up to 128 computers. Compatible with PS/2 and USB computers, VGA, SVGA, or XGA monitors, as well as the following OS platforms: DOS, Windows (all versions), LINUX, UNIX, HP UX, and SUN. One year limited warranty.

For Government Purchasers, B072-008-1 is Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases.

#### System Requirements

- Computers: The Tripp Lite [B078-101-PS2](#), or [B078-101-USB](#) Server Interface Module must be used to connect a server to the server ports on the KVM switch.

#### Package Includes



- 8-Port NetCommander 1U Rackmount Cat5 KVM Switch
- 6ft Power Cord
- 6ft Firmware Upgrade Cable
- Rackmount Bracket kit

#### Features

- Expandable - Cascade a second level of KVM switches to control up to 128 servers from a single station
- Extend distance: between computer and switch up to 30 meters/100 ft.
- Rack mountable: sleek, 1U space saving KVM switches
- Innovative CAT5 technology: eliminate cable clutter at the rack
- Multi-layer security: protects your corporate data
- Easy server management: choice of On Screen Display, Hot-key, or push button control
- Multi-platform: PS/2 and USB support
- Easily add IP functionality with Tripp Lite Model B051-000
- Add Tripp Lite Model [B021-000-17](#) for space saving, in-the-rack, LCD, Keyboard and Mouse
- Compact Size: 17"W x 5"D x 1.75"H

- Video Resolution: 1600x1200@75Hz
- Internal Power Supply
- Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases
- 1-Year Limited Warranty

## Specifications

OVERVIEW	
# Of Users	1
Console	No
Port Control	Push Buttons, Hotkeys, OSD
Max CPU	256
PC/Server	VGA, USB or PS/2
Cat5 KVM Switch	Yes
IP Remote Access	YES WITH B051-000
PHYSICAL	
Color	Black
Style	1U Rackmount
LCD Monitor (in.)	Not Applicable
CONNECTIONS	
Connector A	 HD15 (FEMALE)
Connector B	 (X2) MINI DIN-6 (FEMALE)
Ports	8
FEATURES/SPECIFICATIONS	
BTUs	27.296

## Related Items

### Required Products

Product Type	Related Model	Description	Qty.
KVM Switches & Accessories	<a href="#">B078-101-PS2</a>	KVM Switch Accessories - NetCommander PS2 Server Interface Module	1
KVM Switches & Accessories	<a href="#">B078-101-USB</a>	KVM Switch Accessories - NetCommander USB Server Interface Module	1

### Optional Products

Product Type	Related Model	Description	Qty.
KVM Switches & Accessories	<a href="#">B072-016-1</a>	KVM Switch - 16-Port NetCommander 1U Rackmount Cat5 KVM Switch	-
Patch Cables	<a href="#">N105-007-GY</a>	7-ft. Cat5e 350MHz Molded Shielded Patch Cable (RJ45 M/M) - Gray	-

Patch Cables	<a href="#">N105-050-GY</a>	50-ft. Cat5e 350MHz Molded Shielded Patch Cable (RJ45 M/M) - Gray	-
Patch Cables	<a href="#">N105-010-GY</a>	10-ft. Cat5e 350MHz Molded Shielded Patch Cable (RJ45 M/M) - Gray	-
Patch Cables	<a href="#">N105-025-GY</a>	25-ft. Cat5e 350MHz Molded Shielded Patch Cable (RJ45 M/M) - Gray	-

More information, including related products, owner's manuals, and additional technical specifications, can be found online at [www.tripplite.com/en/products/model.cfm?txtModelID=3270](http://www.tripplite.com/en/products/model.cfm?txtModelID=3270).

---

Copyright © 2011 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.