

Tripp Lite 1111 West 35th Street Chicago, IL 60609 USA Telephone: +(773) 869 1234

E-mail: saleshelp@tripplite.com

Model #: B022-016

KVM Switch - 16-Port NetDirector 1U Rackmount KVM Switch



Highlights

- On-screen display (OSD)
- Two levels of password protection (administrator/user)
- Flash upgradable firmware
- Daisy-chain additional B022-016 KVM switches to control up to 512 servers
- "Super Flex" 3-in-1 cables make cable management a breeze
- Easily add access over IP with B050-000 or B051-000
- Includes Rackmount hardware

Description

Tripp Lite's 16-port KVM Switch is the optimal solution for controlling multiple computers (combination of PS/2, Sun, & USB) from one keyboard, mouse and monitor. A single unit occupies a mere 1U of rack space yet can control up to 16 computers. Control PS/2, USB, or SUN systems when using the appropriate cable kit. Daisy-chain additional KVMs in order to control up to 512 computers from a single console. Easily switch ports by use of the on screen display (OSD) or keyboard hot keys. It features keyboard and mouse emulation for error-free boot-ups and works on all operating systems. This device also supports ultra high 180MHz video resolutions up to 1920 x 1440 pixels without any noticeable degradation. Easily add access over IP with Tripp Lite's Remote IP Access UnitB050-000 or B051-000. Rackmount hardware included. Tripp Lite warrants this product to be free from defects in materials and workmanship for 2 years.

System Requirements

- PS/2 mouse (or a USB mouse with USB-to-PS/2 adapter)
- PS/2 keyboard (or a USB or AT keyboard with a PS/2 adapter)
- PS/2 computer (or a Sun or USB computer with appropriate adapter).
- 1 P774-006, P774-010, P774-015

Package Includes

- 16 port KVM switch
- AC power adapter
- Instruction manual
- Flash-upgrade cable
- B015-000 USB to PS/2 adapter (1)

Features

- Control multiple computers (combination of PS/2, Sun, & USB) from one keyboard, mouse and monitor
- A single unit occupies a mere 1U of rack space, yet can control up to 16 computers
- Daisy-chain multiple KVM switches in order to control up to 512 computers
- Console Connections: Monitor connectors (HD15); Keyboard/Mouse ports (MiniDin6)
- Supports ultra high 180MHz video resolutions up to 1920 x 1440 pixels without any noticeable degradation
- Supports VGA, SVGA or Multisync monitor
- Does not require software or complicated set-up procedures

- Select port by using the on screen display (OSD) or keyboard hot keys
- Offers autoscan feature
- Multi-level password security to ensure only authorized people have access to the connected computers
- Keyboard and mouse emulation for dependable computer boot-up and works on all operating systems
- Offers compatibility with most mice, including scrolling mice
- 2 LEDs per port one indicates when the computer is connected & on, the other indicates when the computer has been selected
- PS/2 and USB compatibility by connecting appropriate Tripp Lite cable kit
- Flash upgradeable
- Hot pluggable add or remove computers without having to power down the switch
- Auto-sensing of station position on daisy chained installations no need for manual DIP switch setting front panel LED indicates station position
- Port names automatically reconfigured when station sequence is changed
- 2 level logout: manual and timed
- Rackmount hardware included

Specifications

OVERVIEW				
# Of Users	1			
Console	No			
Port Control	Hotkeys, OSD			
Max CPU	512			
PC/Server	VGA, USB or PS/2			
Cat5 KVM Switch	No			
IP Remote Access	YES WITH B051-000			
PHYSICAL				
Color	Black			
Style	1U Rackmount			
LCD Monitor (in.)	Not Applicable			
CONNECTIONS				
Ports	16			
FEATURES/SPECIFICATION	S			
BTUs	23.9 to 31.4			

Related Items

Required Products

Product Type	Related Model	Description	Qty.
KVM Cable Kits	P774-006	6-ft. KVM Switch PS/2 (3-in-1) Cable Kit for B020-008/016 series B022-016 and B022 desktop series	1
KVM Cable Kits	P776-006	6-ft. KVM Switch USB (2-in-1) Cable Kit for B020-008/016 series B022-016 and B022 desktop series	1

Optional Products

Product Type	Related Model	Description	Qty.
Extended Warranties	WEXT3-KVM-RMNC	3-Year Extended Warranty - For B022-016 KVM Switch	-
Extended Warranties	WEXT5-KVM-RMNC	5-Year Extended Warranty - For B022-016 KVM switch	-

KVM Switches & Accessories	B020-016-17	Console KVM Switch - 16-Port NetDirector 1U Rackmount Console KVM Switch w/17" LCD	-
KVM Switches & Accessories	B020-008-17	Console KVM Switch - 8-Port NetDirector 1U Rackmount Console KVM Switch w/17" LCD	-
KVM Cable Kits	P776-010	10-ft. KVM Switch USB (2-in-1) Cable Kit for B020-008/016 series B022-016 and B022 desktop series	-
KVM Cable Kits	P774-015	15-ft. KVM Switch PS/2 (3-in-1) Cable Kit for B020-008/016 series B022-016 and B022 desktop series	-
KVM Switches & Accessories	U219-000-R	USB to PS/2 Adapter (USB A Male to 2x Mini-Din6 female)	-
KVM Daisy-Chain Cables	P772-002	2-ft. KVM Switch Daisychain Cable for B020-series and B022 series KVMs	-
KVM Cable Kits	P776-019	19-ft. KVM Switch USB (2-in-1) Cable Kit for B020-008/016 series, B022-016 and B022 desktop series	-
KVM Switches & Accessories	B051-000	KVM Switch Accessories - IP Remote Access Unit	-
KVM Cable Kits	P774-025	25-ft. KVM Switch PS/2 (3-in-1) Cable Kit for B020-008/016 series B022-016 and B022 desktop series	-
KVM Daisy-Chain Cables	P772-006	6-ft. KVM Switch Daisychain Cable for B020-series and B022 series KVMs	-
KVM Adapters/Console Extender Kits	B013-330	KVM Switch Accessories - KVM Console Extender Kit	-
KVM Cable Kits	P774-010	10-ft. KVM Switch PS/2 (3-in-1) Cable Kit for B020-008/016 series B022-016 and B022 desktop series	-

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/en/products/model.cfm?txtModelID=2580.

Copyright © 2011 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.