

4



3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS				
		F	L/R	DATE	DWG	APP'D
AJ	16	0		RELEASED PER OS14-0496-04	25JAN2005	JGH JL



- △ ZINC PER QQ-Z-363.
- △ PHOSPHOR BRONZE PER ASTM-B-139.
- △ POLYESTER PER ASTM-D-3220.
- △ TIN PLATE PER ASTM-B-545, 2.54 μm [.000100] MIN THICK.
- △ GOLD PLATE PER MIL-G-45204 0.76 μm [.000030] MINIMUM THICK.
- 6. FOR USE WITH .095 MAX THK PC BOARD.
- 7. SEE INSTRUCTION SHEET 408-9889.

CONTACT PLATING	5221123-2
	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG	J. HAVENER	24JAN2005	 Tyco Electronics Corporation Harrisburg, PA 17105-3608	JACK, VERTICAL, PCB, 50 OHM, COMMERCIAL BNC	RESTRICTED TO		
		CHK	J. HAVENER	25JAN2005					
DIMENSIONS: MM [INCHES]		APPC	J. LIPPERT	25JAN2005	NAME				
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	108-12078	APPLICATION SPEC		SIZE	CAGE CODE	DRAWING NO	
0 PLC ± .008				WEIGHT		A2	00779	C=5221123	
1 PLC ± .008				FINISH		CUSTOMER DRAWING		SCALE	5:1
2 PLC ± .008								SHEET	1 OF 1
3 PLC ± .008								REV	0
4 PLC ± .008									
MATERIAL SEE NOTES 1 - 3									
FINISH SEE NOTES 4 - 6									

AMP 1471-9 REV 31MM2000

5221123

A