

4

3

2



1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION JAN .2006.  
 © COPYRIGHT 2006 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
C		ECR-05-017969		17JAN06	JMS	FWK	

- NOTES:
- ⚠ PACK IN ACCORDANCE WITH AMP SPEC 107-3275
  - ⚠ 100 TRAY PACK IN ACCORDANCE WITH AMP SPEC 107-3275
  - ⚠ Ag PLATING

- 4 ELECTRICAL CHARACTERISTICS
- |                               |                            |
|-------------------------------|----------------------------|
| FREQUENCY RANGE:              | DC - 2 GHz                 |
| NOMINAL IMPEDANCE:            | 75 Ohm                     |
| INSULATION RESISTANCE:        | 5000 MOhm                  |
| WORKING VOLTAGE:              | 500 Volts RMS at Sea Level |
| DIELECTRIC WITHSTAND VOLTAGE: | 1500 Volts RMS Max         |
| CONTACT RESISTANCE:           |                            |
| CENTRE CONTACT:               | 1.50 mOhm Max              |
| OUTER CONTACT:                | 0.20 mOhm Max              |
| VSWR @ xGHz:                  | N/A                        |
| INSERTION LOSS xdb:           | N/A                        |
- 5 MECHANICAL CHARACTERISTICS
- |                               |                |
|-------------------------------|----------------|
| COUPLING RETENTION FORCE:     | N/A            |
| CABLE RETENTION FORCE:        | N/A            |
| MOUNT NUT RECOMMENDED TORQUE: | 2.5N           |
| DURABILITY:                   | 500 Cycles Min |
- 6 ENVIRONMENTAL CHARACTERISTICS
- |                        |                  |
|------------------------|------------------|
| OPERATING TEMPERATURE: | -65 to +165 DegC |
|------------------------|------------------|



QTY	QTY PER ASSY	MATERIAL	DESCRIPTION	ITEM
1	1	PTFE	INSULATION	6
1	1	BRASS	⚠ BODY	5
1	1	BRASS	⚠ CONTACT	4
1	1	PTFE	INSULATION	3
1	1	BRASS	⚠ HEX NUT	2
1	1	STEEL	⚠ LOCKWASHER	1
6--0	1--0	MATERIAL	DESCRIPTION	ITEM

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	J. SANDWELL	17JAN06	 Tyco Electronics Corporation Bideford EX39 4HE											
DIMENSIONS:		CHK	S. PARLOW	17JAN06												
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	F. WHEELER-KING	17JAN06												
<table border="0"> <tr><td>0 PLC</td><td>± .05</td></tr> <tr><td>1 PLC</td><td>± .02</td></tr> <tr><td>2 PLC</td><td>± .01</td></tr> <tr><td>3 PLC</td><td>± .005</td></tr> <tr><td>4 PLC</td><td>± .002</td></tr> <tr><td>ANGLES</td><td>± .05</td></tr> </table>		0 PLC	± .05	1 PLC		± .02	2 PLC	± .01	3 PLC	± .005	4 PLC	± .002	ANGLES	± .05	NAME	BNC BULKHEAD SOCKET FRONT MOUNT 75 OHM LESS SOLDER TAG
0 PLC	± .05															
1 PLC	± .02															
2 PLC	± .01															
3 PLC	± .005															
4 PLC	± .002															
ANGLES	± .05															
MATERIAL		PRODUCT SPEC	-													
FINISH		APPLICATION SPEC	-													
SEE TABLE		WEIGHT	-													
		CUSTOMER DRAWING	SIZE	A3												
			CAGE CODE	00779												
			DRAWING NO	1337493												
			RESTRICTED TO	-												
		SCALE	NTS	SHEET 1 OF 1												
			REV	C												