

4



3

2


1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	MIN	APPD
AJ	00				
	D1	REV PER EDD 06-022805	2/6/2007	DW	JL



- 1 ZINC PER QQ-Z-363.
- 2 PTFE PER MIL-P-19468.
- 3 PHOSPHOR BRONZE PER QQ-B-750.
- 4 TIN-LEAD PLATE PER ASTM-B-545, $3.04 \mu\text{m}$ [$.000120$] MINIMUM THICK.
- 5 GOLD PLATE PER MIL-G-45204, $0.76 \mu\text{m}$ [$.000030$] MINIMUM THICK.
6. SEE INSTRUCTION SHEET 408-9889.



414394-1
PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.		DW J. LIPPERT 8-18-92 OK A. GABANY 8-27-92 APPD A. GABANY 8-27-92 NAME APPLICATION SPEC PRODUCT SPEC HEIGHT CUSTOMER DRAWING	Tyco Electronics Tyco Electronics Corporation Harrisburg, PA 17105-3608 JACK, VERTICAL, 75 OHM, PCB, BNC	SIZE A2 CASE CODE 00779 DRAWING NO. C=414394 RESTRICTED TO
DIMENSIONS: INCHES 0 PLC ± - 1 PLC ± - 2 PLC ± 0.20 (0.008) 3 PLC ± - 4 PLC ± - ANGLES ± - FINISH SEE NOTES 1 - 3	DIMENSIONS: METRIC 0 PLC ± - 1 PLC ± - 2 PLC ± 0.20 (0.008) 3 PLC ± - 4 PLC ± - ANGLES ± - FINISH SEE NOTES 4 - 5	SCALE 5:1 SHEET 1 of 1 REV D1		

AMP 1471-9 REV 31MM2000

414394

A