




REV	DATE	DESCRIPTION	BY	CHK	APP
16	F				
F		PER EC 0514-0184-04			





- △ ZINC PER QQ-Z-363.
- △ POLYMETHYLPENTENE, GENERAL PURPOSE.
- △ PHOSPHOR BRONZE PER QQ-B-750.
- △ BRASS PER ASTM-B-453.
- △ BRASS PER ASTM-B-16.
- △ NICKEL PLATE PER QQ-N-290, 3.81 μm [.000150] MINIMUM THICK.
- △ TIN PLATE PER ASTM-B-545, 3.81 μm [.000150] MINIMUM THICK.
- △ GOLD PLATE PER MIL-G-45204, 0.76 μm [.000030] MINIMUM THICK.
- △ PARTS PACKAGED UNASSEMBLED.

VIEW A



VIEW B



SUPERSEDED BY 227839-1	△	1-329632-2	1-329631-2	227839-1	B	227839-4
SUPERSEDED BY 227839-1	△	-	-	-	A	227839-3
					A	227839-1
CONTACT FINISH	3	LOCKWASHER QTY=1	2	JAM NUT QTY=1	1	JACK ASSY QTY=1
					VIEW	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT. DATE: 10-30-81. BY: LIBBERT. 10-31-81. TDS ELECTRONICS CORPORATION, Harrisburg, PA 17105-3608.

DESIGNER: GABANY. 10-31-81. DATE: 10-31-81. JACK, RIGHT ANGLE, 50 OHM, PCB, INC.

SIZE: 4.1. DRAWING NO: A100779. REV: 1. PART NO: 227839.

SEE NOTES 1-4. SEE NOTES 5-7. CUSTOMER DRAWING. SHEET 1 OF 1.