

4



3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION. ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
F	LNK	DESCRIPTION	DATE	BY	APP		
FT	0						
	T1	REVISED PER ECO-11-004917	11MAR11	RK	HMR		



- ⚠ 0.76µm [.000030] MIN GOLD PER MIL-G-45204 ON MATING END FOR A LENGTH OF 5.08 [.200] MIN WITH A UNIFORM GRADIENT TO 0.25µm [.000010] MIN GOLD PER MIL-G-45204 ON THE REMAINDER OVER 0.76µm [.000030] MIN NICKEL PER QQ-N-290.
- ⚠ 1.27µm [.000050] MIN TIN-LEAD PER MIL-T-10727 OVER 0.76µm [.000030] MIN NICKEL PER QQ-N-290.
- ⚠ 2.54µm [.000100] MIN TIN-LEAD PER MIL-T-10727 OVER 1.27µm [.000050] MIN NICKEL PER QQ-N-290.
- ⚠ 2.54µm [.000100] MIN TIN PER MIL-T-10727 OVER 1.27µm [.000050] MIN NICKEL PER QQ-N-290.
- ⚠ 1.27µm [.000050] MIN TIN PER MIL-T-10727 OVER 0.76µm [.000030] MIN NICKEL PER QQ-N-290.

SMALL PACK	▲	▲	202237-8
STANDARD	▲	▲	202237-7
SMALL PACK	▲	▲	202237-6
STANDARD	▲	▲	202237-5
SMALL PACK	▲	▲	202237-4
SMALL PACK	▲	▲	202237-3
STANDARD	▲	▲	202237-2
STANDARD	▲	▲	202237-1
PACKAGING TYPE	SOLDER POST FINISH	BODY FINISH	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.		DRW	31JUL01	TE Connectivity	
DIMENSIONS: mm [INCHES]		CHK	R. SHIBBY	TE Connectivity	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APP	B. STONE	SOCKET ASSEMBLY, SOLDER POST, TYPE III+	
0 PLC	± .005	PRD	J. WESTMAN	APPLICATION SPEC: -	
1 PLC	± .002	WEI		SIZE	00779
2 PLC	± .001	APP		DATE	02/22/07
3 PLC	± .0005	APP		DRAWING NO	202237
4 PLC	± .0002	APP		RESTRICTED TO	
ANGLES	± .0001	APP		SCALE	8:1
MATERIAL FINISH	SEE CALLOUTS	APP		SHEET	1 of 1
WEIGHT	SEE CALLOUTS	APP		REV	T1
CUSTOMER DRAWING					

1471-9 (3/11)

202237

A