



DO NOT SCALE
DIMENSIONS IN mm

METRIC

THIRD ANGLE PROJECTION

- NOTES:
- △ FOR USE ON MINIATURE APPLICATOR (LEFT-RIGHT FEED).
 - △ FOR USE ON STANDARD APPLICATOR (RIGHT-LEFT FEED)
 - 3 FOR LOOSE-PIECE VERSIONS SEE DWG. 164169.
 - △ UNDERCOATING: 1,3µm Ni.
SELECTIVE : 0,8µm Au.
ZONE I : BRIGHT TIN/LEAD PLATED
 - △ UNDERCOATING: 1,27µm Ni.
SELECTIVE : 2,0µm Au.
REMAINDER : GOLDFLASH.
 - △ UNDERCOATING: 1,3µm Ni.
SELECTIVE : 0,8µm Au.
REMAINDER : GOLDFLASH.

WIRE RANGE :
20-24 AWG 0,2-0,56 mm²

INSULATION RANGE :
1,57 DIA. MAX.

SEE NOTE 5				1-164153-0	△
POST TINPLATED				164153-9	△
SEE NOTE 6				164153-8	△
SEE NOTE 4				164153-7	△
SEE NOTE 4				164153-6	△
PRETINNED				164153-5	△
PRETINNED				164153-4	△
POST TINPLATED				164153-2	△
SEE NOTE 6				164153-1	△
PLATING OF BODY	MATERIAL OF SLEEVE	MATERIAL OF BODY	PARTNUMBER		
-	-	-	-		
-	-	-	-		
-	-	-	-		
-	-	-	-		
-	-	-	-		
-	-	-	-		
<p>STAINLESS STEEL</p> <p>BRASS</p>					
<p>CUSTOMER DRAWING FOR REFERENCE ONLY WILL NOT BE UPDATED</p> <p>© COPYRIGHT 19- BY AMP HOLLAND B.V. ALL INTERNATIONAL RIGHTS RESERVED. AMP PRODUCTS MAY BE COVERED BY U.S. AND FOREIGN AND/OR PATENTS PENDING.</p> <p>THIS DRAWING IS UNPUBLISHED RELEASED FOR PUBLICATION ,19</p> <p>AMP AMP HOLLAND B.V. s-Hertogenbosch, The Netherlands.</p>					
<p>J EH-0077-92 JvL CvT 04-03-94</p>					
<p>LTR. REVISION RECORD DR. CHK. DATE</p>					
<p>DR. : J.v.LIEMPT CHK. : C.v.TILBURG APP. : E.v.SOEST</p>					
<p>DATE : 6 JAN 1993 DATE : 08-02-93 DATE : 08-02-93</p>					
<p>NAME HDR SOCKET CONTACT TYPE XI (CRIMP SNAP-IN)</p>					
<p>DWG. No. C-164153</p>		<p>REV. LTR. J</p>		<p>SHEET 1 OF 1</p>	