

4

3


2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION.
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
F	LNK	DESCRIPTION	DATE	BY	APPD
GP	00	K	REVISED PER ECO-08-007327	26JAN2009	ZMR/WLM

TERMINAL QUANTITY 50
 YELLOW COLOR DOT LOCATED IN CENTER





1. THE CONTACT SURFACES OF THE TERMINALS ARE COATED WITH LUBRICANT.

△ MATERIAL:
 HOUSING - POLYPHENYLENE OXIDE, BLACK.
 TERMINALS - HIGH STRENGTH COPPER ALLOY PLATED WITH EITHER 0.76µm [.000030] MIN GOLD OR GOLD FLASH OVER PALLADIUM NICKEL 0.76µm [.000030] MIN TOTAL, ON CONTACT MATING SURFACE. 1.27µm [.000050] MIN NICKEL UNDERPLATE OVER ENTIRE TERMINAL.

△ ALL DIMENSIONS SHOWN ARE FOR REFERENCE ONLY UNLESS OTHERWISE SPECIFIED.

4. WIRE SIZE: 26, 27, OR 28 AWG 7 STRANDS OF COPPER CONDUCTORS. MAX INSULATION Ø1.14[.045] IS ACCEPTABLE FOR MOST APPLICATIONS.

△ CORING MAY OR MAY NOT APPEAR AND IS AT THE DISCRETION OF TYCO ELECTRONICS.



AS SHOWN	552471-1
DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DRN DL DELUMMOND 01JAN01	Tyco Electronics Corporation Harrisburg, PA 17105-3608	
DIMENSIONS: mm [INCHES]		CHK DL DELUMMOND 01JAN01	APCD DL	NAME
TOLERANCES UNLESS OTHERWISE SPECIFIED:		E.W. BELLES		
0 PLC	±	PRODUCT SPEC.		
1 PLC	±	APPLICATION SPEC.		
2 PLC	±	WEIGHT		
3 PLC	±	CUSTOMER DRAWING		
4 PLC	±	SIZE		
ANGLES	±	CAGE CODE		
FINISH	±	DRAWING NO.		
MATERIAL		A2 00779 C-552471		RESTRICTED TO
FINISH		SCALE 2:1		SHEET 1 of 1
		REV K		

AMP 1471-9 REV 31MAR2000

552471

A