




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION.  
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	QTY	REVISIONS			
		REV	DESCRIPTION	DATE	BY
GP	00	L	REVISED PER ECO-08-007327	26JAN2009	ZMR/WLM



1. THE CONTACT SURFACES OF THE TERMINALS ARE COATED WITH LUBRICANT.
- ⚠ ALL DIMENSIONS SHOWN ARE FOR REFERENCE ONLY UNLESS OTHERWISE SPECIFIED.
- ⚠ MATERIAL:  
 HOUSING - THERMOPLASTIC (BLACK)  
 TERMINALS - HIGH STRENGTH COPPER ALLOY PLATED WITH EITHER .000030 MIN GOLD OR GOLD FLASH OVER PALLADIUM NICKEL .000030 MIN TOTAL ON CONTACT MATING SURFACE. .000050 MIN NICKEL UNDERPLATE OVER ENTIRE TERMINAL.
4. WIRE SIZE: 22 AWG SOLID OR 22 AWG 7 STRANDS OF COPPER CONDUCTORS. MAX INSULATION DIAMETER OF .045 IS ACCEPTABLE FOR MOST APPLICATIONS.
- ⚠ CORING MAY OR MAY NOT APPEAR AND IS AT THE DISCRETION OF TYCO ELECTRONICS.

THIN FLANGE	2-552322-1
DESCRIPTION	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.		BY: STEPHEN DOSS 1-2-80	Tyco Electronics Corporation Harrisburg, PA 17105-3608	
DESIGNER: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED:	CHK: V.E. SLACK 1-3-80	APP: B.G. WARD 1-3-80	NAME: RCPT ASSY, 24 POSITIONS, C SLOT W/ .187 HOLES, CHAMP-LOK
0 P.L.C. # -	1 P.L.C. # -	2 P.L.C. # -	3 P.L.C. # -	4 P.L.C. # -
5 P.L.C. # -	6 P.L.C. # -	7 P.L.C. # -	8 P.L.C. # -	9 P.L.C. # -
10 P.L.C. # -	11 P.L.C. # -	12 P.L.C. # -	13 P.L.C. # -	14 P.L.C. # -
15 P.L.C. # -	16 P.L.C. # -	17 P.L.C. # -	18 P.L.C. # -	19 P.L.C. # -
20 P.L.C. # -	21 P.L.C. # -	22 P.L.C. # -	23 P.L.C. # -	24 P.L.C. # -
MATERIAL	FINISH	WEIGHT	SIZE: A2	QTY CODE: 00779
			DRAWING NO: C=552322	RESTRICTED TO: -
		CUSTOMER DRAWING	SCALE: NTS	SHEET: 1 of 1

AMP 1471-9 REV 31MAR2000

852322