

4




3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION.
 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
F	LWR	DESCRIPTION	DATE	BY	APPD
GP	00				
	T	REVISED PER ECO-08-007327	05SEP08	BM	WM



1. THE CONTACT SURFACES OF THE TERMINALS ARE COATED WITH LUBRICANT.
 2. ALL DIMENSIONS SHOWN ARE FOR REFERENCE ONLY UNLESS OTHERWISE SPECIFIED.
 3. MATERIAL: HOUSING - POLYPHEYLENE OXIDE. TERMINAL - HIGH STRENGTH COPPER ALLOY PLATED WITH 0.76µm [.000030] MIN GOLD OR GOLD FLASH OVER PALLADIUM NICKEL PLATE, 0.76µm [.000030] MIN TOTAL ON MATING SURFACE. 1.27µm [.000050] MIN NICKEL UNDERPLATE OVER ENTIRE TERMINAL.
 4. WIRE SIZE: 24 AND 26 AWG SOLID OR 24 7 STRANDED COPPER CONDUCTORS. MAX INSULATION DIAMETER OF 1.14[.045] IS ACCEPTABLE FOR MOST APPLICATIONS.
- △ CORING MAY OR MAY NOT APPEAR AND IS AT THE DISCRETION OF AMP.

	GRAY	THIN FLANGE	2-552000-4
SUPERSEDED BY 2-552001-1	BLACK	THIN FLANGE	2-552000-1
SUPERSEDED BY 552001-1	BLACK	THICK FLANGE	552000-1
	COLOR	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DR: DL DRUMMOND 01JUN01	Tyco Electronics Corporation Harrisburg, PA 17105-3608	
DIMENSIONS: mm [INCHES]		CHK: DL DRUMMOND 01JUN01	RECEPTACLE ASSEMBLY, 50 POSITION, B-SLOT, WITH .187 DIAMETER HOLES, CHAMP-LOK	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPRO: DL DRUMMOND 01JUN01	RESTRICTED TO	
0 P.L.C.	± .005	NAME: EW BELLES	SIZE: A2	CAGE CODE: 00779
1 P.L.C.	± .005	PRODUCT SPEC:	SCALE: 2:1	SHEET: 1 of 1
2 P.L.C.	± .005	APPLICATION SPEC:	REV: T	
3 P.L.C.	± .005	WEIGHT:		
4 P.L.C.	± .005	CUSTOMER DRAWING		
ANGLES:	± .005			
FINISH:				

AMP 1471-9 REV 31MM2000

552000

B

A