

4


3

2



1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC		DIBT		REVISIONS			
GP	00	F	LTR	DESCRIPTION	DATE	BY	APD
		H		REVISED PER ECO-028338	11/DEC/06	ZMR	EDB



- ⚠ HOUSING: BLACK POLYESTER, UL 94V-0 RATED;
CONTACTS: BRASS
INSERTS: BRASS
- ⚠ GOLD PLATED FOR LENGTH OF 3.81 [.150] MIN FROM MATING END, GOLD FLASH IN MATED AREA, 2.54μm [.000100] MIN TIN OR TIN-LEAD FOR A LENGTH OF DIMENSION A FROM OPPOSITE END, BOTH OVER 1.27μm [.000050] MIN NICKEL.
- ⚠ GOLD PLATED FOR LENGTH OF 3.81 [.150] MIN FROM MATING END, 0.76μm [.000030] MIN GOLD IN MATED AREA, 2.54μm [.000100] MIN TIN OR TIN-LEAD FOR A LENGTH OF DIMENSION A FROM OPPOSITE END, BOTH OVER 1.27μm [.000050] MIN NICKEL.
-OR-
GOLD FLASH OVER PALLADIUM NICKEL FOR A LENGTH OF 3.81 [.150] MIN FROM MATING END, 0.76μm [.000030] MIN PALLADIUM NICKEL IN MATED AREA, 2.54μm [.000100] MIN TIN OR TIN-LEAD FOR A LENGTH OF DIMENSION A FROM OPPOSITE END, BOTH OVER 1.27μm [.000050] MIN NICKEL.



OBSELETE	DIMENSION A	CONTACT FINISH	PART NUMBER
6.35 [.250]	⚠		745053-6
6.35 [.250]	⚠		745053-5
4.32 [.170]	⚠	⚠	745053-4
4.32 [.170]	⚠	⚠	745053-3
3.18 [.125]	⚠	⚠	745053-2
3.18 [.125]	⚠	⚠	745053-1

RECOMMENDED PC BOARD MOUNTING DIMENSIONS

THIS DRAWING IS A CONTROLLED DOCUMENT. DIM J. McCLINTON 11-14-88
 OK S. STONE 2-1-90
 S. STONE 2-2-90 NAME Tyco Electronics Corporation
 Tyco Electronics Corporation Harrisburg, PA 17105-3608

DIMENSIONS: mm [INCHES] TOLERANCES UNLESS OTHERWISE SPECIFIED.
 0 P.L.C. ± .005
 1 P.L.C. ± .005
 2 P.L.C. ± .010 [0.005]
 3 P.L.C. ± .015 [0.005]
 4 P.L.C. ± .020 [0.005]
 ANGLES ± .5°
 FINISH

PRODUCT SPEC: C. ROLIFE
 PRODUCT SPEC: 108-40025
 APPLICATION SPEC: -
 WEIGHT: -
 MATERIAL: ⚠
 CONTACTS: SEE TABLE

SIZE: A2 CASE CODE: C=745053 DRAWING NO: 108-40025
 CUSTOMER DRAWING SCALE: 4:1 SHEET: 1 of 1 REV: H

AMP 1471-9 REV 31MM2000

745053

A