1801 Morgan Street Rockford, Illinois 61102 800-435-2931 www.molexkits.com



Datasheet for 76650-0163

General Information

Part Number: 76650-0163

Manufacturer: Molex / Waldom

Title: MINI-FIT RTC Power Connector Kit

Description: Vertical Header and Receptacle

Product Family: Mini-Fit RTC™

Certificates: (Molex Parts within this kit) - EU RoHS Compliant, UL, and CSA

Country of Origin: Kit assembled in U.S.A.

Specifications

Design

Configuration: Wire-to-Board

Pitch: 4.20mm (.165")

Connector Type:

Receptacles and Headers

Mounting

Orientation: Vertical

Circuit Sizes: 4, 6, 8, 10,12 and 24

Current Rating: 8 - 12 Amps - Dependent on AWG and Circuit Size

Voltage: 600 VoltsAC RMS / VoltsDC

Wire size: 24-18 AWG

Product Highlights

Mini-Fit Reflow Temperature Compatible (RTC) Headers can withstand high SMT solder-reflow temperatures to guarantee compatibility with lead-free RoHS reflow processes. Mini-Fit RTC headers mate with standard Mini-Fit® receptacles, and share the same design features of the Mini-Fit Jr. headers, ensuring compatibility and reliability. Mini-Fit products provide a cost-effective solution for mid-range power applications that require high-density and current-carrying capability.



Datasheet for 76650-0163

Features and Benefits

- Press-fit PCB pegs compatible with existing Mini-Fit receptacles and provide polarization during placement on the PCB
- High-temperature LCP housing withstands RoHS lead-free processing up to 260°C peak (20 seconds)
- Thumblatch for easy unmating
- · Positive housing lock for secure mating
- Fully isolated terminals to protect contacts
- Four gas-tight points of contact on Tinplated contacts

Applications

- Desktop/tower computer
- Power supplies
- Networking: Hubs, Servers
- Industrial
- Medical
- Transportation
- Military Commercial Off-the-Shelf (COTS)
- Mid-range power applications

Bill of Materials for Part No. 76650-0163

Molex Part No.	Country of Origin	Description	Quantity in Kit
39-00-0039-C	USA	Female Term 24-18 AWG Tin	100
46207-0004	Mexico	4.20mm (.165") Pitch Mini-Fit RTC™ Vertical Header 4 Circuits	5
46207-0006	Mexico	4.20mm (.165") Pitch Mini-Fit RTC™ Vertical Header 6 Circuits	4
46207-0008	Mexico	4.20mm (.165") Pitch Mini-Fit RTC™ Vertical Header 8 Circuits	3
46207-0010	Mexico	4.20mm (.165") Pitch Mini-Fit RTC™ Vertical Header 10 Circuits	2
46207-0012	Mexico	4.20mm (.165") Pitch Mini-Fit RTC™ Vertical Header 12 Circuits	2
46207-0024	Mexico	4.20mm (.165") Pitch Mini-Fit RTC™ Vertical Header 24 Circuits	1
39-01-2040	USA	4.20mm (.165") Pitch Mini-Fit Jr.™ Receptacle 4 Circuits	5
39-01-2060	USA	4.20mm (.165") Pitch Mini-Fit Jr.™ Receptacle 6 Circuits	4
39-01-2080	USA	4.20mm (.165") Pitch Mini-Fit Jr.™ Receptacle 8 Circuits	3
39-01-2100	USA	4.20mm (.165") Pitch Mini-Fit Jr.™ Receptacle 10 Circuits	2
39-01-2120	USA	4.20mm (.165") Pitch Mini-Fit Jr.™ Receptacle 12 Circuits	2
39-01-2240	USA	4.20mm (.165") Pitch Mini-Fit Jr.™ Receptacle 24 Circuits	1

Recommended Molex Tool(s) for Part No. 76650-0163*

C	ou	nt	ry
-	_		

Molex Part No.	of Origin	Description
63819-0900 *	Sweden	Hand Crimp Tool
11-03-0044 *	USA	Extraction Tool

For additional Molex / Waldom Design and Solution Kits please go to www.molexkits.com

1801 Morgan Street Rockford, Illinois 61102 800-435-2931 www.molexkits.com



Datasheet for 76650-0163

^{*}Tool(s) not included in kit. Tool(s) ordered separately.