

Model #: 2-9USTAND

Enables Tower Placement of Rackmount UPS Systems



Highlights

- Pair of stands enable small-footprint tower placement of Tripp Lite Rack / Tower UPS systems
- Adjustable settings support multiple rack / tower devices from 2U to 9U
- Support for 10U to 14U available with the purchase of a second 2-9USTAND accessory

Description

Tripp Lite's 2-9USTAND tower-kit accessory offers a convenient method of installing a Tripp Lite rack/tower UPS systems in a small-footprint upright tower configuration. Pair of adjustable tower stands securely support single or multiple rackmount UPS, battery packs and other accessories in 2U to 9U widths. Expands from 10U to 14U with the purchase of an additional set of 2-9USTANDS. Compatible with Tripp Lite SmartOnline and SmartPro rack/tower UPS models specifying the use of this accessory.

Applications

• Ideal for networking and telecom applications where upright tower UPS placement is required

Package Includes

• 1 pair of expandable tower stands

Features

- Supports Tripp Lite rack/tower UPS systems in space-saving upright tower format
- Expandable from 2U to 9U widths to support multiple rackmount housings
- Expandable from 10U to 15U with the purchase of a second 2-9USTAND accessory
- Compatible with all Tripp Lite rack/tower UPS systems specifying the use of this accessory

Specifications

OVERVIEW	
Model Type	Stands
PHYSICAL	
Shipping weight (lbs)	1.8
Shipping weight (kg)	.82
Unit Dimensions (HWD/in)	4.75 x 2.75 x 10.5

Unit Dimensions (HWD/cm)	12.1 x 7 x 26.7
Shipping Dimensions (HWD/in)	4.5 x 8.5 x 11.25
Shipping Dimensions (HWD/cm)	11.5 x 21.6 x 28.6
Unit weight (lbs)	1.2
Unit weight (kg)	.55
Material of construction	Plastic

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/en/products/model.cfm?txtModeIID=2672.

Copyright © 2011 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.