



**Tripp Lite**  
1111 West 35th Street  
Chicago, IL 60609 USA  
Telephone: +(773) 869 1234  
E-mail: [saleshelp@tripplite.com](mailto:saleshelp@tripplite.com)

## Model #: PDUMV20

**Single-Phase Metered PDU, 20A 120V, 0U Vertical Rackmount, NEMA 5-15/20R outlets, NEMA L5-20P input with 5-20P adapter**



### Highlights

- Digital current meter display
- 20 outlets
- Convenient and safe covered, on/off switch
- 20-amp circuit breaker
- 15-ft. AC power cord
- 60 inch length
- Toolless button mount installation

### Description

Tripp Lite's PDUMV20 metered power distribution unit offers 20 amp, 120V multi-outlet AC power distribution in a convenient 60 inch mountable housing. Digital current meter displays the power consumption of connected equipment. Offers vertical power distribution in rackmount, raceway, and workbench applications. Toolless installation supports fast installation in button-mount compatible equipment racks. Sturdy all-metal extruded aluminum housing stands up to demanding network, laboratory, or factory environments. Unfiltered electrical pass-through makes the PDUMV20 ideal for distributing alternate waveform UPS or generator power in rack enclosures, network closets and more. Includes 20 NEMA 5-15/20R output receptacles, 15 ft. AC line cord, lighted power switch with locking transparent cover to prevent accidental shutoff, and 20 amp circuit breaker in rugged metal case design.

PLUG/OUTLETS-Input: NEMA L5-20P/Output: 20 NEMA 5-15/20R

ELECTRICAL- 120V AC, 50/60Hz, 20A [Requires NEMA L5-20R or 5-20R(using included adapter) wall receptacle]

FORMAT- 60 inch mountable strip format

### Applications

- Offers vertical or horizontal multi-outlet power distribution in rack enclosures, raceways, desktops and more. Ideal for distribution of alternate, sinewave UPS and generator power, or commercially derived AC power to connected equipment.

### Package Includes

- PDUMV20 Metered Vertical PDU
- (1) L5-20P to 5-20P plug adapter
- Mounting hardware
- Six protective outlet covers
- Instruction manual with warranty information

### Features

- Corded AC power distribution unit with 20 amp capacity and 20 AC receptacles
- Digital current meter display

- Sturdy 60 inch aluminum housing
- Toolless installation supports fast installation in button-mount compatible equipment racks
- Included hardware allows for Zero-U configurations in rack enclosures
- Ideal for horizontal or vertical raceway style power distribution in office, workbench, industrial, network, and telecom applications
- Lighted power switch with locking transparent safety cover prevents accidental shutoff
- 20 amp electrical capacity
- 120V AC, 50/60Hz electrical compatibility
- 15 ft. power cord
- Lifetime warranty

## Specifications

OVERVIEW	
Model Type	Metered
PDU Type	Metered
OUTPUT	
Frequency compatibility	50 / 60 Hz
Output watts	2400
Output nominal voltage	120V
Overload protection	20A
Outlet quantity / type	20 NEMA 5-15/20R
INPUT	
PDU Input Voltage	100; 120; 127
Recommended Electrical Service	120V
Maximum Input Amps (A)	20
Input connection type	NEMA L5-20P with NEMA 5-20P plug adapter
Plug Type	NEMA L5-20P (20A 120V)
PDU Plug Type	NEMA 5-20P; NEMA L5-20P
Input cord length (ft.)	15
Voltage compatibility (VAC)	120
Phase	Single-Phase
LEDS ALARMS & SWITCHES	
Switches	Lighted on/off switch with integrated transparent safety cover
Front panel LEDs	Digital ammeter display
PHYSICAL	
Shipping weight (lbs)	5.9
Unit Dimensions (HWD/in)	60 x 1.75 x 1.25
Shipping Dimensions (HWD/in)	63.25 x 3 x 2.75
Unit weight (lbs)	5.2
Material of construction	Aluminum

<b>Style</b>	Vertical Rackmount
<b>Form factors supported</b>	Vertical
<b>PDU Form Factor</b>	Vertical (0U)
<b>SPECIAL FEATURES</b>	
<b>Appearance</b>	Black housing with digital current meter display
<b>CERTIFICATIONS</b>	
<b>Certifications</b>	Tested to UL60950-1 (USA) and CAN/CSA C22.2 No. 60950-1-03 (Canada), RoHS Compliant
<b>WARRANTY</b>	
<b>Product Warranty Period (U.S., Canada &amp; Puerto Rico)</b>	Lifetime limited warranty

## Related Items

### Optional Products

Product Type	Related Model	Description	Qty.
Power Cables	<a href="#">P043-002</a>	2-ft. 10AWG Heavy Duty Power Cord with 20 AMP Breaker, (NEMA L5-30P to NEMA L5-20R)	1
Power Cables	<a href="#">P007-002</a>	2-ft. Heavy-Duty 14AWG Power cord (IEC-320-C13 to NEMA 5-15P)	1
Power Cables	<a href="#">P007-006</a>	6-ft. Heavy-Duty 14AWG Power cord (IEC-320-C13 to NEMA 5-15P)	1
Power Cables	<a href="#">P007-010</a>	10-ft. Heavy-Duty 14AWG Power cord (IEC-320-C13 to NEMA 5-15P)	1
Power Cables	<a href="#">P010-012</a>	12-ft. 18AWG Power cord (NEMA 5-15P to IEC-320-C13)	1
Power Cables	<a href="#">P022-001</a>	1-ft. 18AWG Power Extension cord (NEMA 5-15R to NEMA 5-15P)	1
Power Cables	<a href="#">P023-001</a>	1-ft. 14AWG Power Adapter cord (NEMA L5-15R to NEMA 5-15P)	1
Power Cables	<a href="#">P034-010</a>	10-ft. 14AWG Heavy Duty Power cord ( IEC-320-C19 to NEMA 5-15P)	1
Power Cables	<a href="#">P044-061</a>	6-inch 12AWG Heavy Duty Power Adapter cord (NEMA-L5-20R to NEMA-5-20P)	1
Power Cables	<a href="#">P049-010</a>	10-ft. 12AWG Heavy Duty Power cord (IEC-320-C19 to NEMA 5-20P)	1

More information, including related products, owner's manuals, and additional technical specifications, can be found online at [www.tripplite.com/en/products/model.cfm?txtModelID=3467](http://www.tripplite.com/en/products/model.cfm?txtModelID=3467).

Copyright © 2011 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.