



LAYOUT INSPECTION




REMARKS: "◇" SPECIAL CHARACTERISTIC  
 " + " SAFETY CHARACTERISTIC  
 " ( ) " REFERENCE ONLY

VARITRONIX LTD.		Dimension : mm		TOL : ±0.2 IF NOT SPECIFY		DD NOT SCALE DRAWING		3 <sup>rd</sup> ANGLE PROJECTION	
DWG NO : VI-415-1		Drawn by : QMZ		SIGN :		Date : 2004-11-29			
REV 0		Checked by : MAKD		SIGN :		Date :			

DWG.NO.: VI-415-1 (REV.0)




DWG.NO.: VI-415-1 (REV.0)



DIGIT 1 - 4

DWG.NO.: VI-415-1 (REV.0)


SEGMENT TRACKING



REMARKS: N.C. = NO CONNECTION


DWG.NO.: VI-415-1 (REV.0)

COMMON TRACKING





REMARKS : N.C. = NO CONNECTION

VARTITRONIX LIMITED		OPEN LAYER :	SCALE
<b>POLARIZER LOCATION DIAGRAM</b>		P	Do not scale
DOC. NO. : PL-VI-415-1-01		Drawn by : QM/Z	Date : 2004-11-29
		Checked by : INA	Date :
		Approval by :	Date :



VARTIRONIX LIMITED		OPEN LAYER :	SCALE
DIL-PIN DETAILS LOCATION DIAGRAM		DP-L0	Do not scale
DOC. NO. : DP-VI-415-1-01		Drawn by : QMZ	Date : 2004-11-29
		Checked by : INA	Date :
ALL DIMENSIONS IN mm		Approval by :	Date :



REMARKS: ① ----- X.XX=2.54 (FOR PIN LENGTH  $\geq 3.20$  &  $\leq 10.00$ mm)  
X.XX=1.75 (FOR PIN LENGTH  $> 10.00$  &  $\leq 19.50$ mm)  
PIN LENGTH ( L ) REFER TO COVER PAGE

DWG.NO.: VI-415-1 (REV.0)

PIN	COM	PIN	COM	PIN	COM	PIN	COM
1	COM	11	2C	21	4A	31	2F
2	N.C.	12	DP2	22	4F	32	2G
3	N.C.	13	3E	23	4G	33	N.C.
4	N.C.	14	3D	24	3B	34	1B
5	1E	15	3C	25	3A	35	1A
6	1D	16	DP3	26	3E	36	1F
7	1C	17	4E	27	3G	37	1G
8	DP1	18	4D	28	L	38	N.C.
9	2E	19	4C	29	2B	39	N.C.
10	2D	20	4B	30	2A	40	N.C.

REMARKS: N.C. = NO CONNECTION