

OLED DISPLAY SOLUTIONS

Pictiva™ 1.6-inch 128x64 OLED display



OS128064PK16Mxxx0x

Features

- Long-lifetime OLED
- 180° viewing angle
- Fast response, video capable
- High contrast
- Wide operating temperature range
- RoHS compliant on selected models

Benefits

- Ease of readability
- No backlight required
- Low power consumption


Applications

- Audio/Video
- Entertainment
- Industrial
- Medical
- Instruments

Specifications

Display Format	128 Columns x 64 Rows				
Diagonal	1.6 inch				
Pixel Pitch	0.285 (W) x 0.285 (H) mm				
Color, Luminance & lifetime	Color	CIE x	CIE y	Cd/m ²	Lifetime hrs, 25°C
	Elegance Yellow	0.46	0.54	100	40K
				150	10K
	Lime Green	0.37	0.62	100	10K
Tiger Orange	0.63	0.37	60	10K	
Grayscale	4 bit				
Active Area	36.46 (W) X 18.22 (H) mm				
Module Size	47.75 (W) X 30.48 (H) X 3.83* mm (T) *including bezel				
Viewing Angle	180°				
Contrast Ratio	2000:1 dark ambient				
Temperature	-30°C to 70°C				
Logic Voltage	2.4V – 3.5V				
Supply Voltage	12V				
Power Cons.	0.05 mW (sleep mode)				
Interface	Parallel/Serial				
Driver	SSD0323				
Weight	8.8g typical				

Mechanical Dimensions and Pin Description



Ordering Information

Part Number	Order Number	Description
OS128064PK16MY0Z00 *	Q65110A5499	Pictiva™ 1.6 inch 128x64 OLED Display, Elegance Yellow
OS128064PK16MY0A01	Q65110A1668	Pictiva™ 1.6 inch 128x64 OLED Display, Elegance Yellow
OS128064PK16MG1A00	Q65110A3427	Pictiva™ 1.6 inch 128x64 OLED Display, Lime Green
OS128064PK16MO1A00	Q65110A3429	Pictiva™ 1.6 inch 128x64 OLED Display, Tiger Orange

Note : * RoHS compliant product

Contact Information

OSRAM Opto Semiconductors

Asia : +60(0) 4 631-8100 prasia@osram-os.com
 Europe : +49(0) 941-850-3535 pr@osram-os.com
 North America : +1-888-446-7726 ext.4310 info@osram-os.com
 Web : www.pictiva.com

©2005 OSRAM Opto Semiconductors. OSRAM, the OSRAM logo and Pictiva are trademarks and/or service marks of OSRAM Opto Semiconductors, Inc. Other brands are trademarks of their respective holders. OSRAM hold a license from Cambridge Display Technology to manufacture and sell polymer light emitting display. The specifications contained in this document are subjected to change without notice. OSRAM Opto Semiconductors, Inc. assumes no responsibility or liability arising out of the application or use of any legal information, product or service described herein except as expressly agreed to in writing by OSRAM Opto Semiconductors, Inc. Customers are advised to obtain the latest version of the device specification before relying on any published information and before placing orders for products or services. All right reserved Lit# 517DS-1 updated on 12/22/05