



Spectral Radiance

Peak @ 436 nm



JKL LAMP PART NUMBER	OUTPUT	STARTING CIRCUIT VOLTAGE VS (Vrms)	OPERATING LAMP VOLTAGE VL (Vrms)	OPERATING LAMP CURRENT IL (mArms)	*RATED LIFE (HRS)
BF325-HG	(Hg) MERCURY SPECTRAL LINES	400 @ 25°C	165	5	7,500

\* RATED LIFE IS DEFINED AS THE POINT AT WHICH THE INTENSITY BECOMES 50% OF THE INITIAL.

NOTE: LAMP IS NOT RATED FOR ULTRAVIOLET RADIATION, ADEQUATE SHIELDING SHOULD BE USED TO PROTECT EYES FROM SHORT WAVELENGTH ULTRAVIOLET RADIATION.

<p>THIRD ANGLE PROJECTION</p>	<p>METRIC</p>	<p>DIMENSIONS ARE IN MILLIMETERS</p>	<p><b>JKL COMPONENTS CORPORATION</b></p>				
	<p>TOLERANCE UNLESS OTHERWISE SPECIFIED</p> <p>1 PL +/- 0</p> <p>2 PL +/- 0</p> <p>ANGLE +/- 0</p>	<p>TITLE</p> <p>MINIATURE COLD CATHODE FLUORESCENT LAMP</p>					
<p>DRAWN BY</p> <p>L. WENGSTROM</p>	<p>APPV'D BY</p> <p>J.K.</p>	<p>DATE</p> <p>11/22/04</p>	<p>SIZE</p> <p><b>A</b></p>	<p>FSCM NO.</p> <p><b>55335</b></p>	<p>DRAWING NO.</p> <p><b>BF325-HG</b></p>		
<p>RELEASED</p>	<p>11/22/04</p>	<p>APPV'D DATE</p>	<p>SCALE</p> <p>NONE</p>	<p>RELEASED DATE</p> <p>11/22/04</p>	<p>REVISION DATE</p>		
<p>REV. NO.</p>	<p>DESCRIPTION/ECO NUMBER</p>	<p>APPV'D DATE</p>	<p>- CAD DRAWING -</p>			<p>REV. NO.</p>	<p>SHEET</p>
<p>MANUAL REVISIONS NOT PERMITTED</p>			<p>NONE</p>	<p>11/22/04</p>	<p>1 OF 1</p>		