



\*TO BE MEASURED ON LONGEST SIDE ONLY WITH THE WIRE IN INTIMATE CONTACT WITH THE BOTTOM OF THE GLASS WEDGE.

*JKL LAMP NUMBER	VOLTS RATED	AMPS ±10%	*MSCP ±25%	*LUMENS ±25%	AVERAGE LIFE HRS.	FILAMENT TYPE	LCL LENGTH
Xe359	14.0	.214	2.00	25.00	10,000	C-2V	12.7±1.5
Xe158	14.0	.240	2.00	25.00	10,000	C-2V	14.2±2.3
Xe193	14.0	.330	2.00	25.14	20,000	C-2V	12.7±1.5
Xe524	24.0	.417	7.20	90.40	5,000	C-2V	12.7±1.5
Xe659	28.0	.220	4.38	55.00	5,000	C-2V	14.2±2.3

\*ALL LAMPS ARE GAS FILLED

<b>METRIC</b> 			DIMENSIONS ARE IN MILLIMETERS TOLERANCE UNLESS OTHERWISE SPECIFIED 1 PL +/- 0.2 2 PL +/- 0.20 ANGLE +/- 0		<b>JKL COMPONENTS CORPORATION</b>						
CHNG LAYOUT, HRS ON Xe524 & Xe659 ADD DRW. LCL 14.2±2.3 LCL TO 12.7±1.5 Xe359 FILAMENT C-2R TO C-2V RELEASED			1/21/02 9/12/01 8/15/01 7/10/01 7/6/01		THIRD ANGLE PROJECTION DRAWN BY L. WENGSTROM APP'VD BY J.K. DATE 1/21/02		TITLE <b>T-3 1/4 GLASS WEDGE BASE          GAS FILLED</b>			SIZE <b>A</b> FSCM NO. <b>55335</b> DRAWING NO. <b>GLASS WEDGE Xe T-3 1/4</b>	
REV. NO.	DESCRIPTION/ECO NUMBER	APP'VD DATE	- CAD DRAWING - MANUAL REVISIONS NOT PERMITTED			SCALE	RELEASED DATE	REVISION DATE	REV. NO.	SHEET	
						NONE	7/6/01	1/21/02	D	1 OF 1	