Honeywell

Honeywell Sensing and Control

■ Order Product and Get Support

U.S. Authorized Distributors

- Global Sales & Service
- N. American Sales Reps
- Distributor Inventory
- Technical Assistance
- White Papers
- _ Literature Request
- **Test and Measurement** Catalog
- _ RoHS Product List
- Customer Feedback

Home> Products > Conductive Plastic Potentiometers > 380 > Product Page

380C125K



380 Series Industrial Potentiometer, Conductive Plastic Element, Solder lug Terminals, 2 W Power Rating, 25 kOhm **Resistance Value**

Actual product appearance may vary.

Features

- · Robust nickel-plated brass shaft and bushings
- · Conductive plastic element
- Linear taper
- 100,000 cycle rotational life

Potential Applications

- · Manual controls (throttle, joystick)
- · Electric vehicles
- Personal mobility
- Off-road vehicles
- · Welding and heating
- Telecommunications

Description

The 380 Series is a robust 2 watt potentiometer that offers the advantages of a conductive plastic element and a 100,000 cycle rotational life. Special tapers and element designs available on a special order.

Supporting Documentation

Dimensions

▲ Accessory: Knobs and Dial Plate

Product Specifications				
Potentiometer Type	Industrial			
Element Type	Conductive Plastic			
Terminal	Solder lug			
Power Rating	2 W			
Resistance Value	25 kOhm			
Resistance Tolerance	± 10 %			
Linearity	± 5 %			
Bushing Thread	9,53 mm [0.375 in] x 32 NEF-2A			
Bushing Length	9,53 mm [0.375 in]			
Bushing Type	Standard			
Shaft Diameter	6,35 mm [0.25 in]			
Shaft Length	50,80 mm [2.0 in]			
Shaft Ending	Plain round			
Body	27.8 mm [1.094 in] diameter max. except at terminal standoff			
Electrical Taper	Linear			

My Links

- → Login to iCOM
- → Login as Rep/ AD
- → Login as Guest
- → Login to Digital University

Keyword Search

Search for product and support information.

Product Search

Part number search:

Use (*) to expand search

→ Specification Search

HOME ABOUT US	PRODUCTS & INFORMATION	NEWS & EVENTS	SALES & SUPPORT	LOGIN
	Working Voltage (Max.)	500 V		
	Rotational Life	100000 cy	cles	
	Mechanical Rotation	312°		
	Availability	Global		
	Series Name	380		
	UNSPSC Code	411136330	00	
	UNSPSC Commodity	411136330	00 Potentiometers	

Terms & Conditions | Privacy Statement | Site Map