



All information contained herein applies only to the above listed part number. Other versions of this part number with electrical or mechanical variations are available. Contact CUI Inc. for further assistance. 9615 SW Allen Blvd., Ste. 103, Beaverton OR 97005
 800-275-4899 • 503-643-4899 • Fax: 503-643-6129 • www.cui.com

1. ELECTRICAL CHARACTERISTICS:

1.1 Exciting Current: Input primary 120 V 60 Hz 80 mA MAX.

1.2 Primary rated voltage & frequency: 120 V 60 Hz

1.3 Secondary output voltage:

Leads No.or Color	Rated Voltage	Rated Current	No Load Voltage
3-----4	AC 12V ±5%	AC 1500mA	AC 13.6V REF

1.4 HI-POT test: Input 60Hz 1500 V for one minute between Primary Blades and Output Plug.
 between Primary to Core. 1000 V for one minute between Secondary to Core.
 Leakage Current 1mA.

1.5 Induced Voltage: At Secondary open. input Primary 400Hz 240 V for 15 seconds.


1.6 Insulation test: 500Vdc 100 Megohm Min. between Windings and Windings and Core.

1.7 Humidity test: Temp. 32±2°C relative humidity 90%~95%RH for 6 hours, after keeping 30 minutes following insulation must be larger than 5 Megohm.

1.8 Temperature rise test: Less than 70°C for rated test with Resistance method.

2. Safety Standard: UL/CUL.

3. Circuit Diagram:



SPEC NO:

PART NO: **DPA120150-S/T**



CUI INC

PAGE NO: **2 of 4**

UNIT: mm

DATE: **09/19/98**

All information contained herein applies only to the above listed part number. Other versions of this part number with electrical or mechanical variations are available. Contact CUI Inc. for further assistance. 9615 SW Allen Blvd., Ste. 103, Beaverton OR 97005
 800-275-4899 • 503-643-4899 • Fax: 503-643-6129 • www.cui.com

NO	Pri. #1		Pri. #2	SECONDARY #1				SECONDARY #2				
	D.C.R. __ohms		D.C.R. __ohms	D.C.R. __ohms				D.C.R. __ohms				
	Input Voltage & Frequency	Exciting Current 80 mA MAX	Rated Current __mA MAX	No Load		Load 1500 mA		No Load		Load __mA		
				VAC	VDC	VAC	VDC	VAC	VDC	VAC	VDC	
1	120V/60Hz	41		13.68		11.90						
2		41		13.68		11.89						
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												

SPEC NO:



CUI INC


PAGE NO: 3 of 4

PART NO: DPA120150-S/T

UNIT: mm

DATE: 09/19/98

All information contained herein applies only to the above listed part number. Other versions of this part number with electrical or mechanical variations are available. Contact CUI Inc. for further assistance. 9615 SW Allen Blvd., Ste. 103, Beaverton OR 97005
800-275-4899 • 503-643-4899 • Fax: 503-643-6129 • www.cui.com



SPEC NO:

PART NO: **DPA120150-S/T**




CUI INC

PAGE NO: 4 of 4

UNIT: mm

DATE: 09/19/98

All information contained herein applies only to the above listed part number. Other versions of this part number with electrical or mechanical variations are available. Contact CUI Inc. for further assistance. 9615 SW Allen Blvd., Ste. 103, Beaverton OR 97005
800-275-4899 • 503-643-4899 • Fax: 503-643-6129 • www.cui.com



UNIT: mm