



Release Notes

CY8CKIT-006 PSoC[®] 3 LCD Segment Drive Evaluation Kit

Release Date: January 11, 2010

Thank you for your interest in the CY8CKIT-006 PSoC[®] 3 Segment Drive Evaluation Kit. This document lists installation requirements, limitations, and known issues with Beta release of the kit.

System Requirements and Recommendations

PSoC[®] Creator™ 1.0 Beta 4.0 (1.0.0.5810)

PSoC[®] Programmer 3.10 Beta 4.0 (3.10.1.616)

The following minimum configuration is required to run PSoC Creator:

- PC-running Windows operating system: Windows XP SP2
- 2GB RAM
- 1GB of hard disk space
- USB 2.0 (for MiniProg3 programmer module connection)

PSoC Creator requires the following software to be installed:

- PSoC Programmer 3.10
- Windows Installer 3.1
- .Net Framework 2.0 SP1
- Keil Compiler (optional, but needed to build PSoC 3 projects)
- Adobe Reader (optional, but needed to view PDF files)

Installation

To install, insert the kit CD into your PC's CD-ROM drive. If the installer does not automatically start, manually start it by executing cyautorun.exe in the CD's root directory. After the installation begins, follow the instruction during installation.

Notes

- Do not plug in your LCD Kit MiniProg3 to the Host PC USB port until all software installation is complete.
- If you have a previous installation of PSoC 3 LCD Segment Drive Evaluation Kit and PSoC Creator and/or PSoC Programmer, uninstall them before re-installing PSoC 3 LCD Segment Drive Evaluation Kit, PSoC Creator, and PSoC Programmer.

Updates

N/A.

Limitations and Known Issues

1. **Low Power** – when the demonstration firmware enters what appears to be Low Power mode (observe blank LCD display with periodic flash of “ZZZ”), the device is not actually in a low power state.
 - o This will be completely corrected with the next revision of PSoC 3 silicon, updated PSoC Creator components, and updated LCD Segment EVK demonstration firmware.
2. **Battery Life** – because low power is not actually implemented at this time, battery life is continually reduced even when the display indicates sleep mode. The switch (SW1) disconnects the battery. The battery is also disconnected when a wall supply is plugged into J2 (power jack).
3. **Low Voltage** – the kit does not currently support low voltage operation (single AA cell with boost conversion).
 - o This capability will be added after the next revision of PSoC 3 silicon, updated PSoC Creator components, and updated LCD Segment EVK demonstration firmware.
4. **Limited use of PSoC 3 pin P1[3] (SWO, JTAG TDO) as GPIO** – the kit does not currently support the assignment of a Pins component to the PSoC 3 Pin P1[3] (User Pin J4_7 GPIO1) in debug build mode. This will be fixed with final silicon and PSoC creator releases.

Documentation

Kit documents are located in the \Documentation and folder on the kit CD.

Refer to:

- *CY8CKIT-006 PSoC3 LCD Drive Kit Users Guide.pdf*
- *CY8CKIT-006 PSoC3 LCD Drive Kit Quick Start Guide.pdf*
- *LCD Direct Drive Basics.pdf*
- *PSoC 3_CY8C38_Family_Datasheet.pdf*
- *PSoC 3_CY8C38_Family_Silicon_Errata.pdf*

Release notes are located in the \Release_Notes subdirectory under the Documentation folder on the kit CD.

Refer to *CY8CKIT-006 PSoC3 LCD Drive Kit Release Notes.pdf*

After installing the PSoC Creator and Programmer3.10, refer to the documentation as needed:

- *PSoC Creator→Help→Documentation*
- *Programmer3.10→Help→Help Topics*



The default location for PSoC Creator documents is:

C:\Program Files\Cypress\PSoC Creator\1.0\PSoC Creator\Documentation

You can also access the PSoC Creator documents from within PSoC Creator under:

- *PSoC Creator → Help → Documentation → Reference Material*

Cypress Semiconductor
198 Champion Ct.
San Jose, CA 95134-1709 USA
Tel: 408.943.2600
Fax: 408.943.4730
Application Support Hotline: 425.787.4814
www.cypress.com

© Cypress Semiconductor Corporation, 2009-2010. The information contained herein is subject to change without notice. Cypress Semiconductor Corporation assumes no responsibility for the use of any circuitry other than circuitry embodied in a Cypress product. Nor does it convey or imply any license under patent or other rights. Cypress products are not warranted nor intended to be used for medical, life support, life saving, critical control or safety applications, unless pursuant to an express written agreement with Cypress. Furthermore, Cypress does not authorize its products for use as critical components in life-support systems where a malfunction or failure may reasonably be expected to result in significant injury to the user. The inclusion of Cypress products in life-support systems application implies that the manufacturer assumes all risk of such use and in doing so indemnifies Cypress against all charges.

PSoC Designer™, Programmable System-on-Chip™, and PSoC Express™ are trademarks and PSoC® is a registered trademark of Cypress Semiconductor Corp. All other trademarks or registered trademarks referenced herein are property of the respective corporations.

This Source Code (software and/or firmware) is owned by Cypress Semiconductor Corporation (Cypress) and is protected by and subject to worldwide patent protection (United States and foreign), United States copyright laws and international treaty provisions. Cypress hereby grants to licensee a personal, non-exclusive, non-transferable license to copy, use, modify, create derivative works of, and compile the Cypress Source Code and derivative works for the sole purpose of creating custom software and or firmware in support of licensee product to be used only in conjunction with a Cypress integrated circuit as specified in the applicable agreement. Any reproduction, modification, translation, compilation, or representation of this Source Code except as specified above is prohibited without the express written permission of Cypress.

Disclaimer: CYPRESS MAKES NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, WITH REGARD TO THIS MATERIAL, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Cypress reserves the right to make changes without further notice to the materials described herein. Cypress does not assume any liability arising out of the application or use of any product or circuit described herein. Cypress does not authorize its products for use as critical components in life-support systems where a malfunction or failure may reasonably be expected to result in significant injury to the user. The inclusion of Cypress' product in a life-support systems application implies that the manufacturer assumes all risk of such use and in doing so indemnifies Cypress against all charges.

Use may be limited by and subject to the applicable Cypress software license agreement.
