


**Table of Contents**


2	Notes
3	Power, Clock, and Reset
4	User Functions
5	USB to BDM Reference Block

**Revisions**


Rev	Description	Date	Approved
A	Original Release	03/30/05	DK
B	Updated per customer feedback and RoHS requirements	10/13/05	DK
C	Rotated U2	11/11/05	DK
D	No Pop'ed R25	03/01/06	DK

	<b>Transportation &amp; Standard Products Group</b> 6501 William Cannon Drive West Austin, TX 78735-8988
<small>This document contains information proprietary to Freescale Semiconductor and shall not be used for engineering design, procurement or manufacture in whole or in part without the express written permission of Freescale Semiconductor.</small>	
Designed by: DANIEL KRUCZEK	Drawing Title: <b>DEMO9S08AW60E</b>
Drawn by: DANIEL KRUCZEK	Page Title: <b>TITLE PAGE</b>
Approved: DANIEL KRUCZEK	Size: Document Number: C POP-99F-0808 SOURCE: SCH-2808
Date: Wednesday, March 01, 2006	Sheet 1 of 5

1. Unless Otherwise Specified:
  - All resistors are in ohms, 5%, 1/8 Watt
  - All capacitors are in uF, 20%, 50V
  - All voltages are DC
  - All polarized capacitors are aluminum electrolytic
2. Interrupted Lines coded with the same letter or letter combinations are electrically connected.
3. Device type number is for reference only. The number varies with the manufacturer.
4. Special signal usage:
  - B Denotes - Active-Low Signal
  - <> or [] Denotes - Vectored Signals
5. Interpret diagram in accordance with American National Standards Institute specifications, current revision, with the exception of logic block symbology.


			
Drawing Title: <b>DEMO9S08AW60E</b>			
Page Title: <b>NOTES</b>			
Size	Document Number	Rev	
C	PDF: 99F-02895 SOURCE: 804-2895	D	
Date:	Wednesday, March 01, 2006	Sheet:	2 of 8





<b>freescale</b>	
Drawing Title: <b>DEMOS08AW60E</b>	
Page Title: <b>USER FUNCTIONS</b>	
Size C	Document Number: P09-SP-20066 SOURCE: SCH-20066
Date: Wednesday, March 01, 2006	Sheet 4 of 6



			
Drawing Title: <b>DEM09S08AW60E</b>			
Page Title: <b>USB TO BDM REFERENCE BLOCK</b>			
Size	Document Number	Rev	
C	PDF: 69F-23905 SOURCE: 6CH-23905	D	
Date:	Wednesday, March 01, 2006	Sheet	5 of 5