## **Premium Etching Kit 416-E**

- Etch copper clad circuits professionally
- Accommodates two 8" x 12" double-sided copper clad boards



#### Contains:

- 7 litre capacity heavy-duty polyethylene etching tank
- Sturdy mounting bracket
- Clear acrylic lid
- Heavy duty air pump
- Sparging unit with 3 way adjustable air manifold
- Requires a minimum of 7 liters of etching solution: 415-4L, 410-1KG, or 4101-1KG.

#### Available Sizes

| 4165 | Catalog No. | Format |
|------|-------------|--------|
| 416E | 416-E       | Kit    |

### **Replacement Parts**

| Catalog Number  | Quantity                   | Description                        |
|---|----------------------------|------------------------------------|
| 416-AP  | 1                          | Air pump                           |
| Replacement Air Pu  | ump for the 41             | 6-E Professional Etching Kit       |
| 416AT   | 1                          | Tubing                             |
| Replacement Air Tu  | bing for the 41            | 6-E Professional Etching Kit       |
| 416-B   | 1                          | Bulb                               |
| The 416B is a direc   | t replacement              | bulb for the 416-X Exposure Kit.   |
| 416-D   | 1                          | Hose                               |
| Replacement part f  | For the 416-E P            | rofessional Etching Kit            |
| 416-G<br>Vinyl Gloves - Excel   | 10 pack<br>lent for use wi | Gloves th all corrosive chemicals. |
| 416-H 1 Heater 200 watt side mounting immersion heater with quartz element and adjustable temperature control. Replacement part for the 416-E Professional Etching Kit. |                            |                                    |

# **Etching Process Kit - Student**

- Etch copper clad circuits professionally
- Accommodates two 8"x 9" double sided copper clad boards



Ideal for students and hobbyists. An inexpensive etching system with professional quality output.

#### Contains:

- 5 liter heavy duty polyethylene etching tank
- Air pump and tubing
- Sparging unit
- Bag of vinyl gloves
- Complete instructions

Also requires a minimum of 4 liters of Ferric Chloride (Cat# 415-4L). There must be enough Ferric Chloride to completely cover your board.

Do not dilute ferric chloride with water.



**Available Sizes** 

Catalog No. 416-ES

**Format**