

4

3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

P	LTR	DESCRIPTION	ECN	DATE	DWN	APVD
C		ADD PACKING SPEC	ECO-06-013847	31-MAY-06	WJH	H.F
D		ADD TYPE AND CHANGE TE LOGO	ECO-08-020468	16-SEP-08	SZ.Z	BH.Y

D

C

B


A

D

C




B

A




Drilling Diagram (BOTTOM VIEW)


Connection Diagram (BOTTOM VIEW)



VIEW C



VIEW D PART A



LOT NO.

LOT NO SYSTEM AS FOLLOWING:




Diagram dimension	Tolerance
0.99mm max.	±0.1mm
1 - 2.99mm	±0.2mm
3mm min.	±0.3mm



THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN	H.SASAKI		Tyco Electronics Corporation Shenzhen, China	
		CHK	N.FUNAYAMA			
		APVD	A.NAGAI		NAME	
		PRODUCT SPEC	-		PCLH-20*D1SP CUSTOMER DRAWING	
		APPLICATION SPEC	-		RESTRICTED TO	
		WEIGHT	-		SIZE	A3
		CUSTOMER DRAWING	CAGE CODE	00779	DRAWING NO	1721049
					SCALE	2:1
					SHEET	1 OF 2
					REV	D

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS						
		P	LTR	DESCRIPTION	ECN	DATE	DWN	APVD

TE PART NO	PACKING SPEC	DESCRIPTION	PART B	PART A	ITEM
5-1461058-4	107-79058	PCLH-20201SP_000	12V ≡	PCLH-20201SP	c
5-1461059-5	107-79058	PCLH-20301SP_000	24V ≡	PCLH-20301SP	b
1721049-1	107-79058	PCLH-20901SP_000	9V ≡	PCLH-20901SP	a

			RELAY TYPE				
AR	AR	AR		EPOXY RESIN	RESIN	18	
AR	AR	AR		POLYESTER	TAPE	17	
AR	AR	AR		POLYURETHANE COPPER WIRE	MAGNETIC WIRE	16	
1	1	1	UL94 V-0	PC	CASE	15	
1	1	1		STAINLESS	SPRING	14	
1	1	1		Cu ALLOY + PBT	MOVABLE SPRING	13	
2	2	2		ALUMINIUM	ALUMINIUM RIVET	12	
1	1	1		POLYESTER	SHEET	11	
1	1	1		Cu-Ni PLATED	STEEL	ARMATURE	10
4	4	4		Ag ALLOY	STATIONARY CONTACT	9	
2	2	2		Ag ALLOY	MOVABLE CONTACT	8	
4	4	4		Cu ALLOY	STATIONARY TERMINAL	7	
2	2	2		Cu ALLOY + PVC	LEAD WIRE	6	
2	2	2		Cu ALLOY	COIL/MOVABLE TERMINAL	5	
1	1	1	UL94 V-0	EPOXY CASTING RESIN	BASE	4	
1	1	1	UL94 HB	PA66 NYLON	BOBBIN	3	
1	1	1		Zn PLATED	STEEL	CORE	2
1	1	1		Ni PLATED	STEEL	YOKE	1
c	b	a	INCOMBUSTIBILITY	TREATMENT	MATERIAL	DESCRIPTION	ITEM

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN	H.SASAKI		 Tyco Electronics Corporation Shenzhen, China
DIMENSIONS: mm		CHK	N.FUNAYAMA		
		APVD	A.NAGAI		NAME
TOLERANCES (UNLESS OTHERWISE SPECIFIED): 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ±		PRODUCT SPEC	-		PCLH-20901SP CUSTOMER DRAWING
MATERIAL		APPLICATION SPEC	-		SIZE
FINISH		WEIGHT	-		CAGE CODE
		CUSTOMER DRAWING		00779	DRAWING NO
				1721049	RESTRICTED TO
				SCALE 2:1	SHEET 2 OF 2
				REV D	