




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.



LOC		REVISIONS						
HB	DIST	P	LTR	DESCRIPTION	ECN	DATE	DWN	APVD
		E		CHNAGE DATE CODE&TE LOGO	ECO-08-007865	15-APR-08	CY.Z	BHLY



CONNECTION DIAGRAM (BOTTM VIEW)



DRILLING DIAGRAM (BOTTM VIEW)



TOLERANCE	
Diagram dimension	Tolerance
max. 1mm	±0.1mm
1 - 3mm	±0.2mm
min. 3mm	±0.3mm

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN	H.SASAKI		Tyco Electronics Corporation ShenZhen, China
DIMENSIONS: mm		CHK	Y.OIKAWA		
MATERIAL		APVD	A.NAGAI		NAME
FINISH		PRODUCT SPEC	-		OSA-SH-DM5,000 ,000M
TOLEANCES UNLESS OTHERWISE SPECIFIED: 0 PLC 1 PLC 2 PLC 3 PLC 4 PLC 5 PLACES		APPLICATION SPEC	-		SIZE
		WEIGHT	-		A3
		CUSTOMER DRAWING	CAGE CODE	00779	DRAWING NO
			3-1419124-9	RESTRICTED TO	-
			SCALE	4:1	SHEET 1 OF 2 REV E

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	HB	DIST	REVISIONS							
			P	LTR	DESCRIPTION	ECN	DATE	DWN	APVD	

TE PART NO	DESCRIPTION	PART B	PART A	ITEM
① 8-1440001-4	OSA-SH-224DM5	24V	OSA-SH-224DM5	n
② 8-1440001-2	OSA-SH-212DM5	12V	OSA-SH-212DM5	m
③ 8-1440001-1	OSA-SH-212DM5	12V	OSA-SH-212DM5	l
④ 7-1440001-9	OSA-SH-209DM5	9V	OSA-SH-209DM5	k
⑤ 7-1440004-7	OSA-SH-205DM5	5V	OSA-SH-205DM5	j
⑥ 1461020-7	OSA-SH-205DM5	5V	OSA-SH-205DM5	i
1461388-6	OSA-SH-248DM5	48V	OSA-SH-248DM5	h
1461388-4	OSA-SH-224DM5	24V	OSA-SH-224DM5	g
1461388-3	OSA-SH-206DM5	6V	OSA-SH-206DM5	f
4-1419124-9	OSA-SH-224DM5	24V	OSA-SH-224DM5	e
4-1419124-0	OSA-SH-212DM5	12V	OSA-SH-212DM5	d
3-1419124-9	OSA-SH-212DM5	12V	OSA-SH-212DM5	c
7-1440001-8	OSA-SH-209DM5	9V	OSA-SH-209DM5	b
7-1440004-6	OSA-SH-205DM5	5V	OSA-SH-205DM5	a

RELAY TYPE

INCOMBUSTIBILITY	TREATMENT	MATERIAL	DESCRIPTION	ITEM
		UV RESIN	UV SEAL	15
		EPOXY RESIN	SEAL	14
94V-0		PBT	CASE	13
94V-0		PA66	CARD	12
		Ag ALLOY	STATIONARY CONTACT	11
		Cu ALLOY	STATIONARY TERMINAL	10
		Ag ALLOY	MOVABLE CONTACT	9
		Cu ALLOY	MOVABLE SPRING	8
		Cu-Ni PLATED	STEEL ARMATURE	7
		Cu-Ni PLATED	STEEL CORE	6
		PBS	HINGE SPRING	5
		NI PLATED	STEEL YOKE	4
		UEW	MAGNETIC WIRE	3
		CP WIRE	COIL TERMINAL	2
94V-0		PBT	BOBBIN	1

⑤ NOTE:
 1. LOT NO. SYSTEM AS FOLLOWING:
 □ □ □
 WEEK YEAR

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN	Tyco Electronics Tyco Electronics Corporation ShenZhen, China	
DIMENSIONS: mm		CHK	NAME	
		APVD	OSA-SH-DM5,000,000M	
MATERIAL		PRODUCT SPEC	SIZE	RESTRICTED TO
FINISH		APPLICATION SPEC	CAGE CODE	
		WEIGHT	DRAWING NO	
		CUSTOMER DRAWING	A3 00779	3-1419124-9
			SCALE 4:1	SHEET 2 OF 2 REV E