

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS				
P	LTR	DESCRIPTION	ECN	DATE	DWN	APVD
A		RELEASE		18-MAY-05	H.S	A.N
A1		ADD TYPE	ECO-06-005615	07-MAR-06	WJQ	AY
B		CHANGE TE LOGO	ECO-08-020474	12-SEP-08	Z.Z	BHY







Diagram dimension	Tolerance
0.99mm max.	±0.1mm
1 - 2.99mm	±0.2mm
3mm min.	±0.3mm



NOTE
 1. LOT NO SYSTEM AS FOLLOWING:



THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN	H.SASAKI	Tyco Electronics Corporation ShenZhen, China
DIMENSIONS: mm		CHK	Y.OIKAWA	
		APVD	A.NAGAI	NAME
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC 1 PLC 2 PLC 3 PLC 4 PLC ANGLES		PRODUCT SPEC	-	SRUDH-DM1,000B SPECIAL
MATERIAL		APPLICATION SPEC	-	SIZE CAGE CODE DRAWING NO
FINISH		WEIGHT	-	A3 00779 1721440
		CUSTOMER DRAWING		RESTRICTED TO
				SCALE 4:1 SHEET 1 OF 2 REV B


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS					
P	LTR	DESCRIPTION	ECN	DATE	DWN	APVD			


3-1419146-3	SRUDH-SS-105DM1	107-79007	5V	SRUDH-SS-105DM1	y	(B)
3-1419146-2	SRUDH-SH-148DM1	107-79007	48V	SRUDH-SH-148DM1	x	(A)
9-1419126-0	SRUDH-SH-124DM1	107-79007	24V	SRUDH-SH-124DM1	w	(A)
1461902-1	SRUDH-SH-115DM1	107-79007	15V	SRUDH-SH-115DM1	v	(A)
8-1419126-4	SRUDH-SH-112DM1	107-79007	12V	SRUDH-SH-112DM1	u	(A)
3-1419146-1	SRUDH-SH-109DM1	107-79007	9V	SRUDH-SH-109DM1	t	(A)
7-1419126-8	SRUDH-SH-106DM1	107-79007	6V	SRUDH-SH-106DM1	s	(A)
3-1419146-0	SRUDH-SH-105DM1	107-79007	5V	SRUDH-SH-105DM1	r	(A)
2-1419146-8	SRUDH-SH-103DM1	107-79007	3V	SRUDH-SH-103DM1	q	(A)
1-1721440-6	SRUDH-SH-148DM1	107-79033	48V	SRUDH-SH-148DM1	p	
1-1721440-5	SRUDH-SH-124DM1	107-79033	24V	SRUDH-SH-124DM1	o	
1-1721440-4	SRUDH-SH-118DM1	107-79033	18V	SRUDH-SH-118DM1	n	
1-1721440-3	SRUDH-SH-112DM1	107-79033	12V	SRUDH-SH-112DM1	m	
1-1721440-2	SRUDH-SH-109DM1	107-79033	9V	SRUDH-SH-109DM1	l	
1-1721440-1	SRUDH-SH-106DM1	107-79033	6V	SRUDH-SH-106DM1	k	
1-1721440-0	SRUDH-SH-105DM1	107-79033	5V	SRUDH-SH-105DM1	j	
1721440-9	SRUDH-SH-103DM1	107-79033	3V	SRUDH-SH-103DM1	i	
1721440-8	SRUDH-SS-148DM1	107-79033	48V	SRUDH-SS-148DM1	h	
1721440-7	SRUDH-SS-124DM1	107-79033	24V	SRUDH-SS-124DM1	g	
1721440-6	SRUDH-SS-118DM1	107-79033	18V	SRUDH-SS-118DM1	f	
1721440-5	SRUDH-SS-112DM1	107-79033	12V	SRUDH-SS-112DM1	e	
1721440-4	SRUDH-SS-109DM1	107-79033	9V	SRUDH-SS-109DM1	d	
1721440-3	SRUDH-SS-106DM1	107-79033	6V	SRUDH-SS-106DM1	c	
1721440-2	SRUDH-SS-105DM1	107-79033	5V	SRUDH-SS-105DM1	b	
1721440-1	SRUDH-SS-103DM1	107-79033	3V	SRUDH-SS-103DM1	a	
ITE PART NO	DESCRIPTION	PACKING SPECIFICATION	PART B	PART A	ITEM	

RELAY TYPE

3. WIRING DIAGRAMS



4. PC BOARD LAYOUTS



INCOMBUSTIBILITY	TREATMENT	MATERIAL	DESCRIPTION	ITEM
	UV RESIN	UV SEAL(FOR SH TYPE)		14
	EPOXY RESIN	SEAL		13
	UEW	MAGNETIC WIRE		12
UL 94V-0	PBT	CASE		11
UL 94V-0	PBT	BOBBIN		10
	CP WIRE	COIL TERMINAL		9
	Ag ALLOY	STATIONARY CONTACT		8
	Ag ALLOY	MOVABLE CONTACT		7
	Cu ALLOY	DUMMY B-TERMINAL		6
	Cu	M-TERMINAL		5
	Cu ALLOY	MOVABLE SPRING		4
	Ni PLATING	STEEL CORE		3
	Ni PLATING	STEEL ARMATURE		2
	Ni PLATING	STEEL YOKE		1

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.

Tyco Electronics Tyco Electronics Corporation
ShenZhen, China

NAME: SRUDH-DM1,000B SPECIAL

SIZE: A3 CAGE CODE: 00779 DRAWING NO: 1721440 RESTRICTED TO: -

CUSTOMER DRAWING SCALE: 4:1 SHEET: 2 OF 2 REV: B

DWN	CHK	APVD	PRODUCT SPEC	APPLICATION SPEC	WEIGHT	CUSTOMER DRAWING
-----	-----	------	--------------	------------------	--------	------------------

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
mm	0 PLC ±
	1 PLC ±
	2 PLC ±
	3 PLC ±
	4 PLC ±
	ANGLES ±
MATERIAL	FINISH

